FASTENAL REFERENCE GUIDE

Lincoln Electric

Welding equipment, filler metals, guns, safety gear and cables sold by Fastenal, with a Miller-family cross-reference.

6,432 Fastenal items · Compiled 2026-11-17

Miller-family equivalents are nearest equivalents by published specification, for reference only. Confirm specs before substituting. Miller, Hobart, Bernard, Tregaskiss and Weldcraft are trademarks of their respective owners.

Independent reference. Brand names are used as text only and belong to their owners. Confirm every part on the manufacturer's current page before you order.

Contents

1. Overview
2. Welding Equipment
    - MIG Welders
    - TIG Welders
    - Stick Welders
    - Advanced Welding Process
    - Engine Drives
    - Multi-Process Machines
    - Plasma Cutting
    - Equipment Parts & Accessories
3. Guns, Torches & Consumables
    - MIG Guns
    - TIG Torches & Accessories
    - MIG Gun Consumables
4. Filler Metals
    - MIG Wire and TIG Cut Lengths
    - Stick Electrodes
    - Gas-Shielded Flux-Cored
    - Self-Shielded Flux-Cored
    - Submerged Arc
    - Stainless & Specialty Alloys
5. Safety and PPE
    - Hand, Body and Arm
    - Personal Respiratory Protection
    - Weld Fume Control
    - Head, Face and Eye
    - Safety Gear Bags
    - Weld Booths
6. Cables, Clamps & Accessories
    - Cables, Clamps & Holders
    - Shop Tools & Accessories
7. Guides
    - Reading AWS Filler Metal Classifications
    - Using the Miller-Family Cross-Reference
8. Appendix: Fastenal SKU Cross-Reference

Overview

About Lincoln Electric

Lincoln Electric was founded in 1895 in Cleveland, Ohio. By 1911 brothers John C. and James F. Lincoln had launched their first variable-voltage arc welder. The company now describes itself as a global leader in arc welding and cutting. Its product pages list welding and cutting equipment, filler metals, automation, weld fume control and safety and PPE.

What this reference covers

This guide explains the Lincoln Electric products Fastenal sells, in plain English, so you can pick the right item and read the part description. It has five sections:

- Welding Equipment: welders, plasma cutters, wire feeders, and the parts and accessories for them.
- Guns, Torches and Consumables: MIG guns, TIG torches, contact tips, nozzles and liners.
- Filler Metals: MIG and TIG wire, stick electrodes, flux-cored and submerged arc wire, stainless and specialty alloys.
- Safety and PPE: gloves, helmets, respiratory protection, fume control and weld booths.
- Cables, Clamps and Accessories: weld cable, clamps, holders and shop tools.

Each category page covers what the product is, how to choose it, how to read the Fastenal part description, the product families Fastenal stocks, and tips for sellers. A Miller-family cross reference is available for sellers.

How to find your Fastenal part

Search by Lincoln part number (for example K2808-1), by Fastenal SKU, by the part number of a Miller-family equivalent, or by keyword such as "Magnum PRO contact tip". Every result shows the Fastenal SKU and links to the product page on fastenal.com. If you only have a machine model, start in the matching category page and then search by the Lincoln part number shown.

Welding Equipment

Welding equipment is the power source: the machine that turns shop or generator power into a controlled arc. Lincoln groups it by process and by where the work happens. MIG welders feed wire for fabrication and repair. TIG welders give fine control on thin metal, stainless and aluminum. Stick welders run stick electrodes. Engine drives weld and generate AC power away from an outlet. Multi-process machines and wire feeders cover several methods from one source, and advanced process machines such as Power Wave control the arc shape for production work. Plasma cutters cut metal with air and an arc. The section has eight leaves: MIG welders, TIG welders, stick welders, advanced process, engine drives, multi-process, plasma cutting, and equipment parts and accessories. On the Fastenal list, advanced process and equipment parts hold many robotic torches, feeders and kits, not only welders.

Choosing starts with four questions. What process and material? How thick? What power does the site have? Is a gun, feeder, cart or cable included in the item? Many Lincoln items on the Fastenal list are one-paks or ready-paks, so read the full name. Parts and accessories for these machines are in their own leaf, so a seller can find a kit or cart without searching the whole list.

MIG Welders

What it is

A MIG (GMAW) welder pushes a continuous wire electrode through a gun while shielding gas protects the puddle. The same machines run flux-cored wire when gas is not practical. Lincoln describes MIG as a versatile process used from auto body work to fabrication. These are the machines behind the counter jobs: maintenance shops, job shops, trailer builders and body shops.

How to choose

- Material: steel, stainless and aluminum all weld on POWER MIG machines, but aluminum needs the right wire, gas, liner and drive roll (and often a spool or push gun).
- Thickness and amperage: size the machine for the thickest metal you weld daily, not the average job.
- Input power: check the voltage and phase on the item name (for example 208/230/1/60 or 230/460/575/1/60) against what the shop has. Some models take 120 V or 230 V.
- Process: a straight MIG machine is simpler; a multi-process unit (see Multi-Process Machines) adds stick and TIG.
- Duty cycle: production or all-day welding calls for the industrial Idealarc CV line or a larger POWER MIG, not a light machine.
- Packaging: a One-Pak or Ready-Pak item includes more of the system, so check what is in the box before adding a gun or cart.

Reading the part description

Term	Meaning	Example
One-Pak®	Lincoln's packaged version; the 256 One-Pak page lists a Magnum® PRO gun and cable with the machine. Check the box contents on each item	POWER MIG® 256 MIG Welder One-Pak®
Ready-Pak®	Lincoln's ready-to-weld package name; no current Lincoln page describes what is in it (the Idealarc CV400 Ready-Pak page is marked discontinued). Check the contents before quoting	Idealarc® CV400 MIG Welder LF-72 Ready-Pak®
230/460/575/1/60	Input volts / phase / hertz the machine is built for	POWER MIG® 256 MIG Welder (230/460/575/1/60)

Term	Meaning	Example
CV	Constant voltage output; Lincoln says its Idealarc MIG welders are built for flux-cored and CV processes	Idealarc® CV305 MIG Welder
LF-72, LF-74	Wire feeder model numbers in the Fastenal name; not described on a current Lincoln page	Idealarc® CV400 ... LF-72 Ready-Pak®
Aluminum Front/Rear Trigger	Packaged with an aluminum gun, trigger position as noted	POWER MIG® 360MP Aluminum Rear Trigger One-Pak®

Product families

Family	What it's for	Notes
POWER MIG® 256, 260	MIG and flux-cored welders for light industrial shop fabrication, maintenance and repair	Diamond Core Technology™ for steel, stainless or aluminum. Lincoln's page shows the 256 (K3069-1, K3068-2) as not currently for sale in the region; the 260 was listed for sale
POWER MIG® 180 Dual, 180C	Smaller shop, farm and auto body machines	Lincoln's pages say both are being replaced by the POWER MIG 211i (K6080-1) and show them not currently for sale in the region. 180 Dual takes 120 or 208/230 V input; 180C is a 230 V machine
POWER MIG® 262P	Pulsed MIG, constant-voltage MIG and flux-cored up to 300 A	Lincoln lists it for auto body repair, fabrication, education and maintenance
Idealarc® CV305, CV400	Industrial CV power sources for flux-cored and MIG	Lincoln's page for the CV400 Ready-Pak is marked discontinued; no current page was found for the CV305 part numbers. Confirm availability before quoting
Handy Core flux-cored MIG welder; 110V Butt Welder with Docking Station	Also on the Fastenal MIG list	Not described on the Lincoln pages used

The MP models (140 MP, 210 MP, 360MP) are listed under Multi-Process Machines.

Seller tips

- Ask what metal and thickness, what power is in the building, and whether the customer will weld aluminum. Aluminum often needs a different gun.
- Many Lincoln machines on the list are shown as the power source only. Ask whether the customer already has a gun, regulator and cart.
- Pair the sale with contact tips, nozzles and liners (see MIG Gun Consumables), wire, and a helmet and gloves.
- Some models on the Lincoln site are marked as not for sale in a region. If the part number does not show on lincolnelectric.com, check with the Fastenal product page before promising it.

Sources: MIG Welding Equipment (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/MIG-Welding-Equipment); POWER MIG 256 MIG Welder One-Pak (https://www.lincolnelectric.com/en/Products/K3069-1); POWER MIG 210 MP Multi-Process Welder TIG One-Pak (https://www.lincolnelectric.com/en/Products/K4195-2); POWER MIG 180C MIG Welder (https://www.lincolnelectric.com/en/Products/K2473-2); POWER MIG 180 Dual MIG Welder (https://www.lincolnelectric.com/en/Products/K3018-2); POWER MIG 260 MIG Welder (https://www.lincolnelectric.com/en/Products/K3520-1); POWER MIG 262P Pulsed MIG Welder (https://www.lincolnelectric.com/en/Products/k5378-1)

TIG Welders

What it is

TIG (GTAW) welding uses a non-consumable tungsten electrode and a separate filler rod, with argon shielding gas. It gives the cleanest, most controlled weld and is used on thin material, stainless, aluminum and critical joints. Lincoln lists TIG machines for automotive, aerospace, energy, process piping and critical maintenance.

How to choose

- AC/DC or DC only: aluminum needs AC output. Steel and stainless run on DC. Lincoln's Aspect, Precision TIG and Square Wave machines on this list have AC/DC output (AC Auto Balance® or AC wave shape controls for aluminum); the Invertec® V155-S is DC TIG and stick.
- Amperage: pick for the heaviest material. Lincoln lists Precision TIG 225 at 5 to 230 A and Precision TIG 375 at 2 to 420 A; the Aspect 230 gives up to 230 A.
- Input power: read the voltage string (for example 208/230/460/1/60). A single-phase shop cannot run a three-phase-only machine.
- Portability: lighter inverter units suit field and maintenance work; larger machines suit shop fabrication.
- Torch and cooling: confirm the torch in the package. The Aspect 230 One-Pak is the air-cooled version; check whether a water-cooled package is needed for long, high-amp welding.
- Controls: pulse and AC balance matter for aluminum and thin work. Lincoln lists a built-in TIG pulser on Precision TIG 375 and pulse controls on Aspect 230. Confirm remote controls on the spec sheet.

Reading the part description

Term	Meaning	Example
AC/DC	Machine can output both alternating and direct current	Aspect® 375 AC/DC TIG Welder
Ready-Pak® / One-Pak®	Lincoln's packaged systems; Lincoln lists "Ready-Pak® with Cart" for the Precision TIG 375 (K2624-1). Check the box contents	Precision TIG® 225 TIG Welder Ready-Pak®
208/230/460/1/60	Input volts / phase / hertz	Precision TIG® 375 TIG Welder (208/230/460/1/60)
TIG/Stick	Machine does both processes	Invertec® V155-S TIG/Stick Welder Ready-Pak®
34 V TIG Welder, 14.6 V TIG Welder, 120 / 230 V TIG Welder	Item named by voltage only. By Lincoln's pages, K4341-1 is the Aspect® 230 AC/DC Air-Cooled One-Pak®, K4340-1 is the Aspect® 230 AC/DC base model and K5126-1 is the Square Wave® TIG 200. The other part numbers could not be confirmed	34 V TIG Welder (K4341-1)

Product families

Family	What it's for	Notes
Precision TIG® 225, 275, 375	TIG for automotive, motorsports, aerospace, schools and custom fabrication	Lincoln's description of the family. The 275 page could not be read
Aspect® 230, 375 AC/DC	Mission-critical welds that face strict testing	Sold bare and as a Ready-Pak® or One-Pak®

Family	What it's for	Notes
Square Wave® TIG 200	AC/DC stick and TIG	Appears as "120 / 230 V TIG Welder"
Invertec® V155-S	Compact DC TIG and stick	Lightweight; also see Stick Welders

Seller tips

- Ask what metal the customer welds. Aluminum means an AC/DC machine.
- Several TIG items on the Fastenal list have names that show only a voltage ("34 V TIG Welder"). Always match on the Lincoln part number, not the name.
- Pair the sale with a torch, tungsten, argon regulator, filler rod and a darker-shade helmet. Undercarriages and carts are separate items.
- TIG uses a gas shield that wind blows away. Outdoors, a stick or wire machine is usually a better fit unless the customer can block the wind.

Sources: TIG Welding Equipment (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/TIG-Welding-Equipment); Aspect 230 AC/DC Air-Cooled One-Pak (K4341-1) (https://www.lincolnelectric.com/en/Products/le-na-aspect230?sku=K4341-1); Aspect 375 AC/DC TIG Welder Ready-Pak (K3946-2) (https://www.lincolnelectric.com/en/Products/le-na-aspect375?sku=K3946-2); Precision TIG 225 Ready-Pak (K2535-1) (https://www.lincolnelectric.com/en/Products/le-na-precisiontig225?sku=K2535-1); Precision TIG 375 Ready-Pak (K2624-1) (https://www.lincolnelectric.com/en/Products/le-na-precisiontig375?sku=K2624-1); Square Wave TIG 200 (K5126-1) (https://www.lincolnelectric.com/en/Products/K5126-1); Invertec V155-S TIG/Stick Ready-Pak (K2606-1) (https://www.lincolnelectric.com/en/Products/K2606-1)

Stick Welders

What it is

Stick welding (SMAW) uses a flux-coated electrode that melts to form the weld and its own shielding. It is simple, works outdoors and on rusty or dirty steel, and is common in repair, maintenance and structural work. Lincoln lists stick welders for mild steel, low alloy, stainless, cast iron and hardfacing.

How to choose

- Output type: AC-only machines are low cost and rugged; DC (or AC/DC) machines run a wider range of electrodes.
- Amperage: match the largest electrode the customer runs. A 3/16 in 7018 needs more current than a 1/8 in 6013.
- Input power: check the voltage on the item name (230 V, 230/460, 230/460/575). Industrial units may need three-phase.
- Portability: small inverter units are light (Lincoln lists the Invertec® V155-S at just under 15 lb); the Idealarc® line is the larger shop machine.
- Duty cycle and environment: all-day production needs an industrial machine. Lincoln lists the Invertec® V276 as weather-resistant for outdoor construction.
- Extras: power factor correction (PFC) matters for some sites; Idealarc® 250 is offered with it.

Reading the part description

Term	Meaning	Example
230/460	Input voltages the machine can be wired for	Idealarc® R3R-500 Stick Welder 230/460
230/460/575	Same, with a 575 V tap	Idealarc® R3R-500 Stick Welder 230/460/575
PFC	Power factor correction	Idealarc® 250 Stick Welder with PFC
AC/DC 225/125	Model name; the ratings are not confirmed on a current Lincoln page	AC/DC 225/125™ Stick Welder

Term	Meaning	Example
230 V Stick Welder	The Fastenal name shows input only (part K1297); match by part number	230 V Stick Welder

Product families

Family	What it's for	Notes
AC225™ (K1170), AC/DC 225/125™ (K1297)	Stocked by Fastenal	These part numbers return a not-found page on lincolnelectric.com, so no current Lincoln description was found. Check the part number before promising specs
Invertec® V155-S	Portable inverter for stick and DC TIG	Just under 15 lb; runs from 120 or 230 V; Lincoln calls out SOFT and CRISP stick modes. See also TIG Welders
Invertec® V276 (Tweco® or Twist Mate™ connectors)	Weather-resistant stick and TIG power source	Lincoln lists it for E6010 and E7018 up to 7/32 in and for air carbon arc gouging up to 3/16 in; the two items differ in output connectors
Idealarc® 250	Classic shop stick welder	Up to 300 A AC and 250 A DC; AC, DC+ or DC- by switch; runs low-hydrogen, stainless, hardfacing, aluminum and bronze rods
Idealarc® R3R-400, R3R-500	Heavy-duty industrial stick	Lincoln's R3R-400 page lists 60-500 A and 230/460 V input and shows it as not currently for sale in the region; R3R-500 page was not found. Choose input voltage carefully

Seller tips

- Ask which electrodes (6010, 6013, 7018) and what diameter. This sets the amperage and AC versus DC.
- Pair with electrodes from Stick Electrodes, an electrode holder and work clamp (see Cables, Clamps & Holders), a helmet and gloves.
- Low-hydrogen electrodes like 7018 need dry storage. Mention a rod oven (see Shop Tools & Accessories).
- Check the power at the site before quoting an Idealarc, because the input voltage determines the item.

Sources: Stick Welding Equipment (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Stick-Welding-Equipment); Invertec V155-S Stick Welder (K2605-1) (https://www.lincolnelectric.com/en/Products/K2605-1); Idealarc 250 Stick Welder (K1053-8) (https://www.lincolnelectric.com/en/Products/le-na-idealarc250?sku=K1053-8); Invertec V276 (Tweco) Stick and TIG Welder (K4868-1) (https://www.lincolnelectric.com/en/Products/le-na-invertecv276?sku=K4868-1); Idealarc R3R-400 Stick Welder (K1285-16) (https://www.lincolnelectric.com/en/Products/K1285-16)

Advanced Welding Process

What it is

Advanced process power sources control the shape of the welding current (the waveform) rather than just setting volts and amps. Lincoln's Power Wave platform covers semiautomatic, robotic, submerged arc and mechanized welding. Submerged arc welders melt a large-diameter wire under a bed of flux to deposit metal quickly on heavy fabrication. On the Fastenal list most items in this group are not power sources: they are robotic torches, robot cable assemblies, wire drives and submerged arc consumables.

How to choose

- Application: hand-held semiautomatic, robot-mounted, or automatic submerged arc each use different equipment.
- Output size: Lincoln lists the Power Wave 300C and S350 at 5-350 A, the S500 at 5-550 A and the S700 at 20-900 A. Duty cycle at 100% is 300 A, 300 A, 450 A and 700 A.
- Feeder and gun: Power Wave sources are normally ordered with a Power Feed or Flex Feed feeder and a gun. Several listed items are packages (One-Pak, Ready-Pak) that bundle these.

- Robot type: robotic torches and cable assemblies are made per robot brand and model (Fanuc, Motoman, KUKA, ABB). Match the robot name in the item.
- Cooling: water-cooled and air-blast robotic torches are separate items.
- Region: CE items are built for the European market. Confirm US availability.

Reading the part description

Term	Meaning	Example
S350, S500	Power Wave S-series size classes (S700 appears only as an accessory)	Power Wave® S500 Advanced Process Welder
300C	Power Wave 300C model	Power Wave® 300C Advanced Educational One-Pak®
R450	Robotic power source	Power Wave® R450 Robotic Power Source
STT®	Surface Tension Transfer process module (an add-on)	Power Wave® STT® Process Module
CE	Version for the European market	Power Wave® S500 CE Advanced Process Welder
AC/DC 1000SD	Advanced submerged arc power source	Power Wave® AC/DC 1000SD
One-Pak® / Ready-Pak®	Package that bundles items sold together	Power Wave® S500 Advanced Process Welder & Power Feed® 84 Ready-Pak®
Thru-Arm	Torch cable runs through the robot arm	Magnum® Pro Thru-Arm Kr8R1420 One-Pak®
Water-Cooled / Air Blast	Torch cooling type	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 100iD/10L

Product families

Family	What it's for	Notes
Power Wave® S350, S500, R450, 300C	Semiautomatic and robotic advanced process welding	Several One-Pak® and Ready-Pak® packages
Power Wave® STT® Process Module	Adds the STT process	Add-on, not a welder
Power Feed® 84 / Flex Feed® 84	Wire feeders for Power Wave, boom mounts	Single and dual drive
Magnum® PRO Water-Cooled Robotic Torch	Robot-mounted MIG torches	Per robot brand and model
Autodrive® S / SA cables, Thru-Arm torches	Robot cable assemblies and thru-arm torches	Match robot model
Idealarc® DC-1000, DC-1500 Subarc	Submerged arc power sources	Heavy fabrication
Wire drives for NA-3, NA-4, NA-5	Submerged arc feeder parts	Ratio and wire size in the name
Twinarc® wire guides, tips and kits	Twin-wire submerged arc consumables	

Seller tips

- These are specified sales. Ask the customer's engineer or welding supervisor for the process and procedure first.
- For robotic parts, get the robot make and model before quoting. A part for one robot will not fit another.
- Confirm which feeder, gun and cables are included. Packages on the list differ.
- Lead time and training often matter more than price. Keep expectations clear.

Sources: Advanced Process Equipment (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Advanced-Process-Welders-Welding-Equipment); Power Wave (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Advanced-Process-Welders-Welding-Equipment/Power-Wave); Submerged Arc Welders (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Submerged-Arc-Welding-Equipment)

Engine Drives

What it is

An engine drive is a welder and a generator in one portable package, run by a gas, diesel or LPG engine. It welds in the field where no outlet exists and also powers tools. Lincoln describes its engine drives as portable equipment built and tested for the toughest environments, and offers a Ranger Air model for work trucks that adds an air compressor.

How to choose

- Fuel: gas, diesel or LPG. The item name shows which (G, D, LPG, or the engine maker). Confirm fuel availability on site.
- Weld output: size to the electrode and process. The small Bulldog 5500 welds AC stick up to 1/8 in; larger machines are multi-process or pipe models.
- Auxiliary power: check generator watts and the receptacles for the tools you need to run.
- Engine brand: Kohler, Kubota, Deutz and Perkins appear in item names. Service parts are brand specific.
- Emissions: "T4F Compliant" or "Tier 4F" in a name flags a Tier 4 Final diesel.
- Package: Ready-Pak versions bundle extras. Compare the contents before quoting.

Reading the part description

Term	Meaning	Example
(Kohler®), (Kubota®), (Deutz®), (Perkins®)	Engine maker	Ranger® 305 G Engine Driven Welder (Kohler®)
G / D / LPG	Gas / diesel / LPG model	Ranger® 305 LPG Engine Driven Welder (Kohler®)
MPX	Model suffix on the Ranger 260 and 330	Ranger® 330MPX™ Engine Driven Welder (Kohler®)
Ready-Pak® 1/2/3	Packaged version with added items	Vantage® 441X (Perkins®) Ready-Pak® 3
T4F	Tier 4 Final diesel emissions	Vantage® 435X (Deutz®) (T4F Compliant)
Hydraulic	Version of the Air Vantage 566X	Air Vantage® 566X Hydraulic (Deutz®)
GXT	Model suffix, with electric fuel pump on this item	Ranger® 250 GXT Engine Driven Welder (Kohler® with Electric Fuel Pump)

Product families

Family	What it's for	Notes
Bulldog® 5500	Portable AC welder and generator	Lincoln: AC stick to 1/8 in; 5,500 W surge, 4,000 W continuous
Outback® 145, 185	Compact welder generators	Kohler engine
Ranger® 225, 250 GXT, 260MPX, 305, 330MPX	General field welding	Gas, diesel and LPG versions
Vantage® 322, 435X, 441X, 549X, 566X	Heavy-duty field work	Many Ready-Pak® versions

Family	What it's for	Notes
Frontier® 400X, 400X Pipe	Pipe and field welding	Perkins engine
SAE-300®, SAE-500®, Classic® 300, Cross Country® 300, Maverick®	Other welder generators	Check the engine in the name
Air Vantage® 566X	Large field welder generator	Hydraulic version listed
Eagle™ 10000 Plus	Welder generator	Check current availability

Seller tips

- Ask the fuel and the job: stick only, wire feed, pipe or running tools. Match output and receptacles.
- Ask for the engine brand when ordering parts for an existing machine.
- Packages (Ready-Pak) differ by number; confirm what is included.
- Some listed machines are not on Lincoln's current pages. Confirm on the Fastenal product page.

Sources: Engine Driven Welders (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Engine-Drive-Welding-Equipment); Bulldog 5500 Engin e Driven Welder (Kohler) (https://www.lincolnelectric.com/en/Products/K2708-2)

Multi-Process Machines

What it is

A multi-process welder can run more than one welding process from one power source (the Lincoln page names MIG, flux-cored, stick and TIG among them, depending on the model). This category also holds the wire feeders that sit away from the power source in a shop or on a job site. Lincoln says multi-process machines suit general and heavy-duty manufacturing.

How to choose

- Processes needed: stick, TIG, MIG, flux-cored, gouging. Make sure the machine lists each one.
- Size: Flextec 350X, 500X and 650X are industrial machines. (The compact POWER MIG 210 MP, 40 lb on 120 V or 230 V input, is not in this Fastenal category.)
- Input power: check the voltage and phase on the item name. Bare names such as "38 V Multi-Process Welder" give no model, so match on part number.
- Feeder: bench, boom, portable or pipe feeders. Confirm the control plug between feeder and source.
- Output connectors: item names show Tweco® or Twist Mate™/Dinse® style. The wrong choice means adapters.
- Control cable: Lincoln says CrossLinc lets you set voltage at the feeder without additional cables.

Reading the part description

Term	Meaning	Example
Multi-Process	Welder runs more than one process	Flextec® 500X Multi-Process Welder
One-Pak® / Ready-Pak®	Power source and feeder packaged	Flextec® 500X/ LF-72 Heavy Duty One-Pak®
Construction, Standard	Flextec 350X variant names; not defined on the pages read	Flextec® 350X Construction CE Model (Twist Mate™/Dinse®)
PowerConnect®	Flextec 350X input-power variant; not defined on the pages read	Flextec® 350X PowerConnect / Power Feed-84 One-Pak
CrossLinc®	Voltage control at the feeder without additional cables (Lincoln)	Flextec® 650X Multi-Process Welder w/ CrossLinc™ / Flex Feed® 84 One-Pak®

Term	Meaning	Example
TVT	Feeder option shown in the name; not defined on pages read	LN-25X® with TVT & Magnum® 400 Welding Gun One-Pak®
Twist Mate™ / Dinse® / Tweco®	Output connector style	Flextec® 350X Construction CE Model (Twist Mate™/Dinse®)
38 V, 44 V	Bare names with only a voltage figure	44 V Multi-Process Welder

Product families

Family	What it's for	Notes
Flextec® 350X, 500X, 650X	Industrial multi-process inverters	Many variants; read the full item name
MULTI-WELD® 350 Multi-Operator Welder	Multi-operator welder; not described on the pages read	One item listed
31 V to 44 V Multi-Process Welder	Bare-name items	Match by part number
Idealarc® DC400, DC600	Transformer multi-process	Lincoln: traditional transformer power source for heavy duty welding
LN-25X®, LN-25® PRO, LF-72, LF-74	Portable and bench wire feeders	CrossLinc feeders appear here
Activ8® / Activ8X® Pipe	Portable feeder family	Lincoln: Activ8X Pipe is for field STT root passes on pipe
Flex Feed® 84, Power Feed® 84, HyperFill® feeders	Bench, boom and dual feeders	Parts and kits are in Equipment Parts & Accessories

Seller tips

- Variant names such as Standard, Construction and Compact are not defined on the pages read. Use the part number and spec sheet.
- Ask the connector style on the customer's existing cables before ordering.
- Pair with guns, cables, gas regulator and consumables. Feeders ship without a gun.
- Pipe work may need the Activ8X Pipe feeder. Lincoln says it is CV DC+ only, for solid and metal-core wire.

Sources: Multi-Process Welders (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Multi-Process-Welding-Equipment); Wire Feeder Equipment (https://www.lincolnelectric.com/en/Products/Equipment/Welding-Equipment/Wire-Feeders-Welding-Equipment); Activ8X Pipe (https://www.lincolnelectric.com/en/Products/le-na-activ8xpipe); POWER MIG 210 MP Multi-Process Welder TIG One-Pak (https://www.lincolnelectric.com/en/Products/K4195-2)

Plasma Cutting

What it is

A plasma cutter uses compressed air and an electric arc to cut conductive metal quickly and cleanly. Lincoln lists the Tomahawk 1000 for mild steel, brass, stainless steel, copper and aluminum, and says the Tomahawk 1500 cuts faster than oxy-fuel. Lincoln's handheld line is Tomahawk, with FlexCut as the newer line that uses guided setup (you enter material and thickness and it recommends an amperage). Most items on the Fastenal list are consumables and torches, not machines.

How to choose

- Thickness: size to the thickest cut. Lincoln rates the Tomahawk 1000 for up to 1 in in production (output 20-60 A); the Tomahawk 1500 is a 100 A unit rated for up to 1-1/4 in handheld. FlexCut models are numbered 35, 45, 65, 85, 105 and 125.

- Input power: Lincoln says the Tomahawk 1000 senses 200 to 600 V, single or three phase, 50 or 60 Hz (PowerConnect). Check each model's input on its spec sheet.
- Air supply: the Tomahawk 1000 needs air or nitrogen at 87-109 psi. Check regulator, dryer and volume.
- Torch: Tomahawk hand torches (LC25, LC40, LC65, LC105) differ in amperage. Machine torches (LC40M, LC65M, LC100M, LC105M, LC125M) mount on a cutting table or track.
- Use: gouging needs a gouging nozzle and shield.
- Duty cycle: the Tomahawk 1500 lists 60% at 100 A.

Reading the part description

Term	Meaning	Example
25 ft, 50 ft	Torch lead length	Tomahawk® 1500 Plasma Cutter w/ 50 ft (15 m) Hand Torch
LC25, LC40, LC65, LC105	Tomahawk torch model	Tomahawk® LC65 Handheld Plasma Replacement Torch - 25 ft (7.5m)
M (LC40M, LC65M, LC125M)	Machine torch	Tomahawk® LC65M Machine Plasma Torch - 25 ft (7.5m)
25A, 50A, 100A	Consumable amperage rating	Tomahawk® LC40 Nozzle Direct Contact 25A
(PS Only), Power-Source Only	Power source without torch	Tomahawk® 1500 Plasma Cutter (PS Only)
Handheld Ready-Pak®	FlexCut package with a handheld torch	FlexCut® 85 Plasma Cutter Handheld Ready-Pak® K5826-H
K5826-H, K5825-PS	Lincoln part number; H is handheld package, PS is power source only	FlexCut® 65 Plasma Cutter Power-Source Only K5825-PS
FlexCut PRO	Consumable line for FlexCut	FlexCut® PRO Nozzle 35A KP5861-1
Drag, Mechanized, Extended Cutting	Consumable kit type	FlexCut® PRO Drag Cutting Kit 85A KP5829-85
Gouging	Nozzle or shield for removing metal	Tomahawk® 1500 Gouging Nozzle-80A (LC105)

Product families

Family	What it's for	Notes
Tomahawk® 625, 1000, 1500	Handheld air plasma cutters	PowerConnect® and Parts-in-Place™ on the 1000 per Lincoln
Tomahawk 375 Air	Cutter listed by name only	Confirm model on the part number
FlexCut® 35, 45, 65, 85, 105, 125	Handheld plasma cutters	Handheld Ready-Pak® and Power-Source Only versions
Tomahawk® LC25, LC40, LC65, LC105 torches and consumables	Replacement torches, nozzles, electrodes, swirl rings, caps	Use matching consumables
FlexCut® PRO and LC100M, LC105M, LC125M consumables	Nozzles, shields, electrodes, swirl rings, kits	Many amperages
LC125M loaded plasma torch	Machine torch	50 and 75 ft
PCT-20, PCT-60, PCT-80, PCT-125 nozzles, electrodes, torches	PCT-series consumables and torches	Match to the PCT machine
4000 Series Arc Gouging Torch, CarbonElite® gouging electrodes	Arc gouging	Not plasma

Family	What it's for	Notes
Plasma Circle Cutting Guide Kit, cutting grid, CNC interface cables	Cutting accessories	

Seller tips

- Ask the thickest steel and the power available. This chooses the machine.
- Consumables are matched to torch and amperage, so ask for the torch model (LC40, LC65, LC105, FlexCut PRO and so on).
- Keep spares. Nozzles and electrodes wear out.
- Add safety glasses or a shade helmet, gloves and a clean, dry air supply.

Sources: Tomahawk 1000 Plasma Cutter with 25 ft Hand Torch (https://www.lincolnelectric.com/en/Products/K2808-1); Tomahawk 1500 Plasma Cutter with 25 ft Hand Torch (https://www.lincolnelectric.com/en/Products/K3477-1); FlexCut Plasma Cutters (https://www.lincolnelectric.com/en/Products/Equipment/Cutting-Equipment/Handheld-Air-Plasma-Cutters/FlexCut-Plasma-Cutters); Cutting Accessories (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Cutting-Accessories)

Equipment Parts & Accessories

What it is

These are the add-ons and spare parts for Lincoln welders and feeders that are not gun consumables: kits, adapters, carts, trailers, covers, coolers, remote controls and control cables. Lincoln groups them as carts, undercarriages and covers, coolers, control cables, drive rolls, engine drive accessories, switches and remotes, and wire feeder add-ons.

How to choose

- Model first: nearly every item is made for specific machines. Read the "for" part of the name.
- Connector style: Connector kits and adapters are named for the feeder or gun they fit (LN-25, LN-7-8-9, Miller feeders). Match them.
- Control cable: pin count (6, 9, 12 and 14 pin appear) and length must match both ends.
- Engine kits: match the engine maker and model (Kohler, Kubota, Deutz, Perkins).
- Carts and trailers: confirm cylinder capacity and which welders fit.
- Cooler: water-cooled guns and torches need a cooler with the right voltage.

Reading the part description

Term	Meaning	Example
Connector Kit	Fittings to join a gun or feeder to a machine	Connector Kit - LN-7-8-9 LN-25
FAST-MATE™ Adapter Kit	Adapter between feeder families	FAST-MATE™ Adapter Kit - LN-25
Service Kit	Filters and maintenance parts for an engine	Service Kit for Kubota® Engine Model V1505
Spark Arrestor Kit	Exhaust spark guard for engine drives	Spark Arrestor Kit for Kohler® CH730
Undercarriage	Wheeled running gear	Outback® Tube Frame Undercarriage
14 Pin Control Cable	Feeder control cable, with pin count	14 Pin Heavy Duty Cont Cable 100Ft 30.5M

Term	Meaning	Example
Arclink	Cable type named in the item (control/communication); match length and ends	Ext-Flex Arclink Cable (25 Ft 76M)

Product families

Family	What it's for	Notes
Connector and adapter kits (incl. FAST-MATE™)	Gun and feeder connections	A few name Miller® feeders
Engine service, cold weather and spark arrestor kits	Engine drive maintenance	Engine specific
Welder trailers, undercarriages, carts	Moving machines and cylinders	Check which machine they fit
Cool Arc® / Cool-Arc® water coolers	For water-cooled torches	Voltage varies
CanVAS™ covers, spool covers	Protection	Size by model
Control, Arclink and extension cables	Feeder and machine links	Match pins and length
Remote controls, switches, spool gun adapters	Operator control and options	Machine specific

Seller tips

- Ask for the machine model and serial or part number before quoting a kit.
- Connectors are an easy mix-up. Check the feeder model named in the kit (LN-25, LN-7-8-9, Miller feeders and so on).
- Some connector kits name Miller feeders. Offer these as fit-for-use, not as a Miller equivalent.
- Offer a cover or cart to protect a new machine.

Sources: Equipment Accessories (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Equipment-Accessories); Carts, Undercarriages and Covers (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Equipment-Accessories/Carts); Control Cables (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Equipment-Accessories/Cables-Accessories)

Guns, Torches & Consumables

The gun or torch is what the welder actually holds. A MIG gun feeds wire, carries current and delivers shielding gas. Lincoln's Magnum PRO line covers gas-shielded wire, with Innershield guns for self-shielded flux-cored wire and push-pull or spool guns for soft aluminum wire. A TIG torch holds a tungsten electrode and passes argon, and comes in air-cooled and water-cooled types.

Guns and torches carry parts that wear: contact tips, nozzles, diffusers, insulators, liners and drive rolls for MIG, and collets, cups, back caps and tungsten for TIG. Because they wear, these consumables are some of the most repeat-purchased items. They are specific to the gun family and amperage, so always start with the gun model, then the wire size. This section has three leaves: MIG guns, TIG torches & accessories, and MIG gun consumables.

MIG Guns

What it is

The MIG gun is the hand tool that feeds wire, carries current and delivers shielding gas to the weld. It wears with use and is the part operators handle all day. Lincoln lists guns for gas-shielded wire (Magnum PRO), for self-shielded flux-cored wire (Innershield) and for soft aluminum wire (push, push-pull and spool guns).

How to choose

- Amperage and duty cycle: the Magnum PRO Curve HDE 350 is a 350 A gun rated at 100% duty cycle on mixed gas. Pick the size for the heaviest wire you run.
- Wire type: steel, flux-cored or aluminum each need the right liner and tips. For aluminum, Lincoln describes the Magnum PRO AL push gun for 3/64 to 1/16 in wire over distances up to 10 ft; longer runs use push-pull guns.
- Cooling: air-cooled for light and medium work, water-cooled (WC) for high amps.
- Length: 10, 15, 20 and 25 ft are common; Cougar push-pull guns go to 50 ft.
- Machine connection: some guns name a Fast-Mate or Miller connector, and push-pull guns are 7-pin or 12-pin. Gun adapter kits exist.

Reading the part description

Term	Meaning	Example
100L, 175L, 250L	Light-duty Magnum PRO size	Magnum® PRO 175L Welding Guns
250, 350, 450, 550	Amp class of the gun	Magnum® PRO 350 Welding Guns
Curve™, HDE™	Handle and neck styles	Magnum® PRO Curve™ HDE™ 350
WC / Water Cooled	Water-cooled	Magnum® PRO 500 Water Cooled
10 ft (3 m)	Cable length	Magnum® PRO 100L Welding Gun - 0.035-0.045 in 10 ft (3 m)
AL, 7-pin, 12-pin	Aluminum push-pull and connector	Magnum® PRO AL Air-Cooled 225A 12-pin Rear Trigger Push/Pull Gun 15'
FCAW-S	Self-shielded flux-cored	K126® PRO Innershield® FCAW-S Welding Gun
Dual Procedure	Gun with a switch for two settings	Magnum® PRO Curve™ 400 Dual Procedure Welding Guns

Product families

Family	What it's for	Notes
Magnum® PRO 100L, 175L, 250L	Light MIG for POWER MIG machines	Spool and 4-pin versions
Magnum® PRO 250, 350, 450, 550	Standard industrial guns	Many lengths
Magnum® PRO Curve™ and HDE™	Ergonomic handle, rotatable gun tube	Lincoln: HDE has the highest duty cycle in its class
Magnum® PRO AL, Cougar™ push-pull; Magnum® PRO 250LX spool guns	Aluminum welding	Check pin count
Magnum® 200, 300, 400, 550 and Dual Procedure	Magnum guns on the list	Check gun model
Innershield® K126® PRO and Magnum® Innershield® 350A, 450A, 600A (FCAW-SS)	Self-shielded flux-cored	No gas needed
Water-cooled Magnum® PRO 400, 500 and 500Wc	High-duty work	Needs a cooler; Lincoln rates the 500 at 500 A 100% on mixed gas

Seller tips

- Ask the machine model, wire type and diameter, and length before quoting a gun.
- Sell spares: tips, nozzles and liners (see MIG Gun Consumables).
- Make sure the gun connector matches the feeder; the adapter kits are in Equipment Parts & Accessories.
- Robotic torches are in Advanced Welding Process, not here.

Sources: Semiautomatic Welding Guns (https://www.lincolnelectric.com/en/Products/Equipment/Guns-Torches/Semiautomatic-Welding-Guns); Magnum PRO Curve HDE 350 Welding Guns (https://www.lincolnelectric.com/en/Products/le-na-magnumprocurvehde350); Magnum PRO Curve 300 Aluminum Push Guns (https://www.lincolnelectric.com/en/Products/le-na-magnumpropushgun); Innershield Welding Guns (https://www.lincolnelectric.com/en/Products/Equipment/Guns-Torches/Innershield-Welding-Guns)

TIG Torches & Accessories

What it is

A TIG torch holds the tungsten electrode, passes shielding gas, and carries welding current. The cable carries gas and power; some torches add a valve or switch. Parts at the front of the torch (collet, collet body, cup, back cap) are consumables. Tungsten electrodes are sold separately.

How to choose

- Amperage: torch numbers show the size. Lincoln rates the Caliber 9, 17 and 26 series at 125, 150 and 200 A (60% duty cycle), the Caliber 20 at 250 A and the Caliber 18 at 350 A (both 100%). The older PTA-9 and PTA-17 are rated 125 and 150 A at 60%.
- Cooling: air-cooled (PTA, TIG-Mate 17) for light and medium work; water-cooled (PTW, TIG-Mate 20 Water-Cooled) for higher amps and long welds.
- Controls: flex head, valve or switch options (names carry F, V or FV).
- Cable: 12.5 or 25 ft; one-piece or two-piece cable.
- Machine connection: match the machine's gas and power fittings. Twist-Mate, Tweco-style cam lock and one- or two-cable adapters are listed.
- Tungsten: type and diameter chosen for current and metal.

Reading the part description

Term	Meaning	Example
PTA-9, 17, 26	Air-cooled torch size	PTA-17 TIG Torch (25 ft 2 piece cable)
PTW-18, 20	Water-cooled torch	PTW-20 TIG Torch (12.5 ft 3pc)
F, V, FV	Flex head, gas valve, or both	PTA-17FV TIG Torch w/Ultra-Flex™ Cable (12.5 ft 1pc)
1pc / 2pc / 3pc	Number of cable pieces	PTA-26 TIG Torch (25 ft 1pc)
Ultra-Flex™	Extra flexible cable	PTA-17 TIG Torch w/Ultra-Flex™ Cable (12.5 ft)
Caliber® 9, 17, 20, 26 Series	Current Lincoln TIG torch series	Caliber® 17 Series TIG Torch Ready-Pak® - Rigid 12.5 ft (3.8 m)
9/20, 17/18/26	Torch series the consumable fits	#6 Collet Body Cup 17/18/26
Gas Lens	Cup insert that spreads gas flow	1/8" Standard 17/18/26 Gas Lens
2% Ceriated, 2% Lanthanated, WX Multi-Oxide	Tungsten type	2% Lanthanated Premium Tungsten Electrode 3/32" x 7"

Product families

Family	What it's for	Notes
Caliber® 9, 17, 18, 20, 26 Series TIG torches	Lincoln's current TIG torches	Rigid or flexible, Ready-Pak® versions
PTA-9, 17, 26 TIG torches	Air-cooled TIG	PRO-Torch™ line; confirm it is still the one the customer wants
Caliber®, Standard 9/20 and 17/18/26 collets, collet bodies, gas lenses, cups, back caps	Torch consumables	Match torch series and tungsten size
PTW-18, 20	Water-cooled	Needs a cooler
20H-320-25R 320A	High-amp TIG torch	Check cooling
TIG-Mate™ 17, 17V, 20 Starter Packs	Torch kits	Check pack contents
Torch adapters, Twist Mate™ adapters, cam lock adapters	Connections	Match both ends
Premium Tungsten Electrodes	2% Ceriated, 2% Lanthanated, WX Multi-Oxide	Sizes .020 to 5/32 x 7 in

Seller tips

- Ask the machine and amp range, the metal, and whether the customer needs a foot pedal or torch switch.
- Pair with tungsten, cups, collets, filler rod and argon regulator.
- A torch with a "V" has a gas valve; check which the machine needs.
- Mixed tungsten types are a common mix-up; use the type the machine and metal call for.

Sources: TIG Torches (https://www.lincolnelectric.com/en/Products/Equipment/Guns-Torches/TIG-Torches); Caliber 17 Series TIG Torch (https://www.lincolnelectric.com/en/Products/le-na-caliber17series); Tungsten Electrodes (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/General-Accessories/Tungsten-Electrodes)

MIG Gun Consumables

What it is

Consumables are the parts of a MIG gun that wear out: the contact tip passes current to the wire, the nozzle directs gas, the diffuser spreads gas, the insulator separates them, and the liner guides wire. Drive rolls in the feeder push the wire. Replacing them on time keeps the arc stable.

How to choose

- Gun family: Magnum PRO, Magnum, Innershield and HyperFill parts do not interchange. Start with the gun model.
- Amperage: 350A and 550A versions are separate.
- Wire diameter and type: tip bore, liner and drive roll must match the wire (.035, .045, 1/16, 3/64 aluminum). Aluminum has its own tips and liners.
- Nozzle: thread-on or slip-on, inside diameter (3/8, 1/2, 5/8, 3/4 in), and recess, flush or stickout position.
- Liner length: match the gun cable (items list lengths such as 6, 10, 15 and 25 ft).
- Life: Extended Life tips are for robotic or heavy use.

Reading the part description

Term	Meaning	Example
Copper Plus®	Magnum PRO contact tip line	Copper Plus® Contact Tip - 350A Standard 0.035 in
350A / 550A	Gun amp rating the part fits	Magnum® PRO Nozzle - 350A Thread-on
.045 in (1.2 mm)	Wire size in inches and millimeters	Magnum® Contact Tip - Heavy Duty .045 in (1.2 mm) - 100/pack
Tapered	Tapered tip style	Copper Plus Contact Tip - 350A Tapered 0.035 in
Extended Life	Longer-life tip; Lincoln lists it for robotic applications	Copper Plus® Contact Tip - 550A Extended Life 0.045 in
Aluminum	Made for aluminum wire	Copper Plus Contact Tip - 550A Aluminum Tapered 3/64 in
25/pack, 100/pack	Pack size	Gas Nozzle Slip Adj .37 in (9.4 mm) inner diameter - 25/pack
Recess, Flush, Stickout	Tip position relative to nozzle end	Magnum® PRO Nozzle - 350A Thread-on Recess 1/2 in (12.7 mm) ID - 25/pack
Gun Tube 30/45/60°	Neck angle	Gun Tube 45° for Magnum® PRO 250L
Cable Liner	Wire guide in the cable	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m)

Product families

Family	What it's for	Notes
Magnum® PRO Copper Plus® contact tips	Steel and aluminum tips	350A and 550A, Extended Life
Magnum® contact tips (standard, heavy duty, notched)	Magnum guns	Check gun model
Innershield® tips, K126® PRO insulators and tip holders	Self-shielded guns	Lincoln: for K126-1, K126-2, K345-10 guns
HyperFill® tips and diffusers	HyperFill systems	Lincoln: camlock-fitting tips

Family	What it's for	Notes
Nozzles (Magnum® PRO, gas, slip-on, water-cooled robotic) and diffusers	Gas control	Thread-on, slip-on
Cable liners, conduit liners, guide tubes	Wire guides	By wire size and length
Gun tubes and barrels	Gun neck and water-cooled barrels	Angle in the name
Wire sizers	Check or restore wire size	Die size in the name
Drive roll kits	Wire feeding	By wire size and type

Seller tips

- Ask the gun model first, then wire type and size. A tip for the wrong gun will not fit.
- Sell tips in packs; 100/pack lowers cost per tip.
- Replace liner and tips together when feeding problems start.
- Clean spatter from the nozzle regularly and replace worn nozzles with the same style.

Sources: Gun Contact Tips (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Guns-and-Torches-Accessories/Gun-Contact-Tips); Gun Nozzles (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Guns-and-Torches-Accessories/Gun-Nozzles); Gun Liners (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Guns-and-Torches-Accessories/Gun-Liners)

Filler Metals

Filler metal is the material that melts into the joint and becomes part of the weld. Lincoln says it provides electrodes and wire for every process, and the Fastenal list follows a similar split. Stick electrodes are coated rods used without a gas bottle. MIG wire and TIG rod are solid filler that rely on shielding gas. Gas-shielded flux-cored and metal-cored wire add high deposition for thicker work. Self-shielded flux-cored wire (Innershield®) makes its own shielding and suits outdoor jobs. Submerged arc wire and flux serve automatic welding of heavy plate. Stainless, nickel and hardfacing alloys cover special corrosion, heat and wear jobs.

To choose, start with the base metal, then the process, the welding position, and any code or class the job calls for. The AWS class on the label ties these together, so read it before substituting. The guide on reading AWS classifications explains how. The section has six leaves: MIG and TIG wire, stick electrodes, gas-shielded flux-cored, self-shielded flux-cored, submerged arc, and stainless and specialty alloys.

MIG Wire and TIG Cut Lengths

What it is

MIG (GMAW) wire is a solid metal wire that feeds from a spool through a gun while shielding gas protects the weld. TIG (GTAW) filler is a straight rod, called a cut length, that the welder dips into the puddle by hand. Both are used in fabrication shops, maintenance departments and repair work. This page covers solid mild steel, low-alloy steel and aluminum filler. Most stainless and nickel filler is on its own page, but a few stainless rods (Lincoln® ER320LR, ER385, ER409Nb, ER330) are filed here on the Fastenal list.

How to choose

- Match the base metal first: mild steel, low-alloy (higher strength) steel, or aluminum each need their own wire. Aluminum wire is not interchangeable with steel wire.
- Pick the surface condition. Lincoln lists SuperArc® L-50® (ER70S-3) for clean to light mill scale and SuperArc® L-56® (ER70S-6) for medium to heavy mill scale, because L-56 carries more deoxidizers.
- Match the package to the feeder. A 10 or 33 lb spool fits a small wire feeder; a 500 or 1000 lb drum suits production welding.
- Check the shielding gas on the product data sheet. Pipeliner® 70S-6, for example, is listed for 100% CO2 or 75-95% argon with the balance CO2.
- For aluminum, the first digit after "ER" shows the main alloying element (4 is silicon, 5 is magnesium). Choose by the base alloy and the end use, not by price.
- For higher-strength steel, step up to a low-alloy wire such as LA-75, LA-90 or LA-100 so the weld matches the base metal.

Reading the part description

Term	Meaning	Example
MIG (GMAW) Wire	Solid wire for gas metal arc welding	SuperArc® L-56® MIG (GMAW) Wire
TIG (GTAW) Rod	Straight filler rod for gas tungsten arc welding	Lincoln® ER70S-2 TIG (GTAW) Rod
ER70S-6	AWS class: ER = electrode or rod, 70 = 70 ksi minimum tensile, S = solid, 6 = chemistry	SuperArc® L-56®
0.035 in / 0.045 in	Wire diameter in inches	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 33 lb Plastic Spool

Term	Meaning	Example
33 lb Spool	Net weight of wire on the package	0.035 in 33 lb Steel Spool
(5) 2 lb	A carton holding five 2 lb spools	SuperArc® L-56® MIG (GMAW) Wire 0.035 in (5) 2 lb Plastic Spool
Accu-Trak® Drum, Accu-Pak® Box	Large bulk drum or box for automated or high-volume feeding	0.045 in 1000 lb Accu-Trak® Drum
(3) 10 lb Tube	A box holding three 10 lb tubes of TIG rod	3/32 in (3) 10 lb Tube

Product families

Family	What it's for	Notes
SuperArc® L-50®	General mild steel MIG wire, ER70S-3	For clean to light mill scale
SuperArc® L-56®	Mild steel MIG wire, ER70S-6	Tolerates medium to heavy mill scale; the largest group on the list
SuperArc® L-52™	Copper-coated mild steel wire, ER70S-2	Triple-deoxidized; Lincoln lists it for welding over rust and mill scale
SuperArc® L-59®, G4Si1	Copper-coated mild steel MIG wire, ER70S-6	L-59 is described as an engineered alloy wire; G4Si1 is a higher-strength ER70S-6 that also meets the EN ISO standard
SuperArc® XLS	Copper-coated mild steel wire, ER70S-9	Reduced silicates for paint adhesion and a cleaner weld surface
Murematic® S3, S4+, S6	Copper-coated mild steel wire, ER70S-3, ER70S-4, ER70S-6	Same classes as the SuperArc wires above
SuperGlide® S3, SuperGlide® S6	Non-copper-coated mild steel wire	S3 is ER70S-3 and S6 is ER70S-6
SuperArc® LA-75, LA-90, LA-100, AK-10®	Low-alloy MIG wire for higher-strength steel	LA-75 is ER80S-Ni1; LA-90 is ER80S-D2 / ER90S-D2; LA-100 is ER100S-G / ER110S-G; AK-10 is ER100S-G
Pipeliner® 70S-6, 70S-G, 80Ni1, 80S-G	Pipe welding wire	70S-6 is ER70S-6, listed for root, hot, fill and cap passes up to X70 pipe. Check the data sheet for the others
Lincoln® ER70S-2, ER70S-6	Mild steel TIG rod	Cut lengths in cartons
Lincoln® ER80S-B2, ER90S-B3, ER80S-D2, ER80S-Ni1, ER100S-1, LA-84, AK-10®	Low-alloy TIG rod	ER80S-B2 and ER90S-B3 are chrome-moly types; LA-84 is ER90S-G and AK-10 is ER100S-G. Match to the base alloy
SuperGlaze® 4043, 4047, 5356, 5183, 5554, 5556	Aluminum MIG wire and TIG rod (ER4043 etc.)	4043 is listed for heat-treatable 6XXX base alloys. Pick the alloy by base metal and use. Plus, TM and HD versions also appear. SuperGlaze® 1100 and 5754 are stocked but not described on the Lincoln pages used
SuperGlaze® SiBR	Silicon bronze wire	Lincoln lists it for welding and MIG brazing

Seller tips

- Ask what metal, what thickness, and what machine. Wire diameter and spool size must fit the feeder and drive rolls.
- Steel and aluminum wire look alike on a shelf. Read the class (ER70S-6 versus ER4043 or ER5356) before pulling a part number.
- A customer asking for "ER70S-6" can often use either an L-56 or a competitor wire of the same class. Confirm gas and position, then offer the match.

- Pair wire with gun consumables (contact tips sized to the wire), the right gas, and gloves and a helmet. Aluminum is soft, so ask about drive rolls and liners meant for it.

Sources: MIG Wires and TIG Rods (https://www.lincolnelectric.com/en/Products/Filler-Metals/MIG-Wires-and-TIG-Rods); C1.10 Welding and Consumables Catalog (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605)

Stick Electrodes

What it is

A stick electrode is a metal rod covered in a flux coating. The welder strikes an arc with the rod, and the coating burns to form a gas shield and a layer of slag that protects the weld. Stick welding needs no separate gas bottle, so it is common on construction sites, pipelines, farms, repair work and anywhere wind or rust make wire welding hard. This page covers mild steel and low-alloy rods. Most stainless and hardfacing rods are on a separate page, though a few stainless sticks (Excalibur® 320LR-16, 330-16, 385-16, 410-16) are filed here on the Fastenal list.

How to choose

- Start with the base metal and the strength needed. The first two or three digits of the class give minimum tensile strength in ksi: 60, 70, 80, 90, 110.
- Pick the coating type. Cellulosic rods (E6010, E6011) dig deep and work on dirty or rusty steel. Rutile rods (E6013, E7014) run smoothly on clean sheet and light plate. Low-hydrogen rods (E7018) give the strongest, crack-resistant welds.
- Check the power source. Rods marked DC+ only (such as E6010) will not run on an AC-only welder; E6011, E6013 and many E7018 types run on AC and DC.
- Check the position. Lincoln's guide lists E7024 (Jetweld® 1) for flat, horizontal and slightly downhill work only, while E6010, E6011 and E7018 are used out of position.
- Match the rod diameter to the plate and amperage. 3/32 and 1/8 in are common for light work; 5/32 and 3/16 in for thicker plate.
- If a code or spec calls for low hydrogen or a toughness rating, look for H4R, H8, or a "-1" suffix (E7018-1) and keep rods dry.

Reading the part description

Term	Meaning	Example
Stick (SMAW) Electrode	Shielded metal arc welding rod	Excalibur® 7018 MR® Stick (SMAW) Electrode
1/8x14 in	Rod diameter x length	1/8x14 in
7018 (E7018)	E = electrode, 70 ksi, last digit = coating (8 = low-hydrogen, iron powder). Fastenal names usually drop the E	Excalibur® 7018 MR®
6010 / 6011	60 ksi, cellulosic coating; Lincoln lists Fleetweld® 5P (E6010) for DC+ only and Fleetweld® 35 (E6011) for AC or DC	Fleetweld® 5P+®, Fleetweld® 35
7018-1	Low-hydrogen rod with improved toughness	Excalibur® 7018-1 MR®
H4R	Diffusible hydrogen 4 mL per 100 g or less; R = passes the moisture-resistance test	1/8" E8018-B2 H4R Can 50Lb
8018-C3, 9018M, 11018M	Low-alloy rods; letters give the weld metal chemistry	Excalibur® 8018-C3 MR®
-16	Stainless rod coating code: stable arc, out-of-position capable (see the classification guide)	Excalibur® 330-16

Term	Meaning	Example
50 lb Easy Open Can	Package type and weight	50 lb Easy Open Can
(4) 5 lb Tube, -RSP	RSP = Retail Small Packaging, a small-pack version of the rod	Fleetweld® 5P®-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube

Product families

Family	What it's for	Notes
Fleetweld® 5P®, 5P+®	E6010 cellulosic	DC+ only; Lincoln lists it for vertical and overhead work with deep penetration
Fleetweld® 35, 180	E6011 cellulosic	Runs on AC as well as DC; Lincoln points to these when only AC output is available
Fleetweld® 22	E6022 rutile	DC+ only in Lincoln's table
Fleetweld® 37, 47 and Murex® 6013D, 7014	E6013 (Fleetweld 37, Murex 6013D) and E7014 (Fleetweld 47, Murex 7014)	Lincoln's "High Speed" group: all positions, most used flat, horizontal or downhill
Jetweld® 1, Jetweld® LH-70, Murex® 7024	Jetweld 1 is E7024-1 and Murex 7024 is E7024 (high deposition)	Jetweld 1: flat, horizontal and slightly downhill (15 degrees max) only. Jetweld LH-70 is a low-hydrogen E7018
Excalibur® 7018 MR®, 7018 XMR™, 7018-1 MR®, Millennium Arc® 7018-1, Jet-LH® 78 MR®	Low-hydrogen E7018	The largest group on the list; Excalibur 7028 is a high-deposition E7028 H8
Excalibur® 7018-A1, 8018-B2, 8018-C1, 8018-C3, 9018-B3, 9018M, 10018-D2, 11018M	Low-alloy low-hydrogen rods	For higher-strength or chrome-moly steel; check the spec
IronArc™ 7018 MR®, 7018-1 MR®, Lincoln® 7018 AC	E7018 variants	Lincoln® 7018 AC is E7018 H8 for AC welding, so it suits AC-only machines
Pipeliner® 6P+, 7P+, 8P+, Arc 80, 16P, 18P, 19P, LH-D80, LH-D90, LH-D100	Pipe welding	6P+ is E6010, 7P+ E7010-P1, 8P+ E8010-P1, 16P E7016 H4, 19P E10018-G H4R. LH-D80/D90/D100 are low-hydrogen electrodes for vertical-down pipe welding. Pick by pipe grade and pass
Shield-Arc® 70+, 85, HYP+, 90	Cellulosic low-alloy rods for high-tensile pipe	DC+ only (Lincoln's table)
Murex® 6011C	E6011 cellulosic	Lincoln's catalog lists it as a cellulosic E6011 rod
Ferroweld™, Lincoln® AK-10®	Also on the Fastenal list	The Lincoln pages used here do not describe them; check the package label for the class

Seller tips

- Ask "what position, what machine, what steel?" before anything else. AC-only machines rule out DC+ only rods.
- If the customer says "7018", ask whether the job calls for H4R or a toughness rating (-1). They are not interchangeable.
- Low-hydrogen rods absorb moisture. Sell a rod oven or sealed canister with a large order of E7018.
- Always pair stick rods with an electrode holder, a work clamp, gloves, a jacket and a helmet.
- All welding makes fume. Mention fume control or a respirator for indoor and confined-space work.

Sources: Stick Electrodes (https://www.lincolnelectric.com/en/Products/Filler-Metals/Stick-Electrodes); Stick Electrode (SMAW) Welding Guide (https://ch-delivery.lincolnelectric.com/api/public/content/dd6f6e98d1084c66a0189b143079936f?v=a4545fb8); C1.10 Welding and Consumables Catalog (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605)

Gas-Shielded Flux-Cored

What it is

Gas-shielded flux-cored wire (FCAW-G) is a hollow wire filled with flux. It feeds from a spool like MIG wire, but it needs an outside shielding gas such as CO2 or an argon mix. It deposits metal faster than solid wire and handles thick plate and out-of-position welds well. Metal-cored wire (GMAW-C) is also hollow, but the center is mostly metal powder, so it leaves very little slag and runs fast on a MIG-style machine. Both are common in structural steel, heavy equipment and fabrication shops.

How to choose

- Match the gas to the wire. Lincoln says its gas-shielded flux-cored wires are designed for CO2 or argon mixes, and each wire lists which one. UltraCore® HD-C is for 100% CO2; UltraCore® 71A85 is for 75 to 85% argon with the balance CO2. UltraCore® 71A75 Dual and Outershield® 71M are listed for either 100% CO2 or 75% argon / 25% CO2.
- Decide on position. In AWS class numbers, a "1" after the "T" means all positions; "0" means flat and horizontal only (for example E70T-1C versus E71T-1C).
- Check strength and toughness. A 71 class is mild steel; 81 and 91 classes (such as UltraCore® 81Ni1C-H) are for higher strength; "J" in the class means improved low-temperature toughness.
- Check diffusible hydrogen. H4, H8 and H16 show how much hydrogen the weld can hold; lower numbers are for crack-sensitive jobs.
- Pick wire diameter and spool size to fit the feeder: 0.045, 0.052, 1/16 and 3/32 in are common.
- Use metal-cored (Metalshield®) when you want less slag and cleanup, and flux-cored when you want a slag-supported puddle for vertical and overhead work.

Reading the part description

Term	Meaning	Example
Flux-Cored (FCAW-G) Wire	Gas-shielded tubular wire	UltraCore® HD-C Flux-Cored (FCAW-G) Wire
Metal-Cored (GMAW-C) Wire	Metal-powder-filled wire	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire
E71T-1C / E71T-1M	E = electrode, 7 = 70 ksi class, 1 = all-position (0 = flat and horizontal only), T = tubular, 1 = usability type; C = 100% CO2, M = mixed argon / CO2 gas. The class often appears at the end of the item name	UltraCore® 71A75 Dual ... AWS A5.20: E71T-9C-H8
E70C-6M	Metal-cored class: 70 ksi, C = composite (metal-cored) wire, 6 = chemistry, M = mixed gas	Metalshield® MC®-706 ... E70C-6M H4
H4 / H8 / H16	Diffusible hydrogen limit in mL per 100 g of weld metal	UltraCore® 71A75 Dual ... E71T-9C-H8
J	Improved toughness: 27 J (20 ft-lb) at -40 °F per Lincoln's classification guide	UltraCore® 712C ... E71T-12C-JH8
1/16 in, 0.045 in	Wire diameter	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool
50 lb Coil, 500 lb Accu-Trak® Drum	Package: coil, spool, or bulk drum	Outershield® 70 Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil

Product families

Family	What it's for	Notes
UltraCore® HD-C, HD-M, HD-12C, HD-12M, HD Marine	All-position mild steel (E71T-1, -9, -12 types)	"C" runs on 100% CO2; "M" on argon mix. HD-12 is rated for toughness (J) and listed for jobs needing post-weld heat treatment
UltraCore® 71A85, 71A75 Dual, 712C, 712A80	General and toughness-rated mild steel	71A75 Dual runs on CO2 or 75% argon / 25% CO2 per Lincoln
UltraCore® 70C, 75C, XP70; Outershield® 70, XLH-70	Flat and horizontal flux-cored (E70T)	For flat and horizontal welding only; Lincoln lists 75C, XP70 and XLH-70 for 100% CO2
UltraCore® 81Ni1, 81Ni2, 81K2, 91K2, 101K3, 111K3, 121K3, 80Ni1; Outershield® 91K2-H, 101Ni1-HSR	Higher-strength low-alloy	The first digits times 10 give the ksi class (81 = 80 ksi, 111 = 110 ksi); Ni and K letters show the alloy; C / M show the gas
UltraCore® 360® C71, M71	Mild steel all-position wire, E71T-1	Copper-coated for feeding per Lincoln; C71 runs on 100% CO2, M71 on 80% argon or CO2
Outershield® 71M, 71 Elite	Established all-position mild steel flux-cored	71M is dual classified for CO2 and Ar/CO2
Pipeliner® 81M, 91M, 101M, 111M, G90M	Pipe welding	For pipe grades; check data sheet
Metalshield® MC-6®, MC-70 XLS™, MC-710XL®, MC®-706	Metal-cored mild steel, E70C-6M	MC-70 XLS is listed for minimal silicon islands and little cleanup. MC-706 is stocked but not described on the Lincoln pages used
Metalshield® MC-80 XLS™, MC®-90, MC®-110, MC®-120	Metal-cored low-alloy	E80C-Ni1, E90C-K3, E110C-K4, E120C-K4, all H4
Metalshield® Z	Metal-cored E70C-GS	Lincoln lists it for single-pass lap and fillet welds on galvanized steel
Primalloy™ T-409Ti, T-439Ti	Metal-cored stainless	Ferritic stainless types; not described on the Lincoln pages used
Metalshield® HDT™, MC®-707 Clarity	Other metal-cored	Stocked but not described on the Lincoln pages used

Stainless flux-cored wire (UltraCore® 308L, 309L, 316L) and hardfacing wire (Lincore®) are on the stainless and specialty page (stainless-alloys).

Seller tips

- Ask which gas is on the machine. A CO2-only wire run on an argon mix (or the reverse) is not what the wire was classified with.
- Confirm position before suggesting a "T-1" all-position wire versus a flat-and-horizontal one.
- Sell the right contact tip, nozzle and liner for the wire size and type with every spool.
- Ask about a code or spec. Structural work often needs a specific class, H designation or certificate.
- Add gloves, jacket, helmet and fume control, since all welding makes fume.

Sources: Gas-Shielded Flux-Cored (https://www.lincolnelectric.com/en/Products/Filler-Metals/Gas-Shielded-Flux-Cored); Metal Cored Wires (https://www.lincolnelectric.com/en/Products/Filler-Metals/Metal-Cored-Wires); C1.10 Welding and Consumables Catalog (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605)

Self-Shielded Flux-Cored

What it is

Self-shielded flux-cored wire (FCAW-S) is a hollow wire whose flux core makes its own shielding when it burns. That means no gas bottle, no regulator and no gas lost to wind. Lincoln sells it under the Innershield® name. It suits outdoor and field work: structural steel erection, farm and construction equipment repair, trailers, and light-gauge sheet metal. The welder feeds it from a spool with a wire feeder and a gun, much like MIG.

How to choose

- Decide on position. Lincoln lists NR®-211-MP and NR®-232 as all-position wires (NR-211-MP in every size except 3/32 in); Innershield® NS-3M (E70T-4), NR®-305 (E70T-6) and NR®-311 (E70T-7) are for flat and horizontal work only.
- Match the thickness. Lincoln lists NR®-211-MP for sheet and thin-gauge metal, with a maximum plate thickness of 5/16 in for 0.045 in and smaller wire. Structural jobs use NR®-232 or NR®-233.
- Check the code. Structural work may need a specific class, a diffusible-hydrogen designator such as H8, or toughness rated for seismic use. Lincoln says NR®-232, NR®-233, NR®-305 and NR®-555 meet the AWS D1.8 seismic lot waiver requirements, and NR®-232-H meets D1.8 in 0.068 and 0.072 in.
- Look for nickel-bearing wires (NR®-203 Nickel (1%), NR®-311 Ni, NR®-440Ni2) when low-temperature toughness or a weathering-steel color match matters.
- Pick wire diameter to fit the machine: Fastenal's list runs from 0.030 in up to 3/32 and 7/64 in.
- Read the data sheet for polarity, wire speed and stick-out before setting up the machine. Self-shielded wires have their own settings.

Reading the part description

Term	Meaning	Example
Flux-Cored (FCAW-S) Wire	Self-shielded tubular wire	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire
E71T-11	E = electrode, 70 ksi class, T = tubular, 1 = all-position, 11 = usability type, no gas	NR®-211-MP
E71T-8	Self-shielded, all-position, type 8 (the AWS class; the item names on the list show the product name, not the class)	NR®-232
E70T-4	0 = flat and horizontal only, 70 ksi; self-shielded	NS-3M
H8	Diffusible hydrogen of 8 mL/100 g or less (Lincoln lists NR®-233 as E71T-8-H8)	NR®-233
0.035 in / 3/32 in	Wire diameter	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.035 in 10 lb Spool
25 lb Spool, 50 lb Coil, (4) 14 lb Coil	Package type and weight; a (4) 14 lb Coil is a carton of four 14 lb coils	Pipeliner® NR®-208-XP Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil
600 lb Speed Feed® Drum / Reel	Bulk wire for production	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 3/32 in 600 lb Speed Feed® Drum
-RSP	Retail Small Packaging, AWS-compliant but without other agency approvals (Lincoln catalog note)	Innershield® NR®-211-MP-RSP

Product families

Family	What it's for	Notes
Innershield® NR®-211-MP	All-position welding of light gauge and thin plate	E71T-11; the biggest group on the list
Innershield® NR®-232, NR®-232-H, NR®-233	All-position E71T-8 for structural fabrication, seismic work	NR-232 and NR-233 meet the AWS D1.8 seismic lot waiver requirements per Lincoln; -H versions are H8
Innershield® NR®-305, NR®-311, NR®-5, NR®-131	Flat and horizontal E70T-6, E70T-7, E70T-3, E70T-10	High deposition; Lincoln lists NR-305 for welds on lightly rusted or primed plate
Innershield® NR®-152	All-position E71T-14	Designed for high-speed welding of specially coated steel
Innershield® NR®-212	All-position E71TG-G	Single or multiple pass up to 3/4 in; Lincoln lists it for galvanized or zinc-coated steel
Innershield® NR®-311 Ni	Flat and horizontal E70T7-K2	About 1.5% nickel weld deposit; color match on weathering steel
Innershield® NR®-203 Nickel (1%), NR®-440Ni2	All-position, nickel-bearing (E71T8-Ni1, E71T8-Ni2-JH8)	Impact toughness and handling of poor fit-up
Innershield® NR®-203MP, NR®-555	NR-203MP is mild steel E71T-8-JH8; NR-555 is E81T8-G	NR-203MP is listed for poor fit-up and root beads without a back-up bar; NR-555 for structural work
Innershield® NS-3M	Flat and horizontal E70T-4	Very high deposition; listed for open groove welds and heavy sections. Fastenal sizes include 5/64 and 3/32 in
Pipeliner® NR®-207+, NR®-208-P, NR®-208-XP; Innershield® NR®-207, NR®-208-H	Pipeline welding	NR-207+ is E71T8-K6, listed for vertical-down hot, fill and cap passes up to X70 pipe; NR-208-H is E91T8-G-H8 for X80. Check the grade on the data sheet

Not every item here is a flat-pack of Innershield wire: a few rows are named "E71T-11 Innershield® Mild Steel MIG Welding Wire" (a 0.035 or 0.045 in E71T-11 spool) and one is Lincoln® Guardian® HB, which Lincoln's catalog lists as a metal-cored (GMAW-C) wire that runs with gas.

Seller tips

- Ask "indoors or outdoors?" If outdoors and windy, self-shielded wire saves buying gas and regulators.
- Check the gun. Self-shielded wire usually runs through a gun and tips made for it, so offer matching Innershield contact tips and nozzles.
- A customer asking for "E71T-11" can use NR®-211-MP; confirm the diameter and spool size against the feeder.
- This wire leaves a slag layer to chip off, and all welding makes fume. Sell chipping hammers, wire brushes, a respirator or fume extractor, plus gloves and a jacket.
- Keep spools dry. Open spools left outside can rust and feed poorly.

Sources: Self-Shielded Flux-Cored (https://www.lincolnelectric.com/en/Products/Filler-Metals/Self-Shielded-Flux-Cored); C1.10 Welding and Consumables Catalog (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605)

Submerged Arc

What it is

In submerged arc welding (SAW), a bare wire feeds into a pile of granular flux. The arc burns under the flux, so there is no visible arc and little spatter. The flux melts into a protective slag that peels off when cold. It is mostly an automatic or semi-automatic process used on thick plate, long seams and heavy fabrication: pressure vessels, storage tanks, wind towers, pipe mills and bridge beams. A job needs two things bought together: the right wire (electrode) and the right flux.

How to choose

- Choose the flux type first. Lincoln's guide groups fluxes as active, neutral and alloy. Active fluxes (the 700 series) suit single-pass welds, even on oxidized base metal. Neutral fluxes (the 800 and 900 series) keep the weld chemistry steady as voltage changes, so Lincoln uses them for multipass welding and says they suit any thickness. Alloy fluxes add alloy to the weld for hardfacing, cladding and joining, so the voltage must be tightly controlled.
- Pick a wire that matches the base metal and strength: L-61® (EM12K) and L-50® (EM13K) for mild steel; LA-75 (ENi1K) and LA-90 (EA3K) for low-alloy steel; stainless wires like 308/308L for stainless. Check the flux data sheet for which wires each flux is tested with.
- Look up the flux and wire pair in Lincoln's certificate center. The pair, not either part alone, carries the class (for example F7A2-EM12K) and the strength and toughness numbers.
- Check toughness and hydrogen needs. A "-H4" or "-H8" suffix limits diffusible hydrogen; Lincolnweld® 842-H™ is listed with an H4 hydrogen limit (under 4 mL per 100 g).
- Size the wire for the machine and the joint: 5/64, 3/32 and 1/8 in are common; larger wires carry more current.

Reading the part description

Term	Meaning	Example
Submerged Arc (SAW) Wire	Bare electrode for submerged arc	Lincolnweld® L-61® Submerged Arc (SAW) Wire
Submerged Arc (SAW) Flux	Granular flux that covers the arc	Lincolnweld® 960® Submerged Arc (SAW) Flux
EM12K	Electrode class: E = electrode, M = medium manganese, 12 = carbon level in hundredths of a percent, K = silicon-killed steel	Lincolnweld® L-61® Submerged Arc (SAW) Wire
F7A2-EM12K	Flux and wire together: 70 ksi class, as-welded, 20 ft-lb at -20 °F. It is not part of the Fastenal item name	Combination class (see classification guide)
3/32 in	Wire diameter	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil
60 lb Coil, 55 lb Spool	Wire package type and weight	Lincolnweld® 320LR Submerged Arc (SAW) Wire 3/32 in 55 lb Spool
Speed Feed® Drum	Bulk drum for fast, long-run feeding	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum
50 lb Bag, 550 lb Drum	Flux package	Lincolnweld® 801® Submerged Arc (SAW) Flux 550 lb Drum

Product families

Family	What it's for	Notes
Lincolnweld® L-61®, L-60, L-50®, L-56®, LA-71, L-S3, Emergence® 61	Mild steel solid wire	L-61 is EM12K, the biggest group on the list; L-50 is EM13K, L-56 is EH11K, L-60 is EL12, LA-71 is EM14K per Lincoln's catalog
Lincolnweld® LC-72™	Mild steel cored wire (EC1)	Lincoln describes it as a cored wire designed to increase deposition rates
Lincolnweld® LA-75, LA-84, LA-85, LA-90, LA-92, LA-93, LA-100, L-70	Low-alloy solid wire	LA-75 is ENi1K, LA-84 EF3, LA-85 ENi5, LA-90 EA3K, LA-92 EB2R (1.25% Cr, 0.5% Mo), LA-93 EB3R (2.25% Cr, 1% Mo), L-70 EA1; match the class to the spec
Lincolnweld® LAC-B2, LAC-690, LAC-Ni2	Low-alloy cored wire	Cored low-alloy classes (ECB2, ECG, ECNi2)
Lincolnweld® 760®, 761®, 780®	700 series active fluxes	Single-pass work, even on oxidized metal
Lincolnweld® 801®, 802®, 842-H™, 860®, 865™, 880™, 880M®, 882™, 888™, 8500™, 960®, MIL800-H™, SPX80™, WTX™	Neutral fluxes (800 and 900 series, plus some named fluxes)	Multipass work; 842-H is listed with an H4 limit
Lincolnweld® P2000™, P2007™, ST-100 flux; Lincolnweld® 309LMo_MOD, 320LR, 385, 630 wire (other Lincolnweld stainless wires are on the stainless page)	Stainless and nickel flux and wire	Lincoln lists P2000 as a neutral basic flux for stainless and nickel. Match flux to wire
Lincolnweld® AK-10™, LA-81	Other solid wires on the list	LA-81 is described on Lincoln's page; check the data sheet for the class

Hardfacing metal-cored SAW wire (Lincore®) and nickel wire (Techalloy®) appear on the stainless and specialty page.

Seller tips

- Ask for both wire and flux. Wire without flux, or flux alone, does not make a weld.
- Ask for the code or customer certification. The wire-and-flux combination, not each product by itself, must meet it.
- Ask about the power source and the head. Wire size must match the SAW equipment.
- Flux soaks up moisture; ask how it is stored and whether the customer has a flux oven.
- Pair with gloves, jackets, helmets and a way to recover and reuse flux.

Sources: Submerged Arc (https://www.lincolnelectric.com/en/Products/Filler-Metals/Submerged-Arc); Submerged Arc (SAW) Welding Guide (https://ch-delivery.lincolnelectric.com/api/public/content/c6c88b1a1fd5495c9a6c9fe887750379?v=41bf5aa5); C1.10 Welding and Consumables Catalog (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605)

Stainless & Specialty Alloys

What it is

This is the filler for jobs where plain mild steel wire will not do. Stainless filler joins stainless steel and also joins stainless to carbon steel. Nickel alloys handle high heat, strong corrosion and special services like LNG. Hardfacing metal is welded on a part to build it back up or protect it from wear. These products come in every process: MIG wire, TIG rod, stick, flux-cored, metal-cored and submerged arc wire. A single Lincoln brand may span several processes, so read the process in the item name.

How to choose

- Match the filler to the base metal. For 304 and 304L stainless, use 308L. For 316 use 316L. Lincoln describes Blue Max® MIG 308L for 304/304L.
- For stainless to mild or low-alloy steel, use 309L (or 309LSi). Lincoln describes 309L as the choice for joining dissimilar metals, most often mild steel to stainless.
- Look at the letters. "L" means low carbon (resists corrosion at the weld); "H" means higher carbon (for high-temperature service); "Si" means more silicon, which helps the wire flow and wet.
- Choose the process and form: MIG wire for speed, TIG rod for precision, stick for field and repair work, flux-cored for thicker sections.
- Duplex stainless (2209, 2594) needs matching duplex filler. Lincoln lists Blue Max® MIG 2209 for 2205 duplex.
- For wear parts, choose hardfacing by what hurts the part: metal-to-metal wear, abrasion, impact, or build-up. Lincoln labels its Lincore® and Wearshield® products this way.
- For corrosion, high heat or LNG, use nickel alloys such as Techalloy® 625 or 276. Lincoln describes 276 for LNG applications.

Reading the part description

Term	Meaning	Example
308L, 309L, 316L	Stainless filler grades; L = low carbon	Blue Max® 308L MIG (GMAW) Wire
LSi, Si	Added silicon for easier flow and bead appearance	Lincoln® Red Max® 308LSi
H	Higher carbon for elevated-temperature use	Blue Max® 308H
-15, -16, -17	Stainless stick coatings: -15 fast-freezing slag; -16 stable arc, out of position; -17 smooth arc in flat and horizontal	Excalibur® 308/308L-17
ER / E	ER = rod or wire; E = stick electrode	ER308L; E308L-16
2209, 2594	Duplex stainless grades	Excalibur® 2209-16
Techalloy® 625	Nickel alloy (ERNiCrMo-3)	Techalloy® 625 TIG (GTAW) Rod
CF	Lincoln lists 308LCF and 316LCF for low-temperature and cryogenic service (down to -196 °C / -320 °F for 308LCF)	Blue Max® 308LCF
N	Cobalt restriction of 0.05% max, used for power and nuclear piping per Lincoln's catalog	Blue Max® 308L N
Metal-to-Metal, Metal-to-Earth, Build-Up and Joining	The wear types Lincoln's hardfacing page uses to group products	Lincore® 33, Lincore® 15CrMn, Wearshield® 44
-S, -G, -O	Lincore suffixes seen in item names (the Lincoln pages used do not define them); the process shows in the name, such as FCAW-S or FCAW-G	Lincore® 60-O Flux-Cored (FCAW-S) Wire

Product families

Family	What it's for	Notes
Blue Max® MIG (308L, 308H, 308LSi, 309L, 309LSi, 316L, 316LSi, 317L, 347, 410, 2209, 2594 and others)	Stainless MIG wire	The largest group; many package sizes
Lincoln® Red Max®, Murex® LSi wires	Stainless MIG wire	308LSi, 309LSi, 316LSi, 307_MOD

Family	What it's for	Notes
Lincoln® ER308/308L, ER309/309L, ER316/316L and other ER rods	Stainless TIG rod	Cut lengths
Excalibur® 308/308L, 309/309L, 316/316L, 310-16, 312-16, 347-16, 410-16, 630-16, 2209-16, 2594-16	Stainless stick	Match the suffix (-15, -16, -17) to position and current. Tech-rod® 317L also appears
Lincolnweld® 308/308L, 309/309L, 316L, 347, 2209, 2594 and others	Stainless submerged arc wire	Used with a flux; see the submerged arc page
Chromet® 1X, 2X, 5, 9, 9Mv-N, Cormet™ 1, 2	Chrome-moly TIG rod and stick	Stocked but not described on the Lincoln pages used; match the base alloy
UltraCore® 308L, 309L, 316L (and P versions)	Stainless flux-cored wire	Lincoln's classes for 308L (E308LT0-1, E308LT0-4) have a 0 after the T, meaning flat and horizontal only; the "P" versions are not described on the pages used
Supercore™ 2205P, 2507P, 317Lp, 16.8.2P, 625P	Other stainless and nickel flux-cored wire	Stocked but not described on the Lincoln pages used
Techalloy® 625, 276, 208 (also 617, 622, 686, 718, 825, 55, 99)	Nickel and high-alloy wire and rod	625 is ERNiCrMo-3; 276 is listed for LNG; 208 is for dissimilar joints between nickel alloys and stainless or ferritic steels. The others are stocked but not described on the pages used
Tech-rod® 112, 112LFe, 117, 122, 182, 187, 190, 276	Nickel stick electrodes	112 and 112LFe are ENiCrMo-3 per Lincoln's catalog; confirm the class of the others on the package
Lincore® 33, 50, 55, 60, 15CrMn (flux-cored) and 420, 8620, 410, 35-S, 42-S (metal-cored submerged arc wire)	Hardfacing wire	Lincoln groups them by use: build-up and joining (8620), metal-to-metal (35-S, 42-S, 410, 420), and so on
Wearshield® 44, 60, ABR, ME, MI, BU, MANGJET®, 15CrMn, FROG MANG®, Super Rail™	Hardfacing stick	44 is listed for high-heat wear, 60 for extreme abrasion, MANGJET and FROG MANG for manganese steel build-up, BU for building up carbon and low-alloy steel before hardfacing

Seller tips

- Ask what the base metals are, in grade numbers (304, 316, A36), and which process the customer runs.
- 308 is not a one-size filler. 309 joins stainless to mild steel; use it when the base metals differ.
- Stainless wire needs a clean setup: stainless brushes, the right gas, and dedicated tools that never touched carbon steel.
- Stainless and nickel welding creates chromium and nickel fume. Lincoln's safety guide warns that local exhaust or a respirator may be needed, so offer fume control and PPE.
- Lincoln SHS® (thermal-spray and hardfacing powders), Guardian™ CF hardbanding, Lincoln® AUTO430LNb™ and Supercore™ items are also on the list but are not described on the pages used here; confirm before quoting.
- Hardfacing buyers need to describe the part and the wear. Get a photo or the part name before suggesting a product.

Sources: Stainless Alloys (https://www.lincolnelectric.com/en/Products/Filler-Metals/Stainless-Alloys); Nickel Alloys (https://www.lincolnelectric.com/en/Products/Filler-Metals/Nickel-Alloys); Hardfacing (https://www.lincolnelectric.com/en/Products/Filler-Metals/Hardfacing); C1.10 Welding and Consumables Catalog (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605)

Safety and PPE

Welding exposes people to bright light, ultraviolet and infrared radiation, sparks, hot spatter and fume. Safety and PPE products guard against each one. Lincoln Electric groups them into head, face and eye protection (helmets, lenses, face shields and safety glasses), hand, body and arm protection (gloves, jackets, sleeves and caps), personal respiratory protection (powered and half-mask respirators), weld fume control (extractors, arms, hoses and filters), weld booths and screens, and gear bags and Ready-Pak kits that bundle a full set of equipment. Each of these is a leaf in this section.

Ventilation and fume extraction come before respirators, so these products work as a system. A new welder usually needs several: a helmet, gloves and a jacket first, then a respirator or fume extraction as the work and the metal call for it. Replacement parts like cover lenses, filters and batteries are part of the same sale.

Hand, Body and Arm

What it is

Welding throws sparks, hot spatter and heat, and the arc gives off ultraviolet light that burns skin. Gloves, jackets, sleeves, aprons and caps are the layer between the welder and those hazards. Lincoln sorts them by what they are made of (leather or flame-retardant cloth) and by the job (MIG, TIG, stick or heavy rigging). Every welder, grinder and helper in a shop needs a set.

How to choose

- Match the glove to the process. Stick and heavy MIG work call for thick leather. TIG calls for thinner, softer leather so the welder can feel the rod, which is why Lincoln sells separate TIG gloves.
- Match the jacket to the heat. Leather or leather-sleeved jackets suit overhead and heavy work. Flame-retardant (FR) cloth jackets are lighter and cooler for light-duty welding.
- Check for FR rating. Cotton that is not flame retardant can catch fire. Choose FR cloth, leather or an arc-rated fabric for anything near sparks.
- Think about visibility. Lincoln sells bright orange and lime FR jackets and a high-visibility orange jacket with reflective stripes, which it describes as ideal for jobsites with moving vehicles and machinery.
- Add an apron for extra cover. Lincoln's site also lists separate protective sleeves, but none are on the Fastenal list right now.
- Size matters. Items come in separate sizes (S to 3XL) and some in women's cuts; the size is at the end of the item name.

Reading the part description

Term	Meaning	Example
FR	Flame retardant (will not keep burning)	Traditional FR Cloth Welding Jacket - Large
Split leather	Leather made from the inner layer of the hide	Split Leather Welding Apron - All
Grain leather	Leather made from the outer (grain) layer of the hide	Shadow Grain Leather Sleeved Welding Jacket - Large
Sleeved	Jacket with leather sleeves and cloth body	Traditional Split Leather-Sleeved Welding Jacket - 2XL
Stick/MIG, TIG	Process the glove is made for	Premium Leather TIG Welding Gloves - Medium
A2, A4	Cut-resistance level (higher is more cut resistant)	Cut Resistant A2 Leather Drivers Gloves - Medium

Term	Meaning	Example
M, L, XL, 2XL, 3XL	Size, at the end of the name	Bright FR Cloth Welding Jacket - Safety Orange - Medium
Women's	Cut and sizing for women	Women's Shadow FR Welding Jacket - L
All American®	Lincoln cap and doo rag line	All American® Welding Cap

Product families

Family	What it's for	Notes
Stick/MIG gloves (Traditional, Heavy Duty, Premium Leather, Premium 7 and 8 Series Elkskin)	Stick and MIG welding	Traditional, Heavy Duty and Premium versions
MX Series Premium A4 Cut Resistant MIG Gloves	MIG welding	Lincoln lists an A4 cut-resistant MIG glove
Leather TIG and Premium Leather TIG gloves	TIG welding	Lincoln stresses dexterity
DynaMIG™ and DynaMIG™ HD gloves	MIG welding	HD is labeled Professional on the Fastenal list
Roll Cage® Welding Rigging Gloves	Rigging and heavy handling	Impact protection
Leather Drivers, Cut Resistant A2, Full Leather SteelWorker™ gloves	General shop and material handling	Not for heavy arc welding
Heat Resistant Welding Gloves	Added heat protection	Lincoln markets them for comfort and heat resistance
FR cloth jackets, shirts, sweatshirt, lab coat (khaki, black, bright orange and lime)	Light-duty welding	Cooler, lighter
Shadow™, Traditional and XVI Series leather jackets, Heavy Duty Leather jackets	Heavier welding	Split or grain leather
High Visibility FR Orange jackets	Jobsites with traffic	Reflective stripes
Split Leather Welding Apron	Chest cover	Only one apron item listed
Welding Caps, FR Beanies, Doo Rags (FR), All American®	Head cover	FR versions listed

Seller tips

- Ask "stick, MIG or TIG?" first. It decides the glove.
- Ask for sizes. Glove and jacket sizes are separate part numbers, and sleeve and chest sizes differ.
- Never sell plain cotton or synthetic garments as welding wear. If the customer is wearing synthetics, steer them to FR or leather.
- Pair gloves and jackets with a helmet, safety glasses and a respirator or fume extractor. Add an apron for bench work.
- Gear Ready-Pak® kits bundle several of these items. They suit new hires and classrooms.

Sources: Hand, Body & Arm (https://www.lincolnelectric.com/en/Products/Safety/Hand-Body-and-Arm); Welding Gloves (https://www.lincolnelectric.com/en/Products/Safety/Hand-Body-and-Arm/Welding-Gloves); Welding Jackets (https://www.lincolnelectric.com/en/Products/Safety/Hand-Body-and-Arm/Welding-Jackets); Protective Sleeves (https://www.lincolnelectric.com/en/Products/Safety/Hand-Body-and-Arm/Protective-Sleeves); Protective Headwear (https://www.lincolnelectric.com/en/Products/Safety/Head-Face-and-Eye/Welding-Helmets-and-Accessories/Protective-Headwear)

Personal Respiratory Protection

What it is

Welding fume contains tiny metal particles. A respirator cleans the air before the welder breathes it. Lincoln sells two kinds. A powered air-purifying respirator (PAPR) uses a belt- or back-mounted blower that pulls air through filters and pushes clean air into the helmet. A half-mask respirator is a lightweight, non-powered mask. Respirators protect the person; they do not remove fume from the shop, so they work with fume extraction rather than in place of it.

How to choose

- Start with the hazard. Ventilation and fume extraction come first; a respirator is used when those cannot keep exposure low enough. In the US an employer's respirator use also falls under OSHA's respirator rule (medical evaluation, fit testing and training).
- Choose powered or non-powered. A PAPR delivers filtered air from a blower to the helmet. A half mask has no blower or battery. Lincoln's XLR™ P100 half mask is a NIOSH approved welding respirator that comes in sizes Small to Large.
- Pick the helmet type. Lincoln's PAPRs are built into Viking™ 3350 and 3250D FGS® welding helmets. OMNIShield® PAPRs are listed by Lincoln for grinding, brazing and oxy-fuel cutting.
- Check approval. Lincoln describes its Viking PAPRs as NIOSH 42 CFR Part 84 approved, loose fitting and positive pressure; the XLR P100 half mask is listed as NIOSH approved.
- Plan for consumables. PAPRs need HE (high efficiency) filters, pre-filters and lithium-ion batteries; half masks need P100 replacement filters.
- Look at the other options. Lincoln also lists hard-hat PAPR models and a 3250D FGS® supplied-air (SAR) model; the SAR is not on the Fastenal list.

Reading the part description

Term	Meaning	Example
PAPR	Powered air-purifying respirator	VIKING™ 3350 PAPR with Standard Battery
FGS®	Flip-up face shield feature on Lincoln's 3250D helmet	VIKING™ 3250D FGS® PAPR
HE Filter	High-efficiency particulate filter for the PAPR	VIKING™ PAPR - High Efficiency Particulate Filter - 2/pack
Pre-filter	Outer filter that goes ahead of the main filter	PAPR VIKING™ Pre-filter (6/pack)
Spark Screen	Screen part used on the PAPR blower	PAPR - Spark Screen
Standard / Extended Battery	Run-time options for the lithium-ion pack	VIKING™ 3250D FGS® PAPR with Extended Battery
P100	Filter class that stops 99.97% of particles	XLR P100 Replacement Filters (2-pack)
SAR	Supplied-air respirator, fed from an air source (not on the Fastenal list)	VIKING™ 3250D FGS® SAR
2/pack, 6/pack	Number of filters per package	PAPR VIKING™ Pre-filter (6/pack)

Product families

Family	What it's for	Notes
VIKING™ 3350 and 3350 XG PAPR	Welding PAPR system	Standard or extended battery

Family	What it's for	Notes
VIKING™ 3250D FGS® PAPR	Welding PAPR with flip-up shield	Hard Hat versions listed
OMNIShield® PAPR	Grinding, brazing, oxy-fuel cutting	XC and XCF models
XLR™ P100 half mask and filters	Lightweight welding respirator	99.97% efficiency per Lincoln
PAPR filters, pre-filters, spark screens	Consumables	Replace on a schedule; Lincoln lists a three-component high-efficiency filter system
PAPR batteries, chargers, belts, hoses, headgear, headcovering, blower assemblies	Replacement parts	Hoses and headcovering fit specific helmets
Gear Ready-Pak® kits	Welding gear kits	Filed in this category on the Fastenal list; see Safety Gear Bags

Seller tips

- Ask what the customer is welding. Stainless, galvanized, painted and other coated metals raise the hazard.
- Ask about the helmet. PAPR parts are specific to Viking 3350, 3250D FGS or OMNIShield. Match the model before selling parts.
- Sell replacement filters and extra batteries with every PAPR.
- A respirator is not an excuse to skip fume extraction.
- Check fit and training. OSHA's respirator rule requires a program with medical evaluation, fit testing and training.

Sources: Personal Respiratory Protection (https://www.lincolnelectric.com/en/Products/Safety/Personal-Respiratory); Powered Air Purifying Respirators (https://www.lincolnelectric.com/en/Products/Safety/Personal-Respiratory/Powered-Air-Purifying-Respirators); Half Mask Respirators (https://www.lincolnelectric.com/en/Products/Safety/Personal-Respiratory/Half-Mask-Respirators); PAPR Replacement Parts & Accessories (https://www.lincolnelectric.com/en/Products/Safety/Personal-Respiratory/PAPR-Replacement-Parts-and-Accessories)

Weld Fume Control

What it is

Weld fume is the smoke of fine metal particles made when metal is heated and melted. Fume control equipment captures it near the arc and filters it. Lincoln groups this into plug-and-play units that roll up to a weld (mobile units, arms, downdraft tables, X-Tractor® high-vacuum units and fume guns) and configured systems designed for a plant (Prism® Compact, Central and filter bank systems, exhaust hoods). The Fastenal list also includes the filters, hoses, fans and starters that keep these systems running.

How to choose

- Control fume at the source first. Capture and ventilation come before relying on a respirator.
- Choose source capture or room cleaning. Source capture takes fume at the arc (an arm, a nozzle or a fume gun). Larger units such as the Prism® Circulator and Suspend are for cleaning the air in a wider area.
- Match the unit to the number of welders and the layout. Lincoln describes Prism® Mobile as portable extraction for light- to medium-duty work. A wall-mounted arm suits a fixed bench. Central systems are configured for the plant.
- Pick the capture style. High-vacuum X-Tractor® units pull air through a small nozzle or fume gun. Fume guns capture fume at the torch. Downdraft tables pull fume down and back from the work.
- Check power and filter type. Item names show voltage, such as 115/1/60 or 230/3/60 and 575/3/60; filters are rated by MERV number, and some are HEPA, activated carbon, Nano or PTFE.
- Budget for filters and hoses. Filters are consumables, so a seller should always ask about replacement.

Reading the part description

Term	Meaning	Example
Prism® Mobile	Portable fume extractor on wheels with an arm	Prism® Mobile with 10 ft. Arm MERV 14 Filter One-Pak®
Wall Mount	Arm and filter unit fixed to a wall	Prism® Wall Mount One Pak® MERV 14 Single Flexible 13 ft. Arm Starter/ Overload
One-Pak®	Unit sold as a complete package with accessories	Prism® Wall Mount One Pak® Single Telescopic 5-8 ft. Arm Starter/Overload
Mechanized Cleaning	Filter cleans itself, extending filter life	Prism® Mobile with Mechanized Cleaning
MERV 11 / 14 / 16	Filter efficiency rating; higher numbers filter finer particles	Filter MERV 14 Prism® Mobile & Wall Mount
HEPA	High-efficiency particulate air filter	Filter HEPA X-Tractor®Mini
Arc Sensor / Lamp Kit	Accessory kit for Prism® fans and arms	Arc Sensor/Lamp Kit for 115V Prism® 2400 1 HP Fan
115/1/60, 460/3/60	Voltage / phase / hertz	X-Tractor® 6 Fume Gun 460/3/60
Extraction Hose, 1-3/4 in. x 8 ft.	Extraction hose diameter and length	Extraction Hose with Adapters 1-3/4 in. (45mm) Diameter x 8 ft. (2.5m) Length

Product families

Family	What it's for	Notes
Prism® Mobile (with and without Mechanized Cleaning)	Portable source capture	Lincoln gives 750 SCFM for the cleaning model
Prism® Wall Mount arms, fans and starters	Fixed-bench capture	Single or dual arm; telescopic or flexible
Prism® Downdraft Tables	Bench capture for small to medium parts	Lincoln lists 1750 SCFM
X-Tractor® Mini, 1, 2, 4, 6 Fume Gun	High-vacuum source capture	Mini is 108 SCFM; X-Tractor 1 is 115 SCFM and 37 lb
Magnum® PRO fume extractor nozzles and fume gun tube	Capture fume at the torch	Lincoln's Magnum PRO LFG 350 fume gun is rated 350 A at 60% duty cycle; the Fastenal list shows the nozzles and parts
Prism® Compact, Central System, Filter Bank	Plant-wide or cell extraction	Configured to the application; Lincoln may quote these
Prism® Suspend 4000 and Circulator filters	Cleaning air over a wider area	Filters for Statiflex® 6000-MS & Circulator are listed
Prism® Exhaust Hood	Guides fume to central filtration	Many sizes
Statiflex®, Mobiflex®, DownFlex® filters	Replacement filters	Match the model name in the item

Seller tips

- Ask what, how many and where. Number of welders, material (stainless and coated metals raise the hazard), booth or open shop, and available power decide the model.
- Always sell filters and pre-filters with the unit. An unfiltered or clogged unit will not capture fume.

- Keep fire in mind. Lincoln offers spark arrestors and thermal protection options for central systems. Mention them when sparks or grinding are present.
- Fume extraction does not replace PPE; a respirator may still be required.

Sources: Weld Fume Control (https://www.lincolnelectric.com/en/Products/Weld-Fume-Control-Welding-Equipment); Configured to Application (https://www.lincolnelectric.com/en/Products/Weld-Fume-Control-Welding-Equipment/Configured-to-Application); Mobile Units (https://www.lincolnelectric.com/en/Products/Weld-Fume-Control-Welding-Equipment/Mobile-Units); High Vacuum X-Tractors (https://www.lincolnelectric.com/en/Products/Weld-Fume-Control-Welding-Equipment/High-Vacuum-X-Tractors); Downdraft Tables (https://www.lincolnelectric.com/en/Products/Weld-Fume-Control-Welding-Equipment/Downdraft-Tables); Weld Fume Accessories (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Weld-Fume-Accessories); Fume Guns (https://www.lincolnelectric.com/en/Products/Equipment/Guns-Torches/Fume-Guns)

Head, Face and Eye

What it is

The welding arc gives off intense light and ultraviolet and infrared radiation that can burn eyes and skin in seconds. A welding helmet shields the face and carries a filter lens that darkens the arc to a safe level. Face shields, safety glasses and goggles cover grinding, chipping and other jobs where the main hazard is flying debris. This category also includes the spare parts that wear out: cover lenses, headgear, batteries and sweatbands.

How to choose

- Choose auto-darkening or passive. An auto-darkening helmet (ADF) clears between welds so the welder can see; a passive helmet has a fixed dark lens and is the simpler, lower-cost option. Lincoln's Viking™ Industrial Passive series is the fixed-shade line.
- Pick the lens size and class. Lincoln lists a 12.5 sq in lens for the Viking™ 3350 and 3250D FGS®, 9.3 for the 2450 and 7.0 for the 1840. Bigger lenses show more of the work.
- Match the shade to the process and amps. Higher current needs a darker shade; check the shade table in the helmet or lens instructions. Variable-shade helmets cover several jobs; a fixed shade suits one.
- Look at grinding and cutting needs. Lincoln's 3350 and 2450 helmets have an external grind button, and the 3250D FGS® has a flip-up clear face shield, so the welder can grind without removing the helmet.
- Add a hard hat adapter if the site requires a hard hat.
- Choose face shields and glasses for the other hazards: clear OMNIShield™ shields and safety glasses for grinding and impact; shaded shields (Shade 5 IR/UV) and glasses for torch work; cutting and grinding goggles.

Reading the part description

Term	Meaning	Example
ADF	Auto-darkening filter	Viking Graveyard Shift 2450 Series Adf H
3.5 / 5-13 Shade	Light-state shade 3.5; dark-state range 5 to 13	3.5 / 5-13 Shade 4.50" W x 5.25" L Multi-Colored Nylon Auto-Darkening Welding Helmet
3.5 / 9-13 Shade	Light state 3.5; dark-state range 9 to 13	3.5 / 9-13 Shade 4.50" W x 3.90" L Black Nylon Auto-Darkening Welding Helmet
4.50" W x 5.25" L	Viewing area of the lens, width by length	3.5 / 5-13 Shade 4.50" W x 5.25" L Camouflage Nylon Auto-Darkening Welding Helmet
VIKING™ 3350, 2450, 3250D FGS®	Helmet series	VIKING™ 3350 Black Welding Helmet
4C®	Lincoln's lens technology	VIKING™ 2x4C® Series Auto Darkening Lens Fixed Shade 9
Cover Lens (inside/outside)	Clear lens that protects the filter from spatter	VIKING™ 2450/3350 - Bulk Outside Cover Lenses (50/box)

Term	Meaning	Example
Shade 5 (IR/UV)	A shaded face shield rated for infrared and ultraviolet	OMNIShield™ Face Shield - Shade 5 (IR/UV)
Diopter	Magnification of a bifocal or cheater lens	Bifocal Safety Glasses - 1.5 Diopter
Grind Button	Switches the helmet to grinding mode	VIKING™ 2450/3350 - Grind Button Replacement

Product families

Family	What it's for	Notes
VIKING™ 3350, 3350 ADV, 3250D FGS®, 2450 ADV helmets; nylon auto-darkening helmets	Auto-darkening helmets	Many graphic designs; the graphic is part of the SKU
VIKING™ Industrial Passive™ helmet, passive filter plates	Fixed-shade helmets	Lincoln: basic protection at an affordable price
Viking™ 2x4C® auto-darkening lenses	Replacement lens for pancake or pipeliner helmets	Variable and fixed shades
ArcSpecs™ goggles and parts	Auto-darkening welding goggles	Alternative to a full helmet
Cover lenses, ADF cartridges (1740, 1840, 2450, 3350), X6 headgear, sweatbands, batteries, shells, cheater lenses	Helmet parts	Match the helmet model
OMNIShield™ face shields, lenses, headpieces, hard hat adapters	Impact face protection	Clear, anti-fog, dual coated or shaded
Lincoln® Starlite®, Finish Line, I-Beam, Axilite™, Cover2, bifocal glasses	Safety glasses	Starlite is offered in outdoor and IR 5 versions
Cutting & Grinding Goggles (Shade 5 IR)	Torch work	Wide and compact versions

Seller tips

- Ask what process the customer welds, and how often they grind. This decides lens size and features.
- Replacement parts are model-specific. Get the helmet series (3350, 2450, 1840 and so on) before selling a cartridge, headgear or cover lens.
- Always add cover lenses, since spatter ruins the main lens first.
- Safety glasses should be worn under the helmet for grinding and chipping.
- Pair with gloves, a jacket and a respirator or fume extraction; the helmet is only one layer.

Sources: Head, Face & Eye (https://www.lincolnelectric.com/en/Products/Safety/Head-Face-and-Eye); Welding Helmets & Accessories (https://www.lincolnelectric.com/en/Products/Safety/Head-Face-and-Eye/Welding-Helmets-and-Accessories); Face Shields (https://www.lincolnelectric.com/en/Products/Safety/Head-Face-and-Eye/Welding-Helmets-and-Accessories/Face-Shields); Safety Glasses & Goggles (https://www.lincolnelectric.com/en/Products/Safety/Head-Face-and-Eye/Welding-Helmets-and-Accessories/Safety-Glasses-and-Goggles)

Safety Gear Bags

What it is

This category covers two things: the bags welders carry gear in, and the Welding Gear Ready-Pak® kits that bundle a full set of protective equipment into one item. Lincoln sells the kits for beginners, schools, hobbyists and working professionals. A kit

usually includes a helmet, jacket, gloves, a face shield and hand tools. The bags include backpacks with a compartment for a laptop and textbooks, a large duffel-style pack, and a compact tool bag.

How to choose

- Decide who the kit is for: a student or apprentice, a hobbyist, or a working welder. Fastenal lists Standard, Introductory Education, Intermediate Education, Industrial, Premium and Women's kits. Lincoln's page describes the Standard, Intermediate Education, Premium and Advanced kits; it does not describe the Industrial or Introductory Education kits, so check their contents before quoting.
- Check what is in the kit. Lincoln's men's Standard Ready-Pak lists 10 items for stick, MIG and flux-core beginners; the men's Intermediate Education kit lists 18 items; the Premium kit includes a Viking™ 3350 ADV helmet, a premium leather sleeved jacket, an arc rated t-shirt, gloves, a 2-in-1 large dufflepack and hand tools.
- Pick the size. Men's kits run Medium to 3XL; women's kits run XS to XL. Size is part of the part number.
- Match the helmet in the kit to the use. Lincoln names a Viking™ 1740 (women's Standard), 1840 (women's Intermediate Education) or 3350 helmet in different kits.
- For bags, think about volume. Lincoln describes the Welders All-In-One Backpack as storage for PPE, tools and consumables with a laptop compartment; the 2-in-1 Large Dufflepack converts to a duffel; the Industrial Duffel is 1680 denier fabric.
- For training programs, a kit gives every student the same gear in one item number.

Reading the part description

Term	Meaning	Example
Ready-Pak®	Lincoln's bundled kit of welding gear	Standard Welding Gear Ready-Pak® - M
Introductory / Intermediate Education	Kit level for training programs	Intermediate Education Welding Gear Ready-Pak® - L
Industrial, Premium	Higher-grade kit levels	Premium Welding Gear Ready-Pak® - M
Women's	Women's sizing, XS to XL	Women's Welding Gear Ready-Pak® - XSmall
M, L, 2XL, 3XL, XSmall, XLarge	Kit size, at the end of the item name	Industrial Welding Gear Ready-Paks® - 3XLarge
All-In-One Backpack	Backpack with PPE and tool storage plus laptop pocket	Welders All-In-One Backpack
Dufflepack	Pack that converts to a duffel with a strap	Welder's 2-in-1 Large Dufflepack
Duffle Bag	Hauling bag in heavy fabric	Lincoln® Industrial Duffle Bag
Tool Bag	Compact bag for accessories	Compact Industrial Tool Bag
CanVAS™ Accessory Bag	Canvas accessory bag	CanVAS™ Accessory Bag

Product families

Family	What it's for	Notes
Standard Welding Gear Ready-Pak®	Beginners, hobbyists	Stick, MIG and flux-core
Introductory and Intermediate Education Welding Gear Ready-Pak®	Schools and career programs	Lincoln: women's Intermediate kit includes a Viking™ 1840 helmet
Industrial Welding Gear Ready-Paks®	Working professionals	Not described on Lincoln's page; check contents
Premium Welding Gear Ready-Pak®	Higher-end set	Lincoln lists a Viking™ 3350 ADV helmet, premium jacket and 2-in-1 Dufflepack

Family	What it's for	Notes
Women's Welding Gear Ready-Pak®	Women's sizes XS to XL	Lincoln: 15 PPE products
Welders All-In-One Backpack, Mossy Oak® Country DNA™ backpack	Daily carry	Laptop and textbook compartment
Welder's 2-in-1 Large Dufflepack, Lincoln® Industrial Duffle Bag	Large carry	Duffel fabric 1680 denier
Compact Industrial Tool Bag, CanVAS™ Accessory Bag	Small tools and accessories	
Ballistic Nylon Storage Cover, Lockable Storage Cabinet	Storage	Not described on Lincoln's page

Seller tips

- Ask who the kit is for and which welding process they will use. A TIG welder needs different gloves than a stick welder.
- Always get the size before ordering. Lincoln lists men's kits in Medium to 3XL and women's in XS to XL; the size is at the end of the item name.
- For schools, ask how many students, what level, and whether they also need booths, curtains and fume control.
- Offer replacement lenses, spare gloves and extra safety glasses with each kit.
- Kits bundle several products into one item number, which keeps ordering simple.

Sources: Safety Assortments & Storage (https://www.lincolnelectric.com/en/Products/Safety/Safety-Assortments-and-Storage); Personal Protective Equipment (https://www.lincolnelectric.com/en/Products/Safety)

Weld Booths

What it is

A weld booth or screen creates a protected area around a welding station. Welding curtains and screens block the arc's bright light and ultraviolet radiation so people nearby do not get flash burns. Frames hold the curtains in place. Welding blankets protect floors, equipment and walls from sparks and hot spatter. Full booths are used in schools and shops; Lincoln's Prism® Exhaust Booth, for example, comes as a package with walls, curtain, lights, a fume extraction arm and an exhaust hood.

How to choose

- Decide what you need to protect: bystanders (a curtain or screen), the surrounding area (a blanket), or a full station with walls, lights and fume extraction (a booth).
- Size the curtain to the work area. Fastenal lists screens in 6 x 6 ft and 6 x 8 ft, and booth curtain kits from 50 in W up to 98 in W, all 66 in H.
- Check the fabric. The Fastenal list has flame-retardant vinyl screens (dark green or red) and a welding curtain rated to 550 °C.
- Choose a frame and connectors if the curtain needs to stand on its own. The list has 2-way, 3-way and 4-way connectors, an expandable frame and caster wheels.
- For blankets, choose by heat rating. The list has two 6 x 6 ft fiberglass / Kevlar® blankets: 38 oz at 1022 °F and 67 oz at 2012 °F.
- For a complete booth, pick single or dual (one or two welders) and the footprint (5 x 5 ft or 6 x 6 ft). Lincoln designs its Prism® Exhaust Booth for small to medium schools and shops and sells booths with extraction packages separately; confirm what a standalone booth includes.

Reading the part description

Term	Meaning	Example
Welding Screen / Curtain	Hanging panel that blocks arc light	Flame Retardant Vinyl Welding Screen/Curtain - 6 x 6 ft. - Dark Green
6 x 6 ft / 6 x 8 ft	Width x height of the panel	Flame Retardant Vinyl Welding Screen/Curtain - 6 x 8 ft. - Red
550 °C Rated	Temperature the curtain is rated for	Welding Curtain - 6 ft x 6 ft - 550&deg C Rated
Frame Connector 2/3/4 Way	Joins frame legs at corners and joints	Welding Screen/Curtain Frame Connector - 3 Way
Booth Curtain Kit 62 W x 66 H	Curtain kit for a booth opening, in inches	Welding Booth Curtain Kit, 62 W x 66 H in
Fiberglass / Kevlar® blanket	Heavy blanket for sparks and spatter	Fiberglass / Kevlar® Thread 6 ft L x 6 ft W 38 oz 1022°F Welding Blanket
Single / Dual Weld Booth	One or two welding stations	Dual 6x6 ft. Standalone Weld Booth
Standalone	Booth sold on its own	Single 5x5 ft. Standalone Weld Booth
Weld Booth Assist	Lincoln's tool to monitor students in the weld booth	Weld Booth Assist

Product families

Family	What it's for	Notes
Flame Retardant Vinyl Welding Screen/Curtain	Shielding bystanders	Dark green or red; 6 x 6 or 6 x 8 ft
Welding Curtain, 550 °C Rated	Welding area curtain	One 6 x 6 ft item
Welding Booth Curtain Kits	Replacement curtains for booths	Five widths, all 66 in high
Frames, connectors, caster wheels	Hold curtains upright	Expandable frame available
Fiberglass / Kevlar® Welding Blankets	Spark and spatter protection	Two weights listed
Standalone Weld Booths (single and dual)	Training and production stations	5 x 5 and 6 x 6 ft
Weld Booth Assist	Student monitoring tool	One item

Seller tips

- Ask what the customer needs to protect and from whom. A curtain stops arc flash; a blanket stops sparks.
- Ask the opening size and the number of stations. Screens, curtain kits and booths all come in fixed sizes.
- Remind buyers that curtains do not stop fume. A booth with extraction, a downdraft table or a fume arm is still needed.
- For schools, offer booths, helmets, gear kits and fume control together as a package.

Sources: Weld Booths and Tables (https://www.lincolnelectric.com/en/Products/Weld-Fume-Control-Welding-Equipment/Weld-Booths-and-Tables); Prism Exhaust Booth (https://www.lincolnelectric.com/en/Products/le-na-prismexhaustbooth)

Cables, Clamps & Accessories

Every weld needs a complete circuit, and this section covers the parts that complete it and the tools that support it. Cables, plugs, receptacles, work clamps and electrode holders carry the current, and they must be sized for the amperage and fit the machine connection. A cable or clamp that is too small will heat up, so confirm the rating before quoting.

The section has two leaves: Cables, Clamps & Holders, and Shop Tools & Accessories. The shop tools leaf covers everyday extras such as chipping hammers, wire brushes, welding pliers, soapstone, a C-clamp and electrode ovens, plus weld tables, magnetic fixtures and VRTEX training simulators. Most of the hand tools are low-cost items that fit onto almost any welding order. Most control cables for wire feeders and other machine-specific parts are in Equipment Parts & Accessories, under Welding Equipment.

Cables, Clamps & Holders

What it is

Weld cable carries current from the machine to the electrode holder or gun and back through the work clamp. The cable, connector and clamp must handle the amperage or they overheat. This category covers cable by the foot and in finished assemblies, the plugs and receptacles that join them, work clamps, electrode holders and covers that protect the cable.

How to choose

- Cable size: sizes like 1/0, 2/0, 3/0 and 4/0 are larger as the number rises, and they carry more current. Some items use AWG sizes (2 AWG). Names list an amp rating and duty cycle, such as 350A 60% or 600A 60%.
- Length: longer runs need larger cable to limit voltage drop.
- Connector: Twist Mate and Tweco-style plugs are different styles. Match the plug to the machine receptacle, or use an adapter (a Twist Mate to Lug adapter is listed).
- Clamp or holder rating: pick the amp rating to match the machine (300 A or 500 A work clamps; holders from 200 A to 400 A).
- Protection: cable covers (10 to 50 ft, some zippered) wrap a lead to protect it.
- Control versus weld cable: a couple of Control / Weld Cable items are listed here; other feeder control cables are in Equipment Parts & Accessories.

Reading the part description

Term	Meaning	Example
2/0, 3/0, 4/0	Cable gauge	Weld Power Cable - Lug to Lug (3/0 600A 60%)
600A 60%	Amp rating at 60% duty cycle	GC-500 Work Clamp - 500A 60% Duty Cycle
Lug to Lug	Ring terminals at both ends	Weld Power Cable - Lug to Lug (3/0 600A 60%) - 35 ft (10.6 m)
Twist Mate™	Lincoln twist-lock connector	Twist Mate™ Plug - For 1/0-2/0
Tweco® Style Plug / Receptacle	Tweco-pattern connector	Tweco® Style Receptacle (female 3/0 Thru 4/0)
EH-305HD	Electrode holder model, 300 A	EH-305HD Electrode Holder - 300A 60%
Zippered Cable Cover	Wrap-around cable protection	Zippered Cable Cover - 22 ft

Product families

Family	What it's for	Notes
Weld Power Cable	Machine to work or holder	Lug to Lug and Twist Mate to Twist Mate
Weld Cable Packages, Work Lead	Work lead with clamp	2/0 and 4/0 with GC500 clamp
GC-300, GC-500 Work Clamp	Return clamp	300 A and 500 A
EH-305HD, EH-405HD and Industrial Electrode Holders	Stick holders	200 A to 400 A
Flexible Cable Work Lead / Stick Electrode Holder Cable	Ready-made lead with holder	Twist Mate™ or lug ends
Plugs and receptacles	Joining cable	Twist Mate™ and Tweco® style
Cable covers	Protection	10, 15, 22, 25, 35 and 50 ft

Seller tips

- Ask the machine's amperage and the length of lead. Never undersize cable.
- Check the receptacle on the machine before you quote plugs; ask what the old plug looked like.
- Sell a spare clamp with a stick welder; ground clamps wear first.
- Verify the duty cycle on any clamp or holder against the machine's rated output.

Sources: Stick Options (cables, clamps, holders) (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/General-Accessories/Stick-Options); Receptacles (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/General-Accessories/Receptacles); Cables (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Equipment-Accessories/Cables-Accessories)

Shop Tools & Accessories

What it is

These are the small tools and shop items a welder uses to prepare, clean and finish a weld: chipping hammers for slag, wire brushes, welding pliers, soapstone, a C-clamp, electrode ovens, weld tables and magnetic fixtures. The Fastenal list also puts VRTEX virtual reality welding training simulators and a few unrelated items (metal inserts, clamping screws, rust preventative fluid) in this category. Lincoln's hand tools page covers the hammers, pliers, brushes, soapstone and clamp.

How to choose

- Job: slag removal (hammer), cleaning (brush), gripping and cutting wire (pliers), marking (soapstone).
- Brush material: stainless, brass or carbon steel bristles. Keep a separate brush for stainless so carbon steel does not contaminate it.
- Brush size: the row count in the name (3 x 7, 2 x 9, 3 x 19, 4 x 16) sets the size.
- Electrode oven: used to keep stick electrodes dry. HydroGuard ovens are listed in 115 V and 230 V and a 50 lb rod oven; match voltage and capacity. Lincoln's hand tools page does not describe them.
- Tables and fixtures: weld tables come in several widths (32 to 58 in) and a pipe version; magnetic fixtures hold angles.
- Clamps: the Industrial C-Clamp is a hand-adjustable clamp for material setup and fixturing. It is not a ground clamp.

Reading the part description

Term	Meaning	Example
Radius®	Lincoln hand tool line	Radius® Chipping Hammer

Term	Meaning	Example
3 x 7 Row	Brush bristle rows by width, then length	3 x 7 Row Stainless Steel Wire Brush
Stainless / Brass / Carbon Steel	Bristle material	3 x 19 Row Carbon Steel Wire Brush
Combo	Hammer and brush set	Chipping Hammer & Wire Brush Combo
6 Pack	Quantity in pack	Soapstone Flat Soapstones (6 Pack)
230 V, 115 V	Voltage of the oven	HydroGuard® Portable Electrode Oven 230 V
10 Ct	Pieces per pack	M13 F40M Metal inserts 10 Ct
VRTEX®	Virtual reality welding training simulator	VRTEX® 360 Single User Virtual Reality Welding Training Simulator on Pallet

Product families

Family	What it's for	Notes
Radius® Chipping Hammer, Welding Pliers	Daily hand tools	Lincoln lists the pliers as six function
Wire brushes (stainless, brass, carbon steel), three pack	Weld cleaning	Combo with hammer also listed
Industrial Soap Stone Holder, Soapstone Flat Soapstones	Marking	
Industrial C-Clamp	Holding work	Not a ground clamp
HydroGuard® Portable Electrode Ovens	Keeps electrodes dry	115 V, 230 V and 50 lb rod oven
Weld tables, magnetic fixtures, Weld Fillet Gauge set	Fit-up and checking	Several sizes
VRTEX® training simulators and kits	Weld training	Education sale
Metal inserts, clamping screws, RP6 rust preventative fluid	Misc. items filed here	Match the exact part

Seller tips

- These add to every welding sale. Ask what the customer already has.
- Offer separate brushes for stainless and carbon steel.
- Ask about stick electrodes and sell an oven if the customer stores or dries electrodes.
- The Industrial C-Clamp is not a work (ground) clamp. See Cables, Clamps & Holders for those.

Sources: Hand Tools (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software/Tools/Hand-Tools); Accessories, Tools, Software (https://www.lincolnelectric.com/en/Products/Equipment/Accessories-Tools-Software)

Reading AWS Filler Metal Classifications

Most filler metals carry a class name from the American Welding Society (AWS). The name is a code. Once you can read it, you can tell a customer what a rod or wire does, and you can check that a substitute is the same class. AWS publishes a separate specification for each type of filler. The patterns below come from the AWS classification pages in Lincoln Electric's product catalog and welding guides.

Stick electrodes: E7018 and E6010

Read E7018 in pieces.

- **E** means electrode (a stick).
- **70** is the minimum tensile strength of the weld in ksi, or thousands of pounds per square inch. 70 means 70,000 psi. E6010 is 60 ksi.
- **The next-to-last digit (the 1 in E7018)** says which positions the rod can weld. In AWS practice 1 means all positions and 2 means flat and horizontal only. Lincoln's guide lists its E7024 rod (Jetweld® 1) as flat and horizontal only.
- **The last two digits together** tell the usable positions, the coating type and the current. Lincoln's catalog says they designate the welding position, the coating and the polarity, but its own table is a picture that could not be read as text. The pairs below come from Lincoln's stick guide product tables: 10 is a cellulosic rod on DC+ only (Fleetweld® 5P, E6010); 11 is a cellulosic rod for AC or DC (Fleetweld® 35, E6011); 13 and 14 are fast-fill rutile rods (Fleetweld® 37 is E6013, Fleetweld® 47 is E7014); 24 is a high-deposition rod (Jetweld® 1, E7024-1); 18 is a low-hydrogen rod (Excalibur® 7018, E7018 H4R).

So E6010 is a cellulosic rod that Lincoln lists for vertical and overhead work on DC+. E7018 is a low-hydrogen rod, widely used for structural steel.

Suffixes go after the number. **-1** (as in E7018-1) marks improved toughness. **A1, B2, C3, D2** and similar give the weld metal chemistry for low-alloy rods, such as 8018-C3. **M** (as in 11018M) means military-type requirements such as greater toughness, lower moisture content and mandatory hydrogen limits.

Hydrogen: H4, H8, H16 and R

A suffix like **H4** or **H8** is the diffusible hydrogen designator. It gives the maximum milliliters of hydrogen per 100 grams of weld metal: H4 means 4 mL or less. Lower hydrogen means a lower risk of cracking in high-strength or thick steel. An **R** after it, as in E7018 H4R, shows the electrode passes a moisture-resistance test. Keep low-hydrogen rods dry.

Solid wire and TIG rod: ER70S-6

- **E** or **ER**: E for electrode, R for rod. Wire used for both MIG and TIG often carries ER.
- **70**: 70 ksi minimum tensile strength.
- **S**: solid wire. A **C** here would mean composite (metal-cored).
- **6**: the chemistry. ER70S-6 has more manganese and silicon deoxidizers than ER70S-3, so Lincoln lists it for medium to heavy mill scale, while ER70S-3 is listed for clean to light mill scale.

Flux-cored and metal-cored wire: E71T-1C, E71T-11, E70C-6M

For flux-cored wire (AWS A5.20):

- **E71T-1C**: E for electrode, 7 for 70 ksi, **1** for all positions (0 is flat and horizontal only), **T** for tubular, **1** for the usability type, **C** for 100% CO2 shielding gas.

- A letter **M** in that last spot means a mixed gas of 75 to 85% argon with the balance CO2 (that is how Lincoln's A5.20 page words it; its metal-cored wire pages quote 75-80% argon).
- **E71T-11** has no gas letter. That means it is self-shielded: it makes its own shielding and needs no bottle.
- A **J** means improved toughness: Charpy impact of 27 J (20 ft-lb) at -40 °F. **H16, H8** or **H4** are the optional hydrogen designators.

For metal-cored wire (AWS A5.18/A5.28), the pattern looks like solid wire but with a **C**: **E70C-6M** is an electrode, 70 ksi, composite (metal-cored), chemistry 6. The M is the shielding-gas letter, mixed argon/CO2.

Stainless: ER308L and the -15, -16, -17 suffixes

Stainless wire and rod (AWS A5.9) use the AISI stainless type: **ER308L** is the 308 type with **L** for low carbon. **H** after the digits means higher carbon, and **Si** means added silicon.

Stainless sticks (AWS A5.4) work differently: the three digits are the stainless type, and the dash number at the end is the coating:

- **-15**: fast-freezing slag, for out-of-position welds.
- **-16**: stable arc, out-of-position capable.
- **-17**: smooth arc in the flat and horizontal positions.

Submerged arc: F7A2-EM12K

Submerged arc names a flux and a wire together. Read F7A2-EM12K as:

- **F**: flux.
- **7**: tensile strength times 10 in ksi (70 ksi class; Lincoln's example gives 70,000 to 95,000 psi).
- **A**: tested as-welded. **P** means post-weld heat treated.
- **2**: temperature where the weld meets 20 ft-lb of impact: 2 means -20 °F, 4 means -40 °F, 6 means -60 °F.
- **EM12K**: the wire. E for electrode, M for medium manganese (L is low, H is high; a C after the E means a composite or cored wire), 12 for the carbon content in hundredths of a percent, K for silicon-killed steel.

The flux and wire together carry the class, which is why a certificate lists both.

What to do with it

Do not assume that a similar-looking name means an equal product. Check the full class, including the hydrogen letters and toughness suffixes, before offering a substitute.

Sources: C1.10 Welding and Consumables Catalog (AWS Classification System appendix) (https://ch-delivery.lincolnelectric.com/api/public/content/f5e38ae6ebf441829d73d7b1a404818b?v=c10bf605); Submerged Arc (SAW) Welding Guide (https://ch-delivery.lincolnelectric.com/api/public/content/c6c88b1a1fd5495c9a6c9fe887750379?v=41bf5aa5); Stick Electrode (SMAW) Welding Guide (https://ch-delivery.lincolnelectric.com/api/public/content/dd6f6e98d1084c66a0189b143079936f?v=a4545fb8); Filler Metals (https://www.lincolnelectric.com/en/products/filler-metals)

Using the Miller-Family Cross-Reference

Why this exists

Many shops run Miller machines or Miller-family consumables. Fastenal stocks Lincoln Electric. The cross-reference lets a seller or customer start from what they already use and find the Lincoln part, and the Fastenal SKU, that does the same job.

"Miller-family" means Miller Electric and its sister brands in the ITW Welding group. Each covers a different kind of product, so the equivalent you see is often not branded Miller:

Brand	What it covers here
Miller	Welding machines, plasma cutters, helmets and other PPE, fume extraction
Hobart	Filler metals: stick electrodes, MIG wire, flux-cored wire, submerged arc
Bernard	Semi-automatic MIG guns and their consumables
Tregaskiss	Robotic MIG torches and their consumables
Weldcraft	TIG torches and TIG torch parts

How to search with a Miller-family part number

Type the Miller, Hobart, Bernard, Tregaskiss or Weldcraft part number into **Find a part**. Dashes, spaces and capital letters don't matter. Results show the Lincoln part, its Fastenal SKU and a link to the Fastenal product page. You can also search by product name, such as "Millermatic" or "E71T-1C".

Reading the Match Type

Match Type	What it means	What to do
Spec match	Both products meet the same published specification. Filler metals have the same AWS classification and diameter. Gun parts are ones the maker states fit that gun, or that share the same series and size.	Good starting point. Still check package size and any code or procedure requirements.
Nearest equivalent	Both do the same job, but the specs are not identical. Examples are a welder with similar output and input power, or a helmet of the same type.	Compare the **Basis** column, which lists the specs side by side. Confirm with the customer before substituting.
No equivalent	No Miller-family product does this job, or the part only fits Lincoln equipment, such as most repair parts and plasma consumables.	Sell the Lincoln part. Nothing to cross.
Not verified yet	We couldn't confirm a match from current manufacturer pages. Usually the Lincoln item doesn't state its specs, or the Lincoln page is gone. A Miller-family product may exist.	Ask the customer for the Miller-family part number and compare specs on the maker's page.

Confidence (high, medium, low) tells you how much of the match was confirmed on current manufacturer pages. Low means at least one side's specs could not be confirmed, often because a model is no longer listed on the maker's site.

Things that trip people up

- **Consumables do not swap between gun systems.** A Bernard contact tip does not fit a Lincoln Magnum PRO gun just because the wire size matches. The notes say when a part fits only the Miller-family gun.
- **Filler metal: same AWS class, different personality.** Two E71T-1C wires both meet the spec but can differ in arc feel, spatter, and approved shielding gas. Where a welding procedure (WPS) names a brand and product, the procedure rules.

Don't substitute without the customer's approval.

- **Package sizes differ.** A Lincoln 33 lb spool may cross to a 44 lb spool. Check the notes.
- **Machines are matched by class, not as clones.** Duty cycle, input power and included accessories differ. Use the Basis column to talk through the differences.

Fine print

Miller-family equivalents are nearest equivalents by published specification, for reference only. Confirm specs before substituting. Miller, Hobart, Bernard, Tregaskiss and Weldcraft are trademarks of their respective owners. This reference is not affiliated with or endorsed by them.

Sources: Miller Electric (https://www.millerwelds.com/en-us); Hobart Brothers filler metals (https://www.hobartbrothers.com/products/); Bernard and Tregaskiss Conversion Series consumables (https://www.bernardtregaskiss.com/conversion-series-consumables/)

Appendix: Fastenal SKU Cross-Reference

Find the Lincoln Electric part number in the first column, then use the Fastenal SKU. A dagger marks a part number that is listed under more than one Fastenal SKU.

Miller-family equivalents are nearest equivalents by published specification, for reference only. Confirm specs before substituting. Miller, Hobart, Bernard, Tregaskiss and Weldcraft are trademarks of their respective owners.

Miller-family column key: SM = Spec match (same published specification); NE = Nearest equivalent (closest published match, check differences); blank = no equivalent found. Part # is the Miller-family manufacturer part number as published.

Welding Equipment

MIG Welders (37)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1346-13	Idealarc® CV400 MIG Welder 230/360	923589271	**Miller Deltaweld 500 208-230/460V w/ 14 Pin and ArcConnect (power source)** Part # 907785001 **NE**
K1346-22	Idealarc® CV400 MIG Welder 230/575	923589362	**Miller Deltaweld 500 208-230/460V w/ 14 Pin and ArcConnect (power source)** Part # 907785001 **NE**
K2278-1	Lincoln® HANDY CORE FLUX-CORED MIG Welder	0864653	**Miller Millermatic 142** Part # 907838 **NE**
K2395-2	Idealarc® CV305 MIG Welder LF-72 Ready-Pak®	923588929	**Miller Deltaweld 350 208-230/460V ArcConnect w/ 14 Pin (power source)** Part # 907747001 **NE**
K2400-1	Idealarc® CV305 MIG Welder 208/230/460	923589217	**Miller Deltaweld 350 208-230/460V ArcConnect w/ 14 Pin (power source)** Part # 907747001 **NE**
K2400-2	Idealarc® CV305 MIG Welder 230/460/575	923589420	**Miller Deltaweld 350 208-230/460V ArcConnect w/ 14 Pin (power source)** Part # 907747001 **NE**
K2439-2	Idealarc® CV400 MIG Welder LF-72 Ready-Pak®	923585382	**Miller Deltaweld 500 208-230/460V w/ 14 Pin and ArcConnect (power source)** Part # 907785001 **NE**
K2473-2	POWER MIG® 180C MIG Welder	923585704	**Miller Millermatic 211 PRO** Part # 907839 **NE**
K2496-2	Idealarc® CV400 MIG Welder LF-74 Ready-Pak®	923584944	**Miller Deltaweld 500 208-230/460V w/ 14 Pin and ArcConnect (power source)** Part # 907785001 **NE**
K3018-2	POWER MIG® 180 Dual MIG Welder	923589013	**Miller Millermatic 211 PRO** Part # 907839 **NE**
K3068-1 †	POWER MIG® 256 MIG Welder (208/290/1/60)	99990636	**Miller Millermatic 252** Part # 907321 **NE**
K3068-1 †	POWER MIG® 256 MIG Welder (208/290/1/60)	923589264	**Miller Millermatic 252** Part # 907321 **NE**
K3068-2	POWER MIG® 256 MIG Welder (230/460/575/1/60)	923588932	**Miller Millermatic 252** Part # 907321 **NE**
K3069-1 †	POWER MIG® 256 MIG Welder One-Pak®	920329742	**Miller Millermatic 252** Part # 907321 **NE**
K3069-1 †	POWER MIG® 256 MIG Welder One-Pak®	923588958	**Miller Millermatic 252** Part # 907321 **NE**
K3520-1	POWER MIG® 260 MIG Welder	923589312	**Miller Millermatic 252** Part # 907321 **NE**
K3921-1	110V Butt Welder with Docking Station	925688086	
K3963-1	POWER MIG® 210 MP® Multi-Process Welder	923588992	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4195-1	POWER MIG® 210 MP® Multi-Process Welder Aluminum One-Pak®	923588886	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4195-2	POWER MIG® 210 MP® Multi-Process Welder TIG One-Pak®	923588902	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4467-1	POWER MIG® 360MP Multi-Process Welder	923589161	**Miller Multimatic 255** Part # 907728 **NE**
K4467-2	POWER MIG® 360MP Multi-Process Welder (No Input cord)	925303042	**Miller Multimatic 255** Part # 907728 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4498-1	POWER MIG® 140 MP® Multi-Process Welder	923589306	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4499-1	POWER MIG® 140 MP® Multi-Process Welder TIG One-Pak®	923589357	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4662-1	POWER MIG® 360MP Aluminum Rear Trigger One-Pak® for Trailer Mfg/Gen Fabrication	923585122	**Miller Multimatic 255** Part # 907728 **NE**
K4663-1	POWER MIG® 360MP Aluminum Rear Trigger One-Pak® for Auto Repair	923585297	**Miller Multimatic 255** Part # 907728 **NE**
K4778-1	POWER MIG® 360MP Multi-Process Welder Education One-Pak®	923585405	**Miller Multimatic 255** Part # 907728 **NE**
K4784-1	POWER MIG® 360MP Aluminum Front Trigger One-Pak® for Trailer Mfg/Gen Fabrication	923585528	**Miller Multimatic 255** Part # 907728 **NE**
K4785-1	POWER MIG® 360MP Aluminum Front Trigger One-Pak® for Auto Repair	923585298	**Miller Multimatic 255** Part # 907728 **NE**
K4876-1	POWER MIG® 215 MPi™ Multi-Process Welder	924524503	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4877-1	POWER MIG® 215 MPi™ Multi-Process Welder Aluminum One-Pak®	924524504	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K4878-1	POWER MIG® 215 MPi™ Multi-Process Welder TIG One-Pak®	924524505	**Miller Multimatic 215 PRO** Part # 907840 **NE**
K5376-1	POWER MIG® 262MP Multi-Process Welder	925241632	**Miller Multimatic 255** Part # 907728 **NE**
K5378-1	POWER MIG® 262P Pulsed MIG Welder	925386284	**Miller Millermatic 355** Part # 907808 **NE**
K5636-1	POWER MIG® 262MP Multi-Process Welder Educational One-Pak®	925241633	**Miller Multimatic 255** Part # 907728 **NE**
K5637-1	POWER MIG® 262MP Multi-Process Welder Aluminum One-Pak® (Push Gun)	925241634	**Miller Multimatic 255** Part # 907728 **NE**
K5638-1	POWER MIG® 262MP Multi-Process Welder Aluminum One-Pak® (Push-Pull Gun)	925241635	**Miller Multimatic 255** Part # 907728 **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

TIG Welders (23)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1845-1 †	Invertec® TIG Welder	99858507	**Miller Maxstar 161 STH** Part # 907711 **NE**
K1845-1 †	14.6 V TIG Welder	923585880	**Miller Maxstar 161 STH** Part # 907711 **NE**
K2533-2	Precision TIG® 225 TIG Welder	923588984	**Miller Syncrowave 212 Air-Cooled Package** Part # 907911 **NE**
K2535-1 †	Precision TIG® 225 TIG Welder Ready-Pak®	0864710	**Miller Syncrowave 212 Air-Cooled Package** Part # 907911 **NE**
K2535-1 †	Precision TIG® 225 TIG Welder Ready-Pak®	923588891	**Miller Syncrowave 212 Air-Cooled Package** Part # 907911 **NE**
K2606-1 †	Invertec® V155-S TIG/Stick Welder Ready-Pak®	99509615	**Miller Maxstar 161 STH** Part # 907711 **NE**
K2606-1 †	Invertec® V155-S TIG/Stick Welder Ready-Pak®	923589115	**Miller Maxstar 161 STH** Part # 907711 **NE**
K2618-1 †	Precision TIG® 275 TIG Welder Ready-Pak®	0864719	**Miller Syncrowave 300** Part # 907782 **NE**
K2618-1 †	Precision TIG® 275 TIG Welder Ready-Pak®	923589210	**Miller Syncrowave 300** Part # 907782 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2619-1	Precision TIG® 275 TIG Welder (208/230/460/1/60)	923589275	**Miller Syncrowave 300** Part # 907782 **NE**
K2619-2	Precision TIG® 275 TIG Welder (460/575/1/60)	923589047	**Miller Syncrowave 300** Part # 907782 **NE**
K2622-1	Precision TIG® 375 TIG Welder (208/230/460/1/60)	923589022	**Miller Syncrowave 400** Part # 907783 **NE**
K2622-2	Precision TIG® 375 TIG Welder (230/460/575/1/60)	923589367	**Miller Syncrowave 400** Part # 907783 **NE**
K2624-1 †	Precision TIG® 375 TIG Welder Ready-Pak®	0864724	**Miller Syncrowave 400** Part # 907783 **NE**
K2624-1 †	Precision TIG® 375 TIG Welder Ready-Pak®	923589223	**Miller Syncrowave 400** Part # 907783 **NE**
K3945-1	Aspect® 375 AC/DC TIG Welder	923589069	**Miller Dynasty 400** Part # 907950 **NE**
K3946-2	Aspect® 375 AC/DC TIG Welder Ready-Pak®	923589220	**Miller Dynasty 400** Part # 907950 **NE**
K4340-1	34 V TIG Welder	923588860	**Miller Dynasty 210** Part # 907816 **NE**
K4341-1	34 V TIG Welder	923586145	**Miller Dynasty 210** Part # 907816 **NE**
K4342-1	34 V TIG Welder	923585608	**Miller Dynasty 210** Part # 907816 **NE**
K4346-1	34 V TIG Welder	923589112	**Miller Maxstar 210** Part # 907683 **NE**
K4347-1	34 V TIG Welder	923586283	**Miller Dynasty 210** Part # 907816 **NE**
K5126-1	120 / 230 V TIG Welder	923589266	**Miller Dynasty 210** Part # 907816 **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Stick Welders (13)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1053-8	Idealarc® 250 Stick Welder	923588998	**Miller CST 282, Dinse** Part # 907810 **NE**
K1053-9 †	Idealarc® 250 Stick Welder with PFC	0864548	**Miller CST 282, Dinse** Part # 907810 **NE**
K1053-9 †	Idealarc® 250 Stick Welder with PFC	923589352	**Miller CST 282, Dinse** Part # 907810 **NE**
K1170 †	AC225™ Stick Welder	0864559	**Miller Thunderbolt 210 MV Stick Welder** Part # 907909 **NE**
K1170 †	AC225™ Stick Welder	923585280	**Miller Thunderbolt 210 MV Stick Welder** Part # 907909 **NE**
K1285-16	Idealarc® R3R-400 Stick Welder	923588880	**Miller XMT 400** Part # 907881 **NE**
K1286-16	Idealarc® R3R-500 Stick Welder 230/460	923588879	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K1286-25	Idealarc® R3R-500 Stick Welder 230/460/575	923589170	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K1297 †	AC/DC 225/125™ Stick Welder	0864570	**Miller Thunderbolt 210 MV Stick Welder** Part # 907909 **NE**
K1297 †	230 V Stick Welder	923589278	**Miller Thunderbolt 210 MV Stick Welder** Part # 907909 **NE**
K2605-1	Invertec® V155-S Stick Welder	923589203	**Miller Maxstar 161 STH** Part # 907711 **NE**
K4868-1	Invertec® V276 (Tweco)	923589295	**Miller CST 282, Dinse** Part # 907810 **NE**
K4868-2	Invertec® V276 (Twist Mate)	923589083	**Miller CST 282, Dinse** Part # 907810 **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Advanced Welding Process (360)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
9ST10812-37	Potentiometer For LT-7T Lightweight Tractor	925966252	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K113-1	600A Submerged Arc Welding Gun 5/64" - K113-1	923585556	
K114	Hand Mechanized Submerged Arc 600A Welding Gun - 5/64"-3/32" (2.0-2.4 mm) 15ft	923586039	
K129-1/16	Tiny Twinarc® Kit	923586093	
K129-3/32	Tiny Twinarc® Kit	923585840	
K129-5/64	Tiny Twinarc® Kit	923585871	
K208A	Wire Drive for NA-3S and NA-4 (142:1) (3/32-7/32 Wire)	923585117	
K208B	Wire Drive for NA-3S and NA-4 (95:1) (1/16-3/32 Wire)	923585488	
K209A	Wire Drive for NA-3SF and NA-4F (142:1) (3/32-7/32)	923584900	
K209B	Wire Drive for NA-3SF and NA-4F (95:1) (1/16-3/32 Wire)	923585469	
K210-2	NA-3 Controller	925372454	
K225	Large Wire Twinarc® Kit	925033491	
K227-1	LT-7 Tractor (Standard Model)	925303009	
K234-26	Control to Head Extension Cable - 26 ft (8 m)	923585707	
K235-26	Control to Head Extension Cable - 26 ft (8 m)	923585262	
K325HCS	TC-3 Self-Propelled High Capacity Travel Carriage	923585135	
K335-26	Control to Head Extension Cable - 26 ft (8 m)	923584446	
K338-46	Control to Head Extension Cable - 46 ft	923586341	
K346A	Wire Drive for NA-5S (142:1) (3/32-7/32 Wire)	925688035	
K346B	Wire Drive for NA-5S (95:1) (1/16-3/32 Wire)	925688059	
K347A	K347A Wire Drive for NA-5SF (142:1) (3/32-7/32 Wire)	925688060	
K347A-1	K347A-1 Wire Drive for NA-5SF (142:1) (3/32-7/32 Wire)	925688061	
K347B	Wire Drive for NA-5SF (95:1) (1/16-3/32 Wire)	925688062	
K356-2	NA-5 Control	925372449	
K388-2	NA-4 Controller	925372450	
K395-1	LT-7 Tractor (Track Model)	925372448	
K466-6	Connector Kit - POWER MIG® & Power Wave® C300	922503616	
K1275	Idealarc® DC-1500 Subarc Welder	923589310	**Miller SubArc DC 1000 Digital** Part # 907624 **NE**
K1386-3	Idealarc® DC-1000 Subarc Welder	923588857	**Miller SubArc DC 1000 Digital** Part # 907624 **NE**
K1386-4	Idealarc® DC-1000 Subarc Welder	923588871	**Miller SubArc DC 1000 Digital** Part # 907624 **NE**
K1387-11	Discontinued - Replaced by K1387-14 - DC-1000 380/440 VAC SAW ONLY	923589397	**Miller SubArc DC 1000 Digital** Part # 907624 **NE**
K1567-20	Head/Control Cable Asbly-20Ft	923586336	
K1567-25	Head/Control Cable Asbly-25Ft	923585691	
K1733-5	Wire Straightener Automatics	923585950	
K1785-2	Control Cable 14 Pin 1.5 Feet	923585724	
K1795-25	Pf-10 Robotic Control Cable	923585320	
K1795-50	Pf-10 Robotic Control Cable - 50 Ft	923586030	
K1795-100	Pf-10 Robotic Control Cable	923585465	
K1804-1	Pf-10 Robotic Cable Asbly 10 Ft	923585307	
K1804-2	Pf-10 Robotic Cable Asbly 18In	923585734	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1805-1	Pf-10 Robotic Cable Asbly 18 Inch	923585889	
K1822-25	Control Cable LT-7	923585722	
K2312-2	MAXsa® 29 Feed Head	925688032	
K2370-2	MAXsa® 22 Feed Head	925688033	
K2433-1	Power REAM® Robotic Cable - 20 ft	923586253	
K2626-4	MAXsa® 19 Controller	925688029	
K2647-4	Magnum® PRO Robotic 550 Welding Gun External Dress 4 ft.	923585094	
K2647-4L	Magnum® PRO Robotic 550 Welding Gun External Dress 4.5 ft.	923584778	
K2647-5L	Magnum® PRO Robotic 550 Welding Gun External Dress 5.5 ft.	923585942	
K2647-8	Magnum® PRO Robotic 550 Welding Gun External Dress 8 ft.	923586178	
K2647-11	Magnum® PRO Robotic 550 Welding Gun External Dress 11 ft.	923585240	
K2670-1	Power Wave® i400 CE Filter Assembly	923585183	
K2677-2	Power Wave I400 Integration Kit	923585654	
K2780-1	POWER WAVE i400 DEVICENET Assembly	923585924	
K2803-1	Power Wave® AC/DC 1000SD Advanced Submerged Arc Welder	923589106	**Miller SubArc AC/DC 1000 Digital** Part # 907620 **NE**
K2814-4	MAXsa® 10 CONTROLLER	925688030	
K2823-2	Power Wave S350 Ce	923589181	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K2823-3 †	Power Wave® S350 Advanced Process Welder	91093719	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K2823-3 †	Power Wave® S350 Advanced Process Welder	923589029	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K2902-1	Power Wave® STT® Process Module	923588918	
K2904-1	Power Wave® S500 Advanced Process Welder	923588934	**Miller Auto-Continuum 500** Part # 907657 **NE**
K2921-1	Power Wave® STT® CE Process Module	923589169	
K3004-2	Autodrive 19 Controller	925283630	
K3005-3	Power Wave® S350 Advanced Process Welder Ready-Pak® (Steel)	923588993	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K3048-2	Cruiser® Submerged Arc Welding Tractor	925688085	
K3083-1	Tandem Cruiser® Tractor	925688087	
K3140-2	Idealarc® AC-1200	923589147	**Miller SubArc AC/DC 1000 Digital** Part # 907620 **NE**
K3168-1	Power Wave® S500 CE Advanced Process Welder	923589144	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3172-1	MAXsa® 19 MSA Controller	925688031	
K3186-2	Power Wave® S500 Advanced Process Welder & Power Feed® 84 One-Pak®	923588953	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3187-2	Power Wave® S500 Advanced Process Welder & Power Feed® 84 Ready-Pak®	923588933	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3256-1-12D	12 ft. Zipline Boom - Dual	925688314	
K3256-1-12S	12 ft. Zipline Boom - Single	925688316	
K3260-1	Boom Feeder Support With Cage	923585848	
K3279-1	Power Wave® S700 Advanced Process Welder	923588917	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3328-1	Power Feed® 84 - Single Boom Feeder NO U/I	923586176	
K3330-1	Power Feed® 84 - Dual Boom Feeder NO U/I	923586189	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3336-3	Power Feed® 84 Control Box Boom Conversion NO U/I	923585700	
K3353-100IC	ROBOTIC THRU-ARM TORCH (100iC)	923586368	
K3353-100IC/6L	ROBOTIC THRU-ARM TORCH (100iC/6L)	923586204	
K3353-100IC/6LW	Magnum® PRO Robotic 550 Welding Gun Thru-Arm Air Cooled 100iC/6L w/ Wire Brake	923586098	
K3353-100ICW	ROBOTIC THRUARM TORCHW.BRAKE(100iC)	923586246	
K3353-120IC	ROBOTIC THRU-ARM TORCH (120iC)	923586023	
K3353-120IC/10L	ROBOTIC THRU-ARM TORCH (120iC/10L)	923585961	
K3353-120IC/10LW	ROBOTIC THRUARM TORCHW.BRAKE(120iC/10LW	923585957	
K3353-120ICW	Magnum® PRO Robotic 550 Welding Gun Thru-Arm Air Cooled 120iC w/ Wire Brake	923585445	
K3359-100IC	ROBOTIC THRU-ARM TORCH (100iC)	923586016	
K3359-100IC/6L	ROBOTIC THRU-ARM TORCH (100iC/6L)	923586096	
K3359-100IC/6LA	ROBOTIC THRU-ARM TORCH (100iC/6L)	923586087	
K3359-100IC/6LW	ROBOTIC THRU-ARM TORCH (100iC/6LW)	923586332	
K3359-100IC/8L	Thru The Arm Robotic Torch	923585815	
K3359-100ICA	ROBOTIC THRU-ARM TORCH (100iC)	923586049	
K3359-100ICW	ROBOTIC THRU-ARM TORCH (100iCW)	923585904	
K3359-100ID	Thru The Arm Robotic Torch	923585736	
K3359-100ID/10L	Thruarm Robotic Torch Fanuc 100Id/L	923585820	
K3359-100ID/10LA	THRUARM ROBOTIC TORCH 100iD/10L AIRBLAST	923584864	
K3359-100ID/10LW	THRUARM ROBOTIC TORCH 100iD/LW WIREBRAKE	923586334	
K3359-100IDA	THRUARM ROBOTIC TORCH 100iD AIRBLAST	923585319	
K3359-100IDW	THRUARM ROBOTIC TORCH 100iD WIREBRAKE	923585657	
K3359-120IC	ROBOTIC THRU-ARM TORCH (120iC)	923584914	
K3359-120IC/10L	ROBOTIC THRU-ARM TORCH (120iC/10L)	923585481	
K3359-120IC/10LA	ROBOTIC THRUARM TORCH w AIR (120iC/10L)	923585347	
K3359-120IC/10LW	ROBOTIC THRU-ARM TORCH (120iC/10LW)	923585896	
K3359-120ICA	ROBOTIC THRU-ARM TORCH (120iC)	923585731	
K3359-120ICW	ROBOTIC THRU-ARM TORCH (120iCW)	923585317	
K3359-120ID/12L	Magnum Pro Robotic One-Pak-120Id/12L	925033643	
K3359-1520ID	Thru The Arm Robotic Torch	923584927	
K3359-1520IDA	Magnum® Pro 1520Id Air Blast One-Pak®	923585618	
K3359-1520IDW	Magnum® Pro 1520Id Wire Brake One-Pak®	923585553	
K3359-1600ID	Thru Arm Robotic Torch One-Pak Abb1600Id	925033384	
K3359-1660ID	Thru The Arm Robotic Torch	923585417	
K3359-2600ID-20	Magnum Pro 550 A/C Thru Arm - Abb Irb 26	925033363	
K3359-2600ID-185	Thru Arm Robotic Torch Onepak 2600Id-185	925033435	
K3359-KR6R1820HW	Magnum Pro Robotic One-Pak-Kr6R1820Hw	925033475	
K3359-KR6R1820HWA	Mag Pro Rob One-Pak-Kr6R1820Hw Air Blast	925033431	
K3359-KR6R1820HWW	Mag Pro Rob One-Pak-Kr6R1820Hw Wirebrake	925033538	
K3359-KR8R1420HW	Magnum® Pro Thru-Arm Kr8R1420 One-Pak®	923584824	
K3359-KR8R1420HWA	Mag Pro Rob One-Pak-Kr8R1420Hw Air Blast	925033585	
K3359-KR8R1420HWW	Mag Pro Rob One-Pak-Kr8R1420Hw Wirebrake	925033482	
K3359-KR8R2100HW	Mag Pro Robotic One-Pak-Kr8R2100Hw	925033528	
K3359-KR8R2100HWA	Mag Pro Rob One-Pak-Kr8R2100Hw Air Blast	925033529	
K3359-KR8R2100HWW	Mag Pro Rob One-Pak-Kr8R2100Hw Wirebrake	925033579	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3359-M710IC/12L	MAGNUM PRO ROBOTIC ONE-PAK-M710iC/12L	925033563	
K3359-MA1440	Thru The Arm Robotic Torch	923585416	
K3359-MA1440A	Magnum Pro Robotic 550 One-Pak - Ma1440A	923585633	
K3359-MA1440W	Magnum Pro Robotic 550 One-Pak - Ma1440W	923585385	
K3359-MA2010	Magnum Pro Robotic 550 One-Pak - Ma2010	923585021	
K3359-MA2010A	Magnum Pro Robotic 550 One-Pak - Ma2010A	923585391	
K3359-MA2010W	Magnum Pro Robotic 550 One-Pak - Ma2010W	923585206	
K3390-1	AUTODRIVE SA CTRL CBL 100iC / MA1440	923585558	
K3390-2	AUTODRIVE SA CTRL CBL 100iC/6L & 120iC	923584369	
K3390-3	AUTODRIVE SA CTRL CBL 100iC/8L & MA2010	923585007	
K3390-4	Autodrive Sa Ctrl Cbl Kr8-R1620-Hw	923584606	
K3390-5	Autodrive Sa Ctrl Cbl 1600Id & Kr6-R1820	923584883	
K3390-6	Autodrive Sa Ctrl Cbl Irb 2600Id-8/2.00	923584628	
K3390-7	Autodrive Sa Ctrl Cbl Kr5-Hw-2	923585053	
K3390-8	Autodrive Sa Ctrl Cbl Kr16-L8-Hw	923584442	
K3390-9	Autodrive Sa Ctrl Cbl M710Ic/12L	923585174	
K3390-10	Autodrive Sa Ctrl Cable 100Id	923584587	
K3390-11	Autodrive Sa Ctrl Cbl (1660Id Kr16-Hw)	923584541	
K3390-12	Autodrive Sa Ctrl Cbl (1520Id)	923585278	
K3390-13	Autodrive Sa Ctrl Cbl (2600Id-15/1.85)	923585130	
K3390-14	Autodrive Sa Ctrl Cbl Ba006L	923584816	
K3390-15	AUTODRIVE SA CTRL CBL (100iD/10L 120ID)	923584966	
K3451-1	Power Wave® R450 Robotic Power Source	923586238	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3451-2	Power Wave® R450 Robotic Power Source with Wi-Fi & Bluetooth	923585289	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3455-1	Power Wave® R450 CE Robotic Power Source	923586245	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3552-3	Power Wave® S350 Ac/Ft 15' Al One-Pak®	923585482	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K3552-4	Power Wave® S350 Ac/Ft 25' Al One-Pak®	923585628	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K3553-1	Power Wave® S350 Air Cooled Magnum® PRO Pistol Grip Aluminum 25 ft One-Pak®	923585807	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K3554-1	Power Wave® S350 Water Cooled Magnum® PRO Pistol Grip Aluminum 25 ft One-Pak®	923585509	**Miller Auto-Continuum 350 Aux Power** Part # 907658 **NE**
K3557-1	Power Wave® S700 Advanced Process Welder (200V)	925303036	**Miller Auto-Continuum 500** Part # 907657 **NE**
K3572-1	Ma1440 Mounting Bracket	923585600	
K3572-2	Ma2010 Mounting Bracket	923585664	
K3574-1	Kuka Thru-Arm Mounting Bracket	923586339	
K3574-2	Kuka Over-Arm Mounting Bracket	923585678	
K3593-1	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 100iC/6L	923585980	
K3593-1A	Wc Torch Fanuc 120Ic/6L W/Air Blast	923585293	
K3593-2	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 120iC/10L	923586075	
K3593-2A	Wc Torch Fanuc 120Ic/10L W/Air Blast	923585726	
K3593-3	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 100iC	923585522	
K3593-3A	Wc Torch Fanuc 100Ic W/Air Blast	923584619	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3593-4	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 100iC/8L	923585823	
K3593-4A	Wc Torch Fanuc 100Ic/8L W/Air Blast	923585254	
K3593-5	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 120iC	923585560	
K3593-5A	Wc Torch Fanuc 120Ic W/Air Blast	923584819	
K3593-6	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm M710iC/12L	923586335	
K3593-6A	Magnum® PRO Water-Cooled Robotic Torch Air Blast Fanuc Arm M710iC/12L	925033412	
K3593-7	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 100iD	923585270	
K3593-7A	Wc Torch Fanuc 100Id W/Air Blast	923585614	
K3593-8	Magnum® PRO Water-Cooled Robotic Torch Fanuc Arm 100iD/10L	923584905	
K3593-8A	Wc Torch Fanuc 100Ic/10L W/Air Blast	923586279	
K3593-9	Magnum Pro Wc Torch Fanuc 100Id/8L	925033614	
K3593-9A	Wc Torch Fanuc 100Id/8L W/Air Blast	925033648	
K3593-12	Magnum® PRO Water-Cooled Robotic Torch ABB Arm IRB 1520ID	925033500	
K3593-12A	Magnum® PRO Water-Cooled Robotic Torch Air Blast ABB Arm IRB 1520ID	925033625	
K3593-14	Magnum® PRO Water-Cooled Robotic Torch ABB IRB 1660ID	923586155	
K3593-14A	Magnum® PRO Water-Cooled Robotic Torch Air Blast ABB IRB 1660ID	923585299	
K3593-15	Magnum® PRO Water-Cooled Robotic Torch ABB Arm IRB 2600ID-15/1.85	925033442	
K3593-15A	Magnum® PRO Water-Cooled Robotic Torch Air Blast ABB Arm IRB 2600ID-15/1.85	925033474	
K3593-16	Magnum® PRO Water-Cooled Robotic Torch ABB Arm IRB 2600ID-8/2.0	925033462	
K3593-16A	Magnum® PRO Water-Cooled Robotic Torch Air Blast ABB Arm IRB 2600ID-8/2.0	925033564	
K3593-20	Magnum® PRO Water-Cooled Robotic Torch KUKA Arm KR6R1820HW	925033414	
K3593-20A	Magnum® PRO Water-Cooled Robotic Torch Air Blast KUKA Arm KR6R1820HW	925033627	
K3593-21	Magnum® PRO Water-Cooled Robotic Torch KUKA Arm KR8R1420HW	925033499	
K3593-21A	Magnum® PRO Water-Cooled Robotic Torch Air Blast KUKA Arm KR8R1420HW	925033505	
K3593-22	Magnum® PRO Water-Cooled Robotic Torch KUKA Arm KR8R2100HW	925033548	
K3593-22A	Magnum® PRO Water-Cooled Robotic Torch Air Blast KUKA Arm KR8R2100HW	925033572	
K3593-23	Magnum® PRO Water-Cooled Robotic Torch Motoman MA1440	923586083	
K3593-23A	Magnum® PRO Water-Cooled Robotic Torch Air Blast Motoman MA1440	923585344	
K3593-24	Magnum® PRO Water-Cooled Robotic Torch MOTOMAN MA2010	923585580	
K3593-24A	Magnum® PRO Water-Cooled Robotic Torch Air Blast Motoman MA2010	923585613	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3593-28	Magnum® PRO Water-Cooled Robotic Torch Motoman MA1440	923585407	
K3593-28A	Magnum® PRO Water-Cooled Robotic Torch Air Blast Motoman MA1440	923585715	
K3593-29	Magnum Pro Wc Torch Fanuc 120Id/12L	925033580	
K3593-29A	Magnum Pro Wc Torch Fanuc 120Id/12L	925033399	
K3674-120ID	Control Cable 14 Pin Wire Feeder 120Id	923586014	
K3675-1	Power Wave® 300C and Power MIG® 260/360 MP Canvas Cover	923585701	
K3685-1	Power Wave® Advanced Process Module	923585044	
K4047-1-12S	Power Feed® 84 Single Boom Ready-Pak®	925688066	
K4048-1-12D	Power Feed® 84 Dual Boom Ready-Pak®	925688067	
K4130-1	Autodrive Sa Cable Asbly 100Ic 100Ic/12	923586362	
K4130-2	Autodrive Sa Cbl Asbly 100Ic/6L 100Ic/7L	923586196	
K4130-3	Autodrive Sa Cable Asbly 120Ic	923586187	
K4130-4	Autodrive Sa Cbl Asy 120Ic/10L 120Ic/12L	923585359	
K4130-5	Autodrive Sa Cable Asbly Ma1440	923585441	
K4130-6	Autodrive Sa Cable Asbly Ma2010 100Ic/8L	923585761	
K4130-8	Autodrive Sa Cable Asbly Abb 1520Id	923584655	
K4130-9	Autodrive Sa Cable Asbly Abb1600Id	923584782	
K4130-10	Autodrive Sa Cable Asbly Abb 2600Id-8/20	923585025	
K4130-11	Autodrive Sa Cable Asbly Kuka Kr5-2	923585737	
K4130-12	Autodrive Sa Cable Asbly Kuka Kr16-L8	923585606	
K4130-13	Autodrive Sa Cable Asbly Kuka Kr16	923585425	
K4130-14	Autodrive Sa Cable Asy Abb 2600Id-15/185	923584932	
K4130-15	Autodrive Sa Cable Asbly M710Ic/12L	923585199	
K4130-17	Autodrive Sa Cable Asbly Kuka Kr6 & Kr8	923585768	
K4130-18	Autodrive Sa Cable Asbly 100Id	923585009	
K4130-19	Autodrive Sa Cable Asbly Ba006L	923585046	
K4130-20	Autodrive Sa Cable Asbly 100Id/10L120Id	923585544	
K4130-21	Autodrive Sa Cable Asbly Kr8-R2100-Hw	923584962	
K4251-MA2010-A	Yaskawa Motoman Robotic Arm MA2010	925033616	
K4352-1	Power Wave® Wireless Connectivity Module	923586212	
K4352-2	Power Wave® Wireless Connectivity Module (S700 only)	923585520	
K4487-1	Power Wave® 300C Standard	923589334	**Miller Millermatic 355** Part # 907808 **NE**
K4488-1	Power Wave® 300C Advanced	923589281	**Miller Millermatic 355** Part # 907808 **NE**
K4934-1	Power Wave® 300C Advanced Educational One-Pak®	923584874	**Miller Millermatic 355** Part # 907808 **NE**
K5000-1	Flex Feed® 84 Single Wire Drive Boom Mount Feeder - No U/I	923586131	
K5000-11	Flex Feed® 84 Single Drive Boom One-Pak®	923584868	
K5002-1	Flex Feed® 84 Dual Drive Boom Mount Feeder - No U/I	923585827	
K5002-11	Flex Feed® 84 Dual Boom Feeder One-Pak®	923585857	
K5415-4	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 4ft	925033533	
K5415-4L	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 4.5ft	925033609	
K5415-5L	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 5.5 ft	925033406	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5415-6L	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 6.5ft	925033469	
K5415-8	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 8ft	925033590	
K5415-9L	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 9.5ft	925033401	
K5415-11	Magnum® PRO External Dress Water-Cooled Robotic Torch One-Pak® - 11ft	925033608	
K52106-15	Magnum® PRO 550 Mechanized 5.5 in Barrel (140 mm) 15 ft. (4.6 m) Cable Length	925688095	
K52293-25	Magnum Pro 500 Mech Wc 25 Ft	925033383	
KP1888-1	Drive Roll Smooth .045-.052 in (1.2-1.3 mm) Twinarc®	923586002	
KP1888-2	Drive Roll Smooth 1/16-5/64 in (1.6-2.0 mm) in Twinarc®	923585524	
KP1889-1	Drive Roll Outer 5/64-1/8 in (2.0-3.1 mm) Twinarc®	923585808	
KP1962-1B1	Magnum® Contact Tip - Severe Duty 1/8 (3.2 mm) - Subarc - 10/pack	923585925	
KP1962-2B1	Magnum® Contact Tip - Severe Duty 3/16 (4.7 mm) - Subarc - 10/pack	923585797	
KP1962-3B1	Magnum Contact Tip - Severe Duty 3/32 (2.4 mm) - Subarc	923585378	
KP1962-4B1	Magnum® Contact Tip - Severe Duty 5/32 (4 mm) - Subarc - 10/pack	923586102	
KP1962-5B1	Magnum® Contact Tip - Severe Duty 7/32 (5.5 mm) - Subarc - 10/pack	923585592	
KP1962-6B1	Magnum® Contact Tip - Severe Duty, 1/16 (1.6 mm) - Subarc - 10/pack	925688144	
KP1962-7B1	Magnum® Contact Tip - Severe Duty, 5/64 (2 mm) - Subarc - 10/pack	925688145	
KP1970-1	Wire Guide Assembly .045 in (1.2 m)Upper and Lower Twinarc®	923586278	
KP1970-3	Wire Guide 5/64 in (2 mm) Upper and Lower Twinarc®	923584884	
KP1982-1	Guide Tube Upper & Lower Twinarc®	923585176	
KP1986-1	Guide Tube Outgoing Tiny Twinarc®	923584998	
KP2084-1	Guide Tube Twinarc®	925033592	
KP2092-2	Guide Tube 5/64 Twinarc®	923584991	
KP2093-1	Guide Tube Socket Twinarc®	923585490	
KP2122-1	Guide Tube Assembly Incoming Twinarc®	923586248	
KP2127-1	Guide Tube Incoming TinyTwin Tractor	923586232	
KP2268-1	LT-7 Drive Roll .052-1/16 in (1.3-1.6 mm) (2 required)	923585572	
KP2268-2	LT-7 Drive Roll .068-3/32 (1.7-2.4 mm) (2 required)	923585881	
KP2268-3	LT-7 Drive Roll 3/32-3/16 (2.7-4.7 mm) (2 required)	922503627	
KP2268-4	LT-7 Drive Roll .045-.052 in (1.2-1.3 mm) (2 required)	923585994	
KP2764-035	CONTACT TIP ROBOTIC W/C .035	923585440	
KP2764-035-B100	CONTACT TIP ROBOTIC W/C .035 Bulk 100	923585749	
KP2764-045	CONTACT TIP ROBOTIC W/C .045	923584964	
KP2764-045-B100	CONTACT TIP ROBOTIC W/C .045 Bulk 100	923586000	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2764-052	CONTACT TIP ROBOTIC W/C .052	923584814	
KP2764-052-B100	CONTACT TIP ROBOTIC W/C .052 Bulk 100	923586100	
KP2764-116	CONTACT TIP ROBOTIC W/C 1/16	923585264	
KP2764-116-B100	CONTACT TIP ROBOTIC W/C 1/16 Bulk 100	923586306	
KP2920-1	Thru-Arm Break-Away Disk	925033638	
KP2920-9	Magnum® PRO Breakaway Disk	925033577	
KP2920-11	Thru-Arm Break-Away Disk ABB IRB 1520ID	925033486	
KP3049-1-B25	Diffuser Cap Robotic W/C	923585043	
KP3066-100ID	CABLE ASBLY MAGNUM PRO FANUC 100iD	923585354	
KP3066-100ID/8L	Cable Assembly Fanuc 100Id/8L	923585273	
KP3066-100ID/10L	Cable Assembly Magnum® PRO Fanuc 100iD/10L	923586162	
KP3066-120ID/12L	Cable Asbly Magnum Pro Fanuc 120Id/12L	923584818	
KP3066-1520ID	Cable Assembly Magnum® PRO ABB 1520ID	923584975	
KP3066-1600ID	Cable Assembly Magnum® PRO ABB 1600ID	923584983	
KP3066-1660ID	Cable Assembly Magnum® PRO ABB 1660ID	923585868	
KP3066-2600ID-20	Cable Assembly Magnum® PRO ABB 2600ID-20	923585498	
KP3066-2600ID-185	Cable Assembly Magnum® PRO ABB 2600ID-15/1.85	923586219	
KP3066-BA006L	Cable Asbly Thru Arm Robotic Ba006L	923585351	
KP3066-BA006N	Cable Asblythru Arm Robotic	923585937	
KP3066-KR6R1820HW	Cabl Asbly Magnum Pro Kuka Kr6-R1820-Hw	923585564	
KP3066-KR8R1420HW	Cable Assembly Magnum® PRO Kuka KR8-1420-HW	923585787	
KP3066-KR8R2100HW	Cable Assembly Thru-Arm KUKA KR8-R2100-HW	923586150	
KP3066-KR16L8HW	Cable Assembly Thru-Arm KUKA KR16L8HW	923585028	
KP3066-MA1440	Cable Assembly Thru-Arm Motoman MA1440	923585917	
KP3066-MA2010	Cable Assembly Thru-Arm Motoman MA2010	923584910	
KP3066-MH24	Cable Assembly Thru-Arm Motoman MH24	923584837	
KP3162-1B1	Contact Tip Extended Life 1/8 (3.2 mm) - Subarc	923588873	
KP3162-2B1	Contact Tip Extended Life 3/16 (4.7 mm) - Subarc - 10/pack	923588976	
KP3162-3B1	Contact Tip Extended Life 3/32 (2.4 mm) - Subarc - 10/pack	923589182	
KP3162-4B1	Contact Tip Extended Life 5/32 (4 mm) - Subarc - 10/pack	923589040	
KP3162-5B1	Contact Tip Extended Life 7/32 (5.5 mm) - Subarc - 10/pack	923589100	
KP3162-6B1	Contact Tip Extended Life 1/16 (1.6 mm) - Subarc - 10/pack	925688146	
KP3194-1	External Dress Break-Away Disk (Fanuc iB)	925033464	
KP3194-3	External Dress Break-Away Disk (Fanuc iC)	925033536	
KP3499-22	Torch Mount Assy Abb 2600 22 Deg.	925033444	
KP3499-45	Torch Mount Assy Abb 2600 45 Deg.	925033631	
KP4305-100IC	Autodrive S Cable Fanuc 100Ic	923585713	
KP4305-100IC/6L	Autodrive S Cable Fanuc 100Ic/6L	923585257	
KP4305-100IC/8L	Autodrive S Cable Fanuc 100Ic/8L	923585330	
KP4305-100ID	Autodrive S Cable Fanuc 100Id	923585287	
KP4305-100ID/8L	Autodrive S Cable Fanuc 100Id/8L	923585687	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4305-100ID/10L	AutoDrive® S Cable Fanuc 100iD/10L	923585573	
KP4305-120IC	Autodrive S Cable Fanuc 120Ic	923585968	
KP4305-120IC/10L	Autodrive S Cable Fanuc 120Ic/10L	923584290	
KP4305-120ID/12L	Autodrive S Cable Fanuc 120Id/12L	923585284	
KP4305-1520ID	AutoDrive® S Cable ABB 1520ID	923585873	
KP4305-1600ID	AutoDrive® S Cable ABB 1600ID	923585424	
KP4305-1660ID	Autodrive S Cable Abb 1660Id-6/1.5	923584969	
KP4305-2600ID-20	AutoDrive® S Cable ABB 2600ID-8/2.0	923585539	
KP4305-2600ID-185	AutoDrive® S Cable ABB 2600ID-15/1.85	923585332	
KP4305-BA006L	Autodrive S Cable Kawasaki Ba006L	923585480	
KP4305-BA006N	Autodrive S Cable Kawasaki Ba006N	923585455	
KP4305-KR5-HW-2	AutoDrive® S Cable Kuka KR5-HW-2	923586017	
KP4305-KR6R1820HW	Autodrive S Cable Kuka Kr6-R1820-Hw	923585995	
KP4305-KR8R1620HW	Autodrive S Cable Kuka Kr8-R1620-Hw	923585813	
KP4305-KR8R2100HW	AutoDrive® S Cable Kuka KR8-R2100-HW	923585070	
KP4305-KR16-HW	AutoDrive® S Cable Kuka KR16-HW	923585559	
KP4305-KR16-L8-HW	AutoDrive® S Cable Kuka KR16-L8-HW	923586146	
KP4305-M710IC/12L	AutoDrive® S Cable Fanuc M710IC/12L	923586312	
KP4305-MA1440	AutoDrive® S Cable Motoman 1440	923585908	
KP4305-MA2010	AutoDrive® S Cable Motoman 2010	923584989	
KP4379-1	Sa Gas Diffuser 350A	923585689	
KP4399-1	Wc Torch Cable Asbly Fanuc 100Ic/6L	923585839	
KP4399-2	Cable Assembly Fanuc 120Ic/10L	923585463	
KP4399-3	Wc Torch Cable Assembly Fanuc 100Ic	923585852	
KP4399-4	Wc Torch Cable Assembly Fanuc 100Ic/8L	923585898	
KP4399-5	Wc Torch Cable Assembly Fanuc 120Ic	923585622	
KP4399-6	Water-Cooled Torch Cable Assembly Fanuc M710iC/12L	923585418	
KP4399-7	Wc Torch Cable Assembly Fanuc 100Id	923585739	
KP4399-8	Wc Torch Cable Fanuc 100Id/10L & 120Id	923585333	
KP4399-10	WC TORCH CABL ASBLY M710iC/12L TOP FDR	923585527	
KP4399-12	Water Cooled Torch Cable Assembly ABB IRB 1520ID	923585589	
KP4399-14	Water Cooled Torch Cable Assembly ABB IRB 1660ID	923585272	
KP4399-15	Water Cooled Torch Cable Assembly ABB IRB 2600ID-15/1.85	923585529	
KP4399-16	Water-Cooled Torch Cable Assembly ABB IRB 2600ID-8/2.0	923585695	
KP4399-20	Water-Cooled Torch Cable Assembly KUKA KR6R1820HW	923585514	
KP4399-21	Water Cooled Torch Cable Assembly KUKA KR8R1420HW	923586308	
KP4399-22	Water-Cooled Torch Cable Assembly KUKA KR8R2100HW	923585584	
KP4399-23	Water Cooled Torch Cable Assembly Motoman MA1440	923586159	
KP4399-24	Water Cooled Torch Cable Assembly Motoman MA2010	923585209	
KP4399-28	Water Cooled Torch Cable Assembly Motoman MA1440	923586203	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4399-29	WC TORCH CABLE ASSEMBLY FANUC 120iD/12L	923586048	
KP4413-035A	Autodrive Sa-Torch .035 Drive Roll Kit	923585493	
KP4413-040A	Autodrive Sa Torch .040 Drive Roll Kit	923585693	
KP4413-116A	Autodrive Sa-Torch 1/16 Drive Roll Kit	923585187	
KP4413-364A	Autodrive Sa-Torch 3/64 Drive Roll Kit	923585352	
KP4417-1	Submerged Arc Gun Tube Assembly - 5/64"	923585329	
KP4418-1	Submerged Arc Gun Tube 3/32	923585335	
KP5162-18	Magnum® Tapered Contact Tip - Severe Duty, 1/8 (3.2 mm) - Subarc - 10/pack	925688148	
KP5162-116	Magnum® Tapered Contact Tip - Severe Duty, 1/16 (1.6 mm) - Subarc - 10/pack	925688147	
KP5162-316	Magnum® Tapered Contact Tip - Severe Duty, 3/16 (4.7 mm) - Subarc - 10/pack	925688149	
KP5162-332	Magnum® Tapered Contact Tip - Severe Duty, 3/32 (2.4 mm) - Subarc - 10/pack	925688150	
KP5162-532	Magnum® Tapered Contact Tip - Severe Duty, 5/32 (4 mm) - Subarc - 10/pack	925688131	
KP5162-564	Magnum® Tapered Contact Tip - Severe Duty, 5/64 (2 mm) - Subarc - 10/pack	925688151	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Engine Drives (70)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	Ranger 305 D (Kubota D722 Tier 4F)	920300040	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K1726-5 †	Ranger® 305 G Engine Driven Welder (Kohler®)	0864597	**Miller Trailblazer 330 EFI Rehlko** Part # 907832 **NE**
K1726-5 †	Ranger® 305 G Engine Driven Welder (Kohler®)	923588915	**Miller Trailblazer 330 EFI Rehlko** Part # 907832 **NE**
K1727-4	Ranger® 305 D Engine Driven Welder (Kubota®)	923588916	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K1727-4-RP3	Ranger 305 D Ready-Pak 3	923589317	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K2343-3	Eagle™ 10000 Plus Engine Driven Welder (Kohler®)	0864665	**Miller Bobcat 230 Rehlko** Part # 907824 **NE**
K2343-4	Eagle™ 10000 Plus Engine Drive	925372451	**Miller Bobcat 230 Rehlko** Part # 907824 **NE**
K2382-4 †	Ranger® 250 GXT Engine Driven Welder (Kohler® with Electric Fuel Pump)	0864674	**Miller Bobcat 230 Rehlko** Part # 907824 **NE**
K2382-4 †	Ranger® 250 GXT Engine Driven Welder (Kohler® with Electric Fuel Pump)	923585427	**Miller Bobcat 230 Rehlko** Part # 907824 **NE**
K2409-5	Vantage® 322 (Kubota®)	923589137	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K2409-5-RP1	Vantage® 322 (Kubota®) Ready-Pak® 1	923589427	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K2409-5-RP2	Vantage® 322 (Kubota®) Ready-Pak® 2	923589197	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K2409-5-RP3	Vantage® 322 (Kubota®) Ready-Pak® 3	923589089	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K2706-2 †	Outback® 185 Kohler® CS 14 HP Engine Driven Welder	0864764	**Miller Blue Star 185 Rehlko** Part # 907664 **NE**
K2706-2 †	Outback® 185 Engine Driven Welder (Kohler®)	923589121	**Miller Blue Star 185 Rehlko** Part # 907664 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2707-2	Outback® 145 Engine Driven Welder (Kohler®)	923589140	**Miller Blue Star 185 Rehlko** Part # 907664 **NE**
K2708-2 †	Bulldog® 5500 Engine Driven Welder (Kohler®)	0864766	**Miller Blue Star 185 Rehlko** Part # 907664 **NE**
K2708-2 †	Bulldog® 5500 Engine Driven Welder (Kohler®)	923589026	**Miller Blue Star 185 Rehlko** Part # 907664 **NE**
K2857-1	Ranger® 225 Engine Driven Welder (Kohler®)	923589179	**Miller Bobcat 230 Rehlko** Part # 907824 **NE**
K2937-1	Ranger® 305 LPG Engine Driven Welder (Kohler®)	923589183	**Miller Bobcat 265 LP Rehlko** Part # 907827 **NE**
K3198-1	Classic® 300 HE (Kubota®)	923589012	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3202-1	SAE-300® HE (Perkins®)	923588964	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3239-2	Vantage 566	925303010	**Miller Big Blue 600 Pro Deluxe w/ ArcReach Kubota** Part # 907737001 **NE**
K3239-3	Vantage® 566X (Deutz®)	923589240	**Miller Big Blue 600 Pro Deluxe w/ ArcReach Kubota** Part # 907737001 **NE**
K3239-3-RP1	Vantage® 566X (Deutz®) Ready-Pak® 1	923585220	**Miller Big Blue 600 Pro Deluxe w/ ArcReach Kubota** Part # 907737001 **NE**
K3239-3-RP3	Vantage® 566X (Deutz®) Ready-Pak® 3	923585336	**Miller Big Blue 600 Pro Deluxe w/ ArcReach Kubota** Part # 907737001 **NE**
K3242-3	Air Vantage® 566X (Deutz®)	923585125	**Miller Big Blue 600 Air Pak** Part # 907750 **NE**
K3242-3-RP1	Air Vantage® 566X (Deutz®) Ready-Pak® 1	923585331	**Miller Big Blue 600 Air Pak** Part # 907750 **NE**
K3242-3-RP3	Air Vantage® 566X (Deutz®) Ready-Pak® 3	923584865	**Miller Big Blue 600 Air Pak** Part # 907750 **NE**
K3430-2	Ranger® 305 LPG Engine Driven Welder (Kohler®) One-Pak®	923589423	**Miller Bobcat 265 LP Rehlko** Part # 907827 **NE**
K3458-1	Ranger® 260MPX™ Engine Driven Welder (Kohler®)	923588881	**Miller Bobcat 265 ArcReach w/ Remote Start/Stop Rehlko** Part # 907826001 **NE**
K3459-1	Ranger® 330MPX™ Engine Driven Welder (Kohler®)	923589085	**Miller Trailblazer 330 EFI Rehlko** Part # 907832 **NE**
K3484-1	Frontier® 400X (Perkins®)	925303011	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3484-1-RP1	Frontier® 400X (Perkins®) Ready-Pak® 1	925688089	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3484-1-RP2	Frontier® 400X (Perkins®) Ready-Pak® 2	925688090	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3484-1-RP3	Frontier® 400X (Perkins®) Ready-Pak® 3	925688091	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3484-2	Frontier® 400X (Kubota®)	925303012	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3485-1	Frontier® 400X Pipe (Perkins®)	925138161	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3485-2	Frontier® 400X Pipe (Kubota®)	925303013	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K3534-2	Vantage® 549X (Deutz®)	923585208	**Miller Big Blue 500 Pro ArcReach Kubota** Part # 907736001 **NE**
K3534-2-RP1	Vantage® 549X (Deutz®) Ready-Pak® 1	923585076	**Miller Big Blue 500 Pro ArcReach Kubota** Part # 907736001 **NE**
K3534-2-RP2	Vantage® 549X (Deutz®) Ready-Pak® 2	923584747	**Miller Big Blue 500 Pro ArcReach Kubota** Part # 907736001 **NE**
K3534-2-RP3	Vantage® 549X (Deutz®) Ready-Pak® 3	923585146	**Miller Big Blue 500 Pro ArcReach Kubota** Part # 907736001 **NE**
K3581-1	Maverick® 325X (Kubota®)	925138160	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3581-1-RP1	Maverick® 325X Ready-Pak® 1	925688092	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K3581-1-RP3	Maverick 325X Ready-Pak® 3	925688093	**Miller Trailblazer 330 Diesel Kubota** Part # 907849 **NE**
K3928-1	Ranger® 305 G EFI Engine Driven Welder (Kohler®)	923589190	**Miller Trailblazer 330 EFI Rehlko** Part # 907832 **NE**
K3955-1	SAE-500® Severe Duty (Deutz®) (T4F Compliant)	923588868	**Miller Big Blue 600 Pro Deluxe w/ ArcReach Kubota** Part # 907737001 **NE**
K4089-1	SAE-300® MP (Perkins®)	923585075	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4089-2	SAE-300® MP (Perkins®) w/ Stainless & Wireless Remote (US/Canada Only)	923584433	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4090-1	SAE-300® MP (Kubota®)	923585062	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4090-2	SAE-300® MP (Kubota®) w/ Wireless Remote (US/Canada Only)	923585024	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4107-3	Vantage® 435X (Deutz®) (T4F Compliant)	923584403	**Miller Big Blue 400 Pro ArcReach Kubota** Part # 907732001 **NE**
K4107-3-RP1	VANTAGE 435X READY PAK 1	923585018	**Miller Big Blue 400 Pro ArcReach Kubota** Part # 907732001 **NE**
K4107-3-RP3	VANTAGE 435X READY PAK 3	923584765	**Miller Big Blue 400 Pro ArcReach Kubota** Part # 907732001 **NE**
K4166-1	Cross Country® 300 (Kubota®)	923585435	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4166-2	Cross Country® 300 (Kubota®) w/ Wireless Remote (US/Canada Only)	923584901	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4166-3	Cross Country® 300 (Kubota®) w/ Stainless & Wireless Remote (US/Canada Only)	923584979	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4263-1	Classic 300 Mp (Perkins 403F-15T)	923589097	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4264-1	Classic® 300 MP (Kubota®)	923589086	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4343-3	Air Vantage® 566X Hydraulic (Deutz®) (T4F Compliant)	923589131	**Miller Big Blue 600 Air Pak** Part # 907750 **NE**
K4343-4	Air Vantage® 566X Hydraulic (Deutz®)	925303014	**Miller Big Blue 600 Air Pak** Part # 907750 **NE**
K4382-1	Dual Maverick® 200/200X (Kubota®)	923589343	**Miller Big Blue 450 Duo CST** Part # 907866 **NE**
K4382-1-RP1	Dual Maverick® 200/200X (Kubota®) Ready-Pak® 1	923584577	**Miller Big Blue 450 Duo CST** Part # 907866 **NE**
K4382-1-RP3	Dual Maverick® 200/200X (Kubota®) Ready-Pak® 3	923584809	**Miller Big Blue 450 Duo CST** Part # 907866 **NE**
K4535-1	Vantage® 441X (Perkins®)	923588887	**Miller Big Blue 400 Pro ArcReach Kubota** Part # 907732001 **NE**
K4535-1-RP1	Vantage® 441X (Perkins®) Ready-Pak® 1	923584756	**Miller Big Blue 400 Pro ArcReach Kubota** Part # 907732001 **NE**
K4535-1-RP3	Vantage® 441X (Perkins®) Ready-Pak® 3	923584330	**Miller Big Blue 400 Pro ArcReach Kubota** Part # 907732001 **NE**
K4779-1	Ranger® 330MPX™ EFI Engine Driven Welder (Kohler®)	925303015	**Miller Trailblazer 330 EFI Rehlko** Part # 907832 **NE**
K5168-1	Ranger® 305 LPG Engine Driven Welder (Kohler®) Ready-Pak®	924829516	**Miller Bobcat 265 LP Rehlko** Part # 907827 **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Multi-Process Machines (115)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	LF-74 Heavy Duty Bench Model Wire Feeder	99298728	
K316L-1	LN-23P Wire Feeder	923586298	
K316L-6	LN-23P WIRE FEEDER (CE-ROHS)	923586164	
K449	LN-25 Wire Feeder	923585364	
K1288-17	Idealarc® DC600 Multi-Process Welder	923588937	**Miller XMT 650 380/460V** Part # 907843 **NE**
K1288-18	Idealarc® DC600 Multi-Process Welder with Multi-Process Switch	923589406	**Miller XMT 650 380/460V** Part # 907843 **NE**
K1288-22	Idealarc® DC600 Multi-Process Welder	923589134	**Miller XMT 650 380/460V** Part # 907843 **NE**
K1288-28	Idealarc® DC600 with VRD™ Multi-Process Welder	923589142	**Miller XMT 650 380/460V** Part # 907843 **NE**
K1308-12	Idealarc® DC400 Multi-Process Welder with Multi-Process Switch	923589242	**Miller XMT 400** Part # 907881 **NE**
K1308-25	Idealarc® DC400 Multi-Process Welder	923589380	**Miller XMT 400** Part # 907881 **NE**
K1387-6	Idealarc® DC-1000 Multi-Process Welder (Not Available in US)	923589215	**Miller SubArc DC 1000 Digital** Part # 907624 **NE**
K1735-1	MULTI-WELD® 350 Multi-Operator Welder	923585087	
K2327-4	LF-72 Wire Feeder Base Model (No Gun)	923585099	
K2327-5	Lf-72 Wire Feeder (Standard Duty)	923585473	
K2327-6	LF-72 Wire Feeder Bench Model Heavy Duty	923586364	
K2327-7	LF-72 Wire Feeder Bench Model Heavy Duty (No Gun)	923585226	
K2426-4	LF-74 Wire Feeder Base Model	923586057	
K2426-5	LF-74 Wire Feeder Bench Model Heavy Duty	923585545	
K2613-5	LN-25® PRO® Wire Feeder Standard	923585794	
K2614-6	LN-25® PRO® Dual Power Wire Feeder	923585721	
K2642-1	Polarity/Multi-Process Switch	923586012	
K3091-1	Multi-Process Switch	925033422	
K3336-2	Power Feed® 84 Single or Dual Control Box U/I	923585477	
K3425-1	Flextec® 650X Multi-Process Welder with CrossLinc™ Technology	923589184	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3438-1 †	Flextec® 350X Multi-Process Welder	91212379	**Miller XMT 400** Part # 907881 **NE**
K3438-1 †	Flextec® 350X Standard (Tweco®) / LF-72 Heavy Duty Reel One-Pak®	923584572	**Miller XMT 400** Part # 907881 **NE**
K3439-1	Flextec® 350X Standard (Tweco®) / Flex Feed 84 Single Bench HD One-Pak®	923585983	**Miller XMT 400** Part # 907881 **NE**
K3441-1	Flextec® 350X Construction (Twist Mate™/Dinse®)	923589228	**Miller XMT 400** Part # 907881 **NE**
K3441-2	Flextec® 350X Construction (Twist Mate®)	925303034	**Miller XMT 400** Part # 907881 **NE**
K3442-1	Flextec® 350X Standard (Twist Mate™/Dinse®)	923589067	**Miller XMT 400** Part # 907881 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3442-2	Flextec® 350XP (Twist Mate®)	925303035	**Miller XMT 400** Part # 907881 **NE**
K3443-1	Flextec® 350X PowerConnect® (Twist Mate/Dinse)	923588896	**Miller XMT 400** Part # 907881 **NE**
K3510-1	44 V Multi-Process Welder	923584365	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3511-1	Flextec® 650X Multi-Process Welder w/ CrossLinc™ / LF-72 Ready-Pak®	923589146	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3512-1	Flextec® 650X Multi-Process Welder w/ CrossLinc™ / LF-74 Ready-Pak®	923589421	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3513-1	Flextec® 650X Multi-Process Welder w/ CrossLinc™ / LF-74 HD One-Pak®	923589413	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3514-1	Flextec® 650X Multi-Process Welder w/ CrossLinc™ / Flex Feed® 84 One-Pak®	923589099	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3519-1	Activ8X® Wire Feeder (Tweco®)	923586266	
K3519-2	Activ8X™ CE (Twist Mate™/Dinse®)	925303043	**Miller ArcReach SuitCase portable wire feeder (8 or 12 model; SuitCase 12RC where a control cord is acceptable)** no part # **NE**
K3533-1	Flextec® 650X (AU) (Not for sale in U.S. and Canada)	923586328	**Miller XMT 650 380/460V** Part # 907843 **NE**
K3564-1	Activ8X™ / Magnum® PRO Curve 300 Wire Feeder One-Pak®	923585502	
K3607-1 †	Flextec® 500X Multi-Process Welder	922987192	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3607-1 †	Flextec® 500X Multi-Process Welder	923588889	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3607-2	Flextec® 500X (AU) (Not for sale in U.S. and Canada)	923584923	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3608-1	Flextec® 500X/ LF-72 Heavy Duty Ready-Pak®	923588870	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3608-2	Flextec® 500X/ LF-74 Heavy Duty Ready-Pak®	923589398	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3608-3	Flextec® 500X/ Power Feed® 84 Heavy Duty Ready-Pak®	923589403	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3608-4	38 V Multi-Process Welder	923585145	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3608-5	Flextec® 500X / DLF-82 Ready-Pak®	925303018	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-1	Flextec® 500X/ LF-72 Heavy Duty One-Pak®	923585171	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-2	38 V Multi-Process Welder	923584854	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-3	38 V Multi-Process Welder	923585419	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-4	38 V Multi-Process Welder	923585817	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-5	38 V Multi-Process Welder	923585097	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-7	38 V Multi-Process Welder	923585114	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-8	Flextec® 500X/ PF-25M/Magnum PRO AL One-Pak®	923584299	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3612-9	38 V Multi-Process Welder	923584722	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K3735-1	Pipefab Feeder	923585598	
K3883-1	15-1/2" W x 23.6" L Steel Bench Wire Feeder	923586195	
K3883-5	15-1/2" W x 23.6" L Steel Bench Wire Feeder	923585661	
K3883-6	15-1/2" W x 23.6" L Steel Bench Wire Feeder	923586237	
K4101-1	LN-25® PRO® / Magnum® Pro Curve 300 045C One-Pak®	923585069	
K4266-1	LN-25X® with TVT & Magnum® PRO Curve 300 One-Pak®	923585371	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4266-2	LN-25X® w/TVT K126® Pro 5/64-1/16 One-Pak	923585512	
K4266-3	LN-25X® with TVT & Magnum® 400 Welding Gun One-Pak®	923584943	
K4267-2	LN-25X® w/CrossLinc® and TVT (No Flowmeter Tweco®)	923589095	
K4267-3	LN-25X® w/CrossLinc® and TVT (with FlowmeterTweco®)	923589163	
K4267-4	LN-25X® with CrossLinc® TVT™ Flowmeter Twistmate®/Dinse®	923589379	
K4267-5	LN-25X® Extra Torque with CrossLinc® TVT™ No Flowmeter Tweco®	923585684	
K4271-1	Flextec® 350X Construction (Tweco®)	923589009	**Miller XMT 400** Part # 907881 **NE**
K4271-2	Flextec® 350X Construction (Tweco®)	925303037	**Miller XMT 400** Part # 907881 **NE**
K4272-1	Flextec® 350X Standard (Tweco®)	923589079	**Miller XMT 400** Part # 907881 **NE**
K4272-2	Flextec® 350XP (Tweco®)	925303038	**Miller XMT 400** Part # 907881 **NE**
K4273-1	Flextec® 350X PowerConnect® (Tweco®)	923588947	**Miller XMT 400** Part # 907881 **NE**
K4274-1	Flextec® 350X PowerConnect / LF-74 One-Pak	923586356	**Miller XMT 400** Part # 907881 **NE**
K4274-2	Flextec® 350X PowerConnect / FF-84 One-Pak	923585214	**Miller XMT 400** Part # 907881 **NE**
K4274-3	Flextec® 350X PowerConnect / Power Feed-84 One-Pak	923585111	**Miller XMT 400** Part # 907881 **NE**
K4274-4	Flextec® 350X PowerConnect / LF-72 One-Pak	923585182	**Miller XMT 400** Part # 907881 **NE**
K4274-6	Flextec® 350X PowerConnect® / LF-74 One-Pak®	925303019	**Miller XMT 400** Part # 907881 **NE**
K4274-7	Flextec® 350X PowerConnect® / Flex Feed 84 One-Pak®	925303020	**Miller XMT 400** Part # 907881 **NE**
K4274-8	Flextec 350X Power Connect/Pf-84 One-Pak	925303021	**Miller XMT 400** Part # 907881 **NE**
K4278-2	Flextec® 350X Construction/LN-25X One Pak®	923585281	**Miller XMT 400** Part # 907881 **NE**
K4278-3	Flextec® 350X Construction / LN-25X® One Pak®	925303023	**Miller XMT 400** Part # 907881 **NE**
K4283-1	Flextec® 350X Construction CE Model (Twist Mate™/Dinse®)	923585147	**Miller XMT 400** Part # 907881 **NE**
K4284-1	Flextec® 350X Standard CE (Twist Mate™/Dinse®)	923584615	**Miller XMT 400** Part # 907881 **NE**
K4465-1	40 V Multi-Process Welder	923584990	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K4466-1	40 V Multi-Process Welder	923585052	**Miller XMT 450/600 230/460V, ArcReach** Part # 907481003 **NE**
K4540-1	Flextec® 350X Standard / LF-72 Ready-Pak®	923589091	**Miller XMT 400** Part # 907881 **NE**
K4540-2	Flextec® 350X Standard / Flex Feed 84 Ready-Pak®	923589034	**Miller XMT 400** Part # 907881 **NE**
K4650-1	HyperFill Dual Feeder Ready-Pak ®	923584947	
K4650-2	HyperFill Single Feeder Ready-Pak ®	923585166	
K4650-5	HyperFill® Reveal™ Power Feed® 84 Single Ready-Pak®	925303040	
K4706-1	Elevate™ Sli Battery Powered Welder	925389720	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4717-1	Activ8X® Pipe (Tweco®)	925303044	**Miller ArcReach SuitCase portable wire feeder (8 or 12 model; SuitCase 12RC where a control cord is acceptable)** no part # **NE**
K4726-1	34 V Multi-Process Welder	923585177	**Miller XMT 400** Part # 907881 **NE**
K4727-1	34 V Multi-Process Welder	923584599	**Miller XMT 400** Part # 907881 **NE**
K4869-1	31 V Multi-Process Welder	923585090	**Miller CST 282, Dinse** Part # 907810 **NE**
K4869-2	31 V Multi-Process Welder	923585029	**Miller CST 282, Dinse** Part # 907810 **NE**
K4935-2	Flextec® 350X PowerConnect / Activ8X® Pipe One-Pak®	925303025	**Miller XMT 400** Part # 907881 **NE**
K4968-2	Activ8X® Pipe / Magnum® PRO Curve HDE 250 One-Pak®	925303029	**Miller ArcReach SuitCase portable wire feeder (8 or 12 model; SuitCase 12RC where a control cord is acceptable)** no part # **NE**
K5000-2 †	Lin K5000-2 Flex Feed 84 Wire Feeder	922987195	
K5004-1	Flex Feed® 84 Single or Dual Control Box U/I	923586143	
K5004-2	Flex Feed® 84 Single or Dual Control Box No U/I	923586171	
K5240-1	Activ8X® Pipe CE (Twist Mate / Dinse®)	925303045	**Miller ArcReach SuitCase portable wire feeder (8 or 12 model; SuitCase 12RC where a control cord is acceptable)** no part # **NE**
K5261-1	SP-140T® Wire Feeder Welder	925303053	**Miller Millermatic 142** Part # 907838 **NE**
K5282-1	DLF-82 Base Model	925138162	**Miller 70 Series industrial wire feeder (S-74S single / S-74D dual / 74 MPa Plus)** no part # **NE**
K5335-1	Flextec 350XP / DLF-82 Ready-Pak®	925303026	**Miller XMT 400** Part # 907881 **NE**
K5336-1	Flextec 350X PowerConnect / DLF-82 Ready-Pak®	925303027	**Miller XMT 400** Part # 907881 **NE**
K5336-3	Flextec 350X PowerConnect / DLF-82 Education Ready-Pak®	925303028	**Miller XMT 400** Part # 907881 **NE**
K5440-1	Power Feed® 84 Cool Arc 55S HyperFill® One-Pak	925303030	
K5440-2	Power Feed® 84 Dual Cool Arc 55S HyperFill® One-Pak	925303031	
K5440-3	Power Feed® 84 Cool Wave 20S HyperFill® One-Pak	925303032	
K5440-4	Power Feed® 84 Dual Cool Wave 20S HyperFill® One-Pak	925303033	
K5453-1	Sprinter™ 180Si	924982094	**Miller Maxstar 161 STH** Part # 907711 **NE**
K5584-1	Sprinter™ 180Si TIG One-Pak®	924982171	**Miller Maxstar 161 STH** Part # 907711 **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Plasma Cutting (353)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
9SS28175-3	LC65 CABLE 50 FT (15m)	925372453	
BK12849-3	FlexCut® LC100M Electrode	925033591	
BK12849-4	Flexcut® Lc100M / Lc105M Nozzle 40A	925033367	
BK12849-5	FlexCut® LC100M / LC105M Nozzle 60A	925033589	
BK12849-6	FlexCut® LC100M / LC105M Nozzle 80A	925033545	
BK12849-9	FlexCut® LC100M / LC105M Swirl Ring	925033607	
BK12849-11	FlexCut® LC100M / LC105M Nozzle Precision Cut	925033416	
BK12849-14	FlexCut® LC100M Shield Cap 40A	925033524	
BK12849-15	FlexCut® LC100M Shield Cap 60A-80A	925033626	
BK12849-18	FlexCut® LC100M Shield Cap Precision Cut	925033514	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
BK12849-21	FlexCut® LC100M Retaining Cap Contact	925033409	
BK12849-22	FlexCut® LC100M Retaining Cap CTP	925033493	
BK14300-1	FlexCut® LC125M Electrode	925033360	
BK14300-3	FlexCut® LC125M Shield Cap 45-65A	925033566	
BK14300-4	FlexCut® LC125M Shield Cap 85A-105A-125A	925033562	
BK14300-7	FlexCut® LC125M Nozzle 45A	925033487	
BK14300-8	FlexCut® LC125M Nozzle 65A	925033574	
BK14300-9	FlexCut® LC125M Nozzle 85A	925033612	
BK14300-10	FlexCut® LC125M Nozzle 105A	925033618	
BK14300-11	FlexCut® LC125M Nozzle 125A	925033415	
BK14300-13	FlexCut® LC125M Swirl Ring	925033515	
BK14300-14	FlexCut® LC125M Retaining Cap	925033605	
BK14300-15	FlexCut® LC125M Retaining Cap CTP	925033438	
BK14300-18	FlexCut® LC125M Front Isolator Assembly	925033522	
BK14300-SK	Lc125M Consumable Starter Kit	925276027	
BK277110	Inner Retaining Cap 30A/50A	925033436	
BK277113	Inner Retaining Cap 70A	925033364	
BK277115	Shield Cap50A	925033470	
BK277117	Shield Cap150A	925033534	
BK277125	Nozzle 70A (Spirit® II) / 50A (FlexCut® 200)	925033644	
BK277130	Electrode Copper 30A	925033553	
BK277131	Electrode Copper 50A/70A (Spirit® II) / 50A (FlexCut® 200)	925033393	
BK277132	Electrode Copper 70A	925033448	
BK277133	Electrode Copper 100A	925033403	
BK277135	Electrode Copper 150A-260A	925033458	
BK277137	Electrode Copper 30A/50A	925033362	
BK277138	Swirl Ring 30A	925033361	
BK277139	Swirl Ring 150A	925033641	
BK277140	Swirl Ring 30A	925033413	
BK277141	Swirl Ring 100A	925033557	
BK277142	Swirl Ring 50A/70A	925033634	
BK277143	Swirl Ring 200A	925033365	
BK277144	Shield Cap 30A	925033407	
BK277145	Shield Cap 30A	925033481	
BK277146	Shield Cap 100A	925033479	
BK277149	Shield Cap 50A	925033373	
BK277150	Shield Cap 50A / 70A	925033576	
BK277151	Inner Retaining Cap 100A	925033382	
BK277152	Inner Retaining Cap 150A	925033496	
BK277153	Inner Retaining Cap 30A-70A	925033439	
BK277154	Outer Retaining Cap 30A-275A	925033531	
BK277190	Electrode Copper 10A Marking	925033561	
BK277211	Shield Cap 260A	925033428	
BK277258	Swirl Ring 275A	925033459	
BK277259	Swirl Ring 200A	925033463	
BK277263	Shield Cap 275A	925033640	
BK277266	Inner Retaining Cap 150A/200A/275A	925033593	
BK277270	Electrode Copper 200A 275A	925033645	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
BK277274	Shield Cap 200A	925033547	
BK277280	Inner Retaining Cap 260A	925033587	
BK277282	Electrode Copper 100A	925033418	
BK277283	Swirl Ring 100A	925033543	
BK277286	Shield Cap 100A	925033375	
BK277291	Electrode Copper 200A	925033619	
BK277292	Electrode Copper 150A	925033389	
BK277298	Shield Cap 150A	925033581	
BK279420	Electrode Silver 150A	925033510	
BK279439	Swirl Ring (For Silver) 150A	925033450	
BK279440	Electrode Silver 200A	925033392	
BK279443	Swirl Ring (For Silver) 200A	925033398	
BK279450	Electrode Silver 275A	925033489	
BK279458	Swirl Ring (For Silver) 275A	925033551	
BK284121	Inner Retaining Cap 400A	925033639	
BK284122	Swirl Ring 400A	925033380	
BK284123	Shield Cap 400A	925033379	
BK284124	Electrode Copper 400A	925033598	
BK284150	Outer Retaining Cap	925033615	
BK284155	Shield Cap 400A	925033490	
BK284156	Inner Retaining Cap 400A	925033430	
BK284159	Electrode Copper 400A	925033420	
K871-1	MAGNUM PLASMA CUTTING TORCH-25'	923586281	
K1571-1	PCT 80 Torch - 25ft	923586216	
K1571-2	PCT 80 Torch - 50ft	923584863	
K1571-3	MACHINE PLASMA TORCH-25'	923585595	
K1615-1	PCT 20 Hand Torch - 15'	923586350	
K2752-2	Plasma Cutting Grid	923585495	
K2806-1 †	Tomahawk 375 Air	920329744	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K2806-1 †	Tomahawk 375 Air	923589418	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K2807-1	Tomahawk® 625 Plasma Cutter with 20 ft (6.1 m) Hand Torch	923589411	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K2808-1 †	Tomahawk® 1000 Plasma Cutter with 25 ft (7.6 m) Hand Torch	923228770	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K2808-1 †	Tomahawk® 1000 Plasma Cutter with 25 ft (7.6 m) Hand Torch	923588927	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K2809-1	Tomahawk® 1500 Plasma Cutter (PS Only)	923588906	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K2846-1	Tomahawk® LC25 Handheld Plasma Torch 10 ft (3 m)	925303055	
K2847-1	Tomahawk® LC40 Handheld Plasma Torch 20 ft (6 m)	923589335	
K2847-2	Tomahawk® LC40M Machine Plasma Torch 20 ft (6 m)	923589149	
K2848-1 †	Tomahawk® LC65 Handheld Plasma Replacement Torch - 25 ft (7.5m)	920116707	
K2848-1 †	Tomahawk® LC65 Handheld Plasma Replacement Torch - 25 ft (7.5m)	923589391	
K2848-2	Tomahawk® LC65 HandheldPlasma Torch - 50 ft (15 m)	923589233	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2848-3	Tomahawk® LC65M Machine Plasma Torch - 25 ft (7.5m)	923589422	
K2849-1	Tomahawk® LC105 Handheld Plasma Torch 25 ft. (7.5 m)	923589235	
K2849-2	Tomahawk® LC105 Handheld Plasma Torch 50 ft. (15 m)	923589008	
K2886-1	Tomahawk® Plasma Circle Cutting Guide Kit	923585683	
K3477-1	Tomahawk® 1500 Plasma Cutter with 25 ft (7.6 m) Hand Torch	923585452	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K3477-2	Tomahawk® 1500 Plasma Cutter w/ 50 ft (15 m) Hand Torch	923585248	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K4300-4	LC125M LOADED PLASMA TORCH 25' (7.5m)	923585778	
K4300-5	LC125M LOADED PLASMA TORCH 50' (15m)	923585033	
K4300-6	LC125M LOADED PLASMA TORCH 75' (22.5m)	923585748	
K4400-25	Cnc Interface Cable Flexcut 25 Ft	923585505	
K4400-50	Cnc Interface Cable Flexcut 50 Ft	923584623	
K4809-1	80 A 1-1/4" Cut D Inverter	923589290	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K4811-1	125 A 1-1/2" Cut D Inverter	923589209	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K4811-2	Flexcut® 125 Ce	925033369	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K4989-1	4000 Series Arc Gouging Torch with 7ft. Cable	924684119	
K4990-1	4000 Series Arc Gouging Torch with 10ft. Cable	924684125	
K5457-1	Tomahawk® 30 AIR Plasma Cutter with 10 ft (3.0 m) Hand Torch	925241636	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5458-1	Tomahawk® 45 Plasma Cutter with 20 ft (6.1 m) Hand Torch	925241637	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K5537-1	Tomahawk® LC30 Handheld Plasma Torch 10 ft (3 m)	925280083	
K5821-H †	FlexCut® 35 Plasma Cutter Handheld Ready-Pak® K5821-H	928292380	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5821-H †	FlexCut® 35 Plasma Cutter Handheld Ready-Pak® K5821-H	928348311	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5821-PS †	FlexCut® 35 Plasma Cutter Power-Source Only K5821-PS	928292381	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5821-PS †	FlexCut® 35 Plasma Cutter Power-Source Only K5821-PS	928348310	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5822-H †	FlexCut® 35 Air Plasma Cutter Handheld Ready-Pak® K5822-H	928292340	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5822-H †	FlexCut® 35 Air Plasma Cutter Handheld Ready-Pak® K5822-H	928348309	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5822-PS †	FlexCut® 35 Air Plasma Cutter Power-Source Only K5822-PS	928292366	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5822-PS †	FlexCut® 35 Air Plasma Cutter Power-Source Only K5822-PS	928348326	**Miller Spectrum 375 X-TREME with XT30 Torch** Part # 907529 **NE**
K5823-H †	FlexCut® 45 Plasma Cutter Handheld Ready-Pak® K5823-H	928292337	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K5823-H †	FlexCut® 45 Plasma Cutter Handheld Ready-Pak® K5823-H	928348327	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K5823-M †	FlexCut® 45 Plasma Cutter Mechanized Ready-Pak® K5823-M	928292338	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K5823-M †	FlexCut® 45 Plasma Cutter Mechanized Ready-Pak® K5823-M	928348322	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5823-PS †	FlexCut® 45 Plasma Cutter Power-Source Only K5823-PS	928292336	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K5823-PS †	FlexCut® 45 Plasma Cutter Power-Source Only K5823-PS	928348328	**Miller Spectrum 625 X-TREME with XT40 Torch Quick Connect** Part # 907579 **NE**
K5825-H †	FlexCut® 65 Plasma Cutter Handheld Ready-Pak® K5825-H	928292335	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5825-H †	FlexCut® 65 Plasma Cutter Handheld Ready-Pak® K5825-H	928348321	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5825-M †	FlexCut® 65 Plasma Cutter Mechanized Ready-Pak® K5825-M	928292333	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5825-M †	FlexCut® 65 Plasma Cutter Mechanized Ready-Pak® K5825-M	928348320	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5825-PS †	FlexCut® 65 Plasma Cutter Power-Source Only K5825-PS	928292331	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5825-PS †	FlexCut® 65 Plasma Cutter Power-Source Only K5825-PS	928348300	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5826-H †	FlexCut® 85 Plasma Cutter Handheld Ready-Pak® K5826-H	928292330	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5826-H †	FlexCut® 85 Plasma Cutter Handheld Ready-Pak® K5826-H	928348301	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5826-M †	FlexCut® 85 Plasma Cutter Mechanized Ready-Pak® K5826-M	928292334	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5826-M †	FlexCut® 85 Plasma Cutter Mechanized Ready-Pak® K5826-M	928348339	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5826-PS †	FlexCut® 85 Plasma Cutter Power-Source Only K5826-PS	928292379	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5826-PS †	FlexCut® 85 Plasma Cutter Power-Source Only K5826-PS	928348302	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5827-H †	FlexCut® 105 Plasma Cutter Handheld Ready-Pak® K5827-H	928292378	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5827-H †	FlexCut® 105 Plasma Cutter Handheld Ready-Pak® K5827-H	928348303	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5827-M †	FlexCut® 105 Plasma Cutter Mechanized Ready-Pak® K5827-M	928292384	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5827-M †	FlexCut® 105 Plasma Cutter Mechanized Ready-Pak® K5827-M	928348304	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5827-PS †	FlexCut® 105 Plasma Cutter Power-Source Only K5827-PS	928292376	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5827-PS †	FlexCut® 105 Plasma Cutter Power-Source Only K5827-PS	928348305	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5828-H †	FlexCut® 125 Plasma Cutter Handheld Ready-Pak® K5828-H	928292341	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5828-H †	FlexCut® 125 Plasma Cutter Handheld Ready-Pak® K5828-H	928348306	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5828-M †	FlexCut® 125 Plasma Cutter Mechanized Ready-Pak® K5828-M	928292342	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5828-M †	FlexCut® 125 Plasma Cutter Mechanized Ready-Pak® K5828-M	928348307	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5828-PS †	FlexCut® 125 Plasma Cutter Power-Source Only K5828-PS	928292343	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
K5828-PS †	FlexCut® 125 Plasma Cutter Power-Source Only K5828-PS	928348308	**Miller Spectrum 875 Auto-Line** Part # 907851 **NE**
KP2008-1B1	PCT-60 Nozzle	923586070	
KP2008-2B1	PCT-60 Nozzle	923586250	
KP2008-3B1	PCT-60 Nozzle	923586034	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2008-4B1	PCT-60 Nozzle	923586013	
KP2008-5B1	PCT-40 Nozzle	923586060	
KP2012-1B1	PCT-60 Electrode	923586056	
KP2014-1	PCT-40 Shield Cup	925033460	
KP2043-1B1 †	Lincoln Electrode 5PK for PCT-125	0860732	
KP2043-1B1 †	Electrode PCT-125	923585959	
KP2062-1B1 †	0.028 Vortech Nozzle	920300043	
KP2062-1B1 †	PCT-20 Nozzle .028 in (.7 mm)	923585190	
KP2062-2B1	PCT-20/80 Nozzle (35 - 60 Amp.)	923584843	
KP2062-3B1	PCT-20/80 Nozzle (60 - 85 Amp.)	923586289	
KP2062-4B1	PCT-80 Gouging Nozzle .068 in (1.7 mm)	923585688	
KP2062-5B1	PCT-80 Gouging Nozzle .082 in (2.1 mm)	923585720	
KP2063-1B1 †	PCT-20/80 Electrode (5/pack)	923586282	
KP2065-1	Electric Model Drag Cup for PCT-80 Plasma Torch	924890983	
KP2077-1	PCT-60 Shield Cup Assembly	925033635	
KP2752-17	Pre-Filter Plasma Cutting Grid Kit	923586170	
KP2842-1	Tomahawk® LC25/ LC30 Electrode	923589088	
KP2842-2	Tomahawk® LC25/LC30 Nozzle 25A	923588855	
KP2842-3	Tomahawk® LC25 Retaining Cap	923588882	
KP2842-4	Tomahawk® LC25 / LC40 Swirl Ring	923589126	
KP2842-5	Tomahawk® LC25 Spacer	923589103	
KP2842-6	Tomahawk® LC25/LC30 Nozzle 30A	925280081	
KP2842-7	Tomahawk® LC30 Retaining Cap (EXTERNAL AIR)	925280082	
KP2843-1	Tomahawk® LC40 Electrode	923588994	
KP2843-2	Tomahawk® LC40 Nozzle 40A	923589010	
KP2843-3	Tomahawk® LC40 Nozzle Direct Contact 40A	923588986	
KP2843-4	Tomahawk® LC40 Nozzle Gouging	923589110	
KP2843-5	Tomahawk® LC40 Retaining Cap Standard	923589123	
KP2843-6	Tomahawk® LC40 Retaining Cap Gouging	923589429	
KP2843-8	Tomahawk® LC40 Shield Gouging	923589113	
KP2843-9	Tomahawk® LC40 Nozzle Direct Contact 25A	923588968	
KP2843-10	Tomahawk® LC40/LC65 Drag Spacer	923589385	
KP2844-1	Tomahawk® LC65 Electrode (5/pack)	923588923	
KP2844-2	Tomahawk® LC65 Nozzle 40A	923589211	
KP2844-3	Tomahawk® LC65 Nozzle 50A	923589076	
KP2844-4	Tomahawk® LC65 Nozzle 60A (5/pack)	923589426	
KP2844-5	Tomahawk® LC65 Nozzle Direct Contact 40A	923589168	
KP2844-6 †	Tomahawk® LC65 Nozzle Shielded Contact 50A	922445402	
KP2844-6 †	Tomahawk® LC65 Nozzle Shielded Contact 50A	923589143	
KP2844-7	Tomahawk® LC65 Nozzle Shielded Contact 60A	923588907	
KP2844-8 †	Tomahawk® LC65 Nozzle Gouging	922445404	
KP2844-8 †	Tomahawk® LC65 Nozzle Gouging	923588955	
KP2844-9	Tomahawk® LC65 Retaining Cap 40A 60A	923589344	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2844-10 †	Tomahawk® LC65 Retaining Cap Shielded Contact	922445412	
KP2844-10 †	Tomahawk® LC65 Retaining Cap Shielded Contact	923589393	
KP2844-11 †	Tomahawk® LC65 Drag Shield 50A 60A	922445405	
KP2844-11 †	Tomahawk® LC65 Drag Shield 50A 60A	923589237	
KP2844-12	Tomahawk® LC65 Gouge Shield 40A-60A	923589404	
KP2844-13 †	Tomahawk® LC65 Shield 40A-60A	922445401	
KP2844-13 †	Tomahawk® LC65 Shield 40A-60A	923589291	
KP2844-14 †	Tomahawk® LC65 Swirl Ring 40A 50A	922445399	
KP2844-14 †	Tomahawk® LC65 Swirl Ring 40A 50A	923589336	
KP3800-1/2	CarbonElite® Pointed Gouging Electrodes - 1/2 in x 14 in	923585061	
KP4141-1	Tomahawk® 1500 Electrode (LC105)	923585966	
KP4141-4	Tomahawk® 1500 Nozzle-40A (LC105)	923585446	
KP4141-5	Tomahawk® 1500 Nozzle-60A (LC105)	923584813	
KP4141-6	Tomahawk® 1500 Nozzle - 80A (LC105)	923585003	
KP4141-7	Tomahawk® 1500 Nozzle-100A (LC105)	923584988	
KP4141-8	Tomahawk® 1500 Retaining Cap (Contact) (LC105)	923585905	
KP4141-9	Tomahawk® 1500 Swirl Ring (LC105)	923585175	
KP4141-14	Tomahawk® 1500 Drag Shield Cap-40A (LC105)	923586240	
KP4141-15	Tomahawk® 1500 Drag Shield Cap-60-80A (LC105)	923585617	
KP4141-16	Tomahawk® 1500 Drag Shield Cap-100A (LC105)	923585285	
KP4141-17	Tomahawk® 1500 Gouging Shield Cap-80-100A (LC105)	923585538	
KP4141-18	Tomahawk® 1500 Gouging Nozzle-80A (LC105)	923585229	
KP4141-19	Tomahawk® 1500 Gouging Nozzle-100A (LC105)	923585780	
KP4141-20	Tomahawk® 1500 Consumable Starter Kit For LC105 Hand Torch	923586127	
KP5141-1	4000 Series Arc Gouging Torch Insulator Set	924684143	
KP5145-1	4000 Series Arc Gouging Torch Replacement	925688027	
KP5346-1	Consumable Starter Kit For Lc25	925033445	
KP5347-1	Plasma Consumable Kit for Lincoln Electric LC40 Hand Torch	925280079	
KP5348-1	Consumable Starter Kit For Lc65	925033476	
KP5595-1	Plasma Consumable Kit for Lincoln Electric LC30 Hand Torch	925280080	
KP5829-35 †	FlexCut® PRO Drag Cutting Kit 35A KP5829-35	928292313	
KP5829-35 †	FlexCut® PRO Drag Cutting Kit 35A KP5829-35	928348281	
KP5829-35A †	FlexCut® PRO Drag Cutting Kit 35A Internal Air KP5829-35A	928292314	
KP5829-35A †	FlexCut® PRO Drag Cutting Kit 35A Internal Air KP5829-35A	928348280	
KP5829-45 †	FlexCut® PRO Drag Cutting Kit 45A KP5829-45	928292315	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5829-45 †	FlexCut® PRO Drag Cutting Kit 45A KP5829-45	928348287	
KP5829-65 †	FlexCut® PRO Drag Cutting Kit 65A KP5829-65	928292317	
KP5829-65 †	FlexCut® PRO Drag Cutting Kit 65A KP5829-65	928348292	
KP5829-85 †	FlexCut® PRO Drag Cutting Kit 85A KP5829-85	928292309	
KP5829-85 †	FlexCut® PRO Drag Cutting Kit 85A KP5829-85	928348291	
KP5829-105 †	FlexCut® PRO Drag Cutting Kit 105A KP5829-105	928292311	
KP5829-105 †	FlexCut® PRO Drag Cutting Kit 105A KP5829-105	928348299	
KP5829-125 †	FlexCut® PRO Drag Cutting Kit 125A KP5829-125	928292312	
KP5829-125 †	FlexCut® PRO Drag Cutting Kit 125A KP5829-125	928348295	
KP5830-45 †	FlexCut® PRO Mechanized Cutting Kit 45A KP5830-45	928292318	
KP5830-45 †	FlexCut® PRO Mechanized Cutting Kit 45A KP5830-45	928348278	
KP5830-65 †	FlexCut® PRO Mechanized Cutting Kit 65A KP5830-65	928292324	
KP5830-65 †	FlexCut® PRO Mechanized Cutting Kit 65A KP5830-65	928348279	
KP5830-85 †	FlexCut® PRO Mechanized Cutting Kit 85A KP5830-85	928292325	
KP5830-85 †	FlexCut® PRO Mechanized Cutting Kit 85A KP5830-85	928348283	
KP5830-105 †	FlexCut® PRO Mechanized Cutting Kit 105A KP5830-105	928292328	
KP5830-105 †	FlexCut® PRO Mechanized Cutting Kit 105A KP5830-105	928348290	
KP5830-125 †	FlexCut® PRO Mechanized Cutting Kit 125A KP5830-125	928292326	
KP5830-125 †	FlexCut® PRO Mechanized Cutting Kit 125A KP5830-125	928348298	
KP5831-85 †	FlexCut® PRO 85A Gouging Consumable Kit KP5831-85	928292321	
KP5831-85 †	FlexCut® PRO 85A Gouging Consumable Kit KP5831-85	928348288	
KP5831-105 †	FlexCut® PRO 105A Gouging Consumable Kit KP5831-105	928292323	
KP5831-105 †	FlexCut® PRO 105A Gouging Consumable Kit KP5831-105	928348294	
KP5831-125 †	FlexCut® PRO 125A Gouging Consumable Kit KP5831-125	928292322	
KP5831-125 †	FlexCut® PRO 125A Gouging Consumable Kit KP5831-125	928348293	
KP5832-65 †	FlexCut® PRO 65A Extended Cutting Consumable Kit KP5832-65	928292307	
KP5832-65 †	FlexCut® PRO 65A Extended Cutting Consumable Kit KP5832-65	928348284	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5832-85 †	FlexCut® PRO 85A Extended Cutting Consumable Kit KP5832-85	928292316	
KP5832-85 †	FlexCut® PRO 85A Extended Cutting Consumable Kit KP5832-85	928348289	
KP5832-105 †	FlexCut® PRO 105A Extended Cutting Consumable Kit KP5832-105	928292320	
KP5832-105 †	FlexCut® PRO 105A Extended Cutting Consumable Kit KP5832-105	928348286	
KP5832-125 †	FlexCut® PRO 125A Extended Cutting Consumable Kit KP5832-125	928292308	
KP5832-125 †	FlexCut® PRO 125A Extended Cutting Consumable Kit KP5832-125	928348277	
KP5833-45 †	FlexCut® PRO Precision Cutting Kit KP5833-45	928292327	
KP5833-45 †	FlexCut® PRO Precision Cutting Kit KP5833-45	928348282	
KP5834-45 †	FlexCut® PRO Marking Kit KP5834-45	928292310	
KP5834-45 †	FlexCut® PRO Marking Kit KP5834-45	928348285	
KP5836-1 †	FlexCut® PRO Swirl Ring Precision Cutting KP5836-1	928292368	
KP5836-1 †	FlexCut® PRO Swirl Ring Precision Cutting KP5836-1	928348334	
KP5844-1 †	FlexCut® Air Filter KP5844-1	928292382	
KP5844-1 †	FlexCut® Air Filter KP5844-1	928348351	
KP5850-25 †	FlexCut® PRO Plasma Cutting Torch w/ FlexConnect Handle 25 ft KP5850-25	928292332	
KP5850-25 †	FlexCut® PRO Plasma Cutting Torch w/ FlexConnect Handle 25 ft KP5850-25	928348318	
KP5852-25 †	FlexCut® PRO Mechanized Plasma Cutting Torch w/ FlexConnect Handle 25 ft KP5852-25	928292339	
KP5852-25 †	FlexCut® PRO Mechanized Plasma Cutting Torch w/ FlexConnect Handle 25 ft KP5852-25	928348319	
KP5857-1 †	FlexCut® PRO Electrode KP5857-1	928292385	
KP5857-1 †	FlexCut® PRO Electrode KP5857-1	928348340	
KP5858-1 †	FlexCut® PRO Electrode Extended Cutting KP5858-1	928292344	
KP5858-1 †	FlexCut® PRO Electrode Extended Cutting KP5858-1	928348341	
KP5861-1 †	FlexCut® PRO Nozzle 35A KP5861-1	928292345	
KP5861-1 †	FlexCut® PRO Nozzle 35A KP5861-1	928348325	
KP5862-1 †	FlexCut® PRO Nozzle 35 Air KP5862-1	928292346	
KP5862-1 †	FlexCut® PRO Nozzle 35 Air KP5862-1	928348324	
KP5863-1 †	FlexCut® PRO Nozzle 45A KP5863-1	928292347	
KP5863-1 †	FlexCut® PRO Nozzle 45A KP5863-1	928348323	
KP5864-1 †	FlexCut® PRO Nozzle 65A KP5864-1	928292348	
KP5864-1 †	FlexCut® PRO Nozzle 65A KP5864-1	928348312	
KP5865-1 †	FlexCut® PRO Nozzle 85A KP5865-1	928292349	
KP5865-1 †	FlexCut® PRO Nozzle 85A KP5865-1	928348356	
KP5866-1 †	FlexCut® PRO Nozzle 105A KP5866-1	928292350	
KP5866-1 †	FlexCut® PRO Nozzle 105A KP5866-1	928348355	
KP5867-1 †	FlexCut® PRO Nozzle 125A KP5867-1	928292351	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5867-1 †	FlexCut® PRO Nozzle 125A KP5867-1	928348354	
KP5868-1 †	FlexCut® PRO Nozzle Precision Cutting KP5868-1	928292352	
KP5868-1 †	FlexCut® PRO Nozzle Precision Cutting KP5868-1	928348348	
KP5869-1 †	FlexCut® PRO Nozzle Marking KP5869-1	928292353	
KP5869-1 †	FlexCut® PRO Nozzle Marking KP5869-1	928348347	
KP5872-1 †	FlexCut® PRO Nozzle Gouging 85A KP5872-1	928292354	
KP5872-1 †	FlexCut® PRO Nozzle Gouging 85A KP5872-1	928348346	
KP5874-1 †	FlexCut® PRO Nozzle Gouging 105A KP5874-1	928292355	
KP5874-1 †	FlexCut® PRO Nozzle Gouging 105A KP5874-1	928348330	
KP5875-1 †	FlexCut® PRO Nozzle Gouging 125A KP5875-1	928292356	
KP5875-1 †	FlexCut® PRO Nozzle Gouging 125A KP5875-1	928348329	
KP5877-1 †	FlexCut® PRO Nozzle Extended Cutting 65A KP5877-1	928292357	
KP5877-1 †	FlexCut® PRO Nozzle Extended Cutting 65A KP5877-1	928348313	
KP5879-1 †	FlexCut® PRO Nozzle Extended Cutting 105A KP5879-1	928292358	
KP5879-1 †	FlexCut® PRO Nozzle Extended Cutting 105A KP5879-1	928348314	
KP5880-1 †	FlexCut® PRO Nozzle Extended Cutting 125A KP5880-1	928292359	
KP5880-1 †	FlexCut® PRO Nozzle Extended Cutting 125A KP5880-1	928348315	
KP5881-1 †	FlexCut® PRO Swirl Ring 85A KP5881-1	928292374	
KP5881-1 †	FlexCut® PRO Swirl Ring 85A KP5881-1	928348335	
KP5882-1 †	FlexCut® PRO Swirl Ring 125A KP5882-1	928292375	
KP5882-1 †	FlexCut® PRO Swirl Ring 125A KP5882-1	928348336	
KP5887-1 †	FlexCut® PRO Shield Cup Body KP5887-1	928292370	
KP5887-1 †	FlexCut® PRO Shield Cup Body KP5887-1	928348337	
KP5888-1 †	FlexCut® PRO Shield Cup Body Ohmic KP5888-1	928292371	
KP5888-1 †	FlexCut® PRO Shield Cup Body Ohmic KP5888-1	928348338	
KP5889-1 †	FlexCut® PRO Shield Cap Handheld Cutting 85A KP5889-1	928292362	
KP5889-1 †	FlexCut® PRO Shield Cap Handheld Cutting 85A KP5889-1	928348316	
KP5890-1 †	FlexCut® PRO Shield Cap Handheld Cutting 125A KP5890-1	928292363	
KP5890-1 †	FlexCut® PRO Shield Cap Handheld Cutting 125A KP5890-1	928348317	
KP5891-1 †	FlexCut® PRO Shield Cap Mechanized Cutting 85A KP5891-1	928292364	
KP5891-1 †	FlexCut® PRO Shield Cap Mechanized Cutting 85A KP5891-1	928348349	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5892-1 †	FlexCut® PRO Shield Cap Mechanized Cutting 125A KP5892-1	928292361	
KP5892-1 †	FlexCut® PRO Shield Cap Mechanized Cutting 125A KP5892-1	928348344	
KP5893-1 †	FlexCut® PRO Shield Cap Gouging KP5893-1	928292365	
KP5893-1 †	FlexCut® PRO Shield Cap Gouging KP5893-1	928348343	
KP5894-1 †	FlexCut® PRO Shield Cap Extended Cutting KP5894-1	928292367	
KP5894-1 †	FlexCut® PRO Shield Cap Extended Cutting KP5894-1	928348331	
KP5895-1 †	FlexCut® PRO Shield Cap Precision Cutting KP5895-1	928292386	
KP5895-1 †	FlexCut® PRO Shield Cap Precision Cutting KP5895-1	928348332	
KP5909-2 †	FlexCut® PRO Electrode 35 Air KP5909-1	928292377	
KP5909-2 †	FlexCut® PRO Electrode 35 Air KP5909-1	928348342	
KP5910-1 †	FlexCut® PRO Swirl Ring 35 Air KP5910-1	928292360	
KP5910-1 †	FlexCut® PRO Swirl Ring 35 Air KP5910-1	928348345	
KP5911-1 †	FlexCut® PRO Shield Cup Body 35 Air KP5911-1	928292372	
KP5911-1 †	FlexCut® PRO Shield Cup Body 35 Air KP5911-1	928348352	
KP5912-1 †	FlexCut® PRO Drag Spacer 35 Air KP5912-1	928292369	
KP5912-1 †	FlexCut® PRO Drag Spacer 35 Air KP5912-1	928348333	
KP5916-1 †	FlexCut® Plasma Circle Cutting Kit KP5916-1	928292329	
KP5916-1 †	FlexCut® Plasma Circle Cutting Kit KP5916-1	928348296	
KP5917-1 †	FlexCut® Plasma Straight Cutting Kit KP5917-1	928292319	
KP5917-1 †	FlexCut® Plasma Straight Cutting Kit KP5917-1	928348297	
KP6035-1 †	FlexCut® Ground Cable Assembly 25 ft KP6035-1	928292383	
KP6035-1 †	FlexCut® Ground Cable Assembly 25 ft KP6035-1	928348353	
KP6058-1 †	FlexCut® PRO Swirl Ring Mechanized Cutting KP6058-1	928292373	
KP6058-1 †	FlexCut® PRO Swirl Ring Mechanized Cutting KP6058-1	928348350	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Equipment Parts & Accessories (376)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
9SL15805	Lincoln Electric Center Panel	2405814	
9SM18947-1	Ball Bushing Assembly	925966314	
9SM19611-3	Connection Bar For Power MIGR 256/255XT Welding System	925966308	
9SS19492-1	Terminal Crimp Detail	0857257	
9SS21002	Trigger & Housing Asbly	0857255	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
9SS25638-1	Drive Hub Assembly 9SS25638-1	925975287	
9SS31129-1	THE LINCOLN ELECTRIC COMPANYPC Board	2410115	
9SS31129-2	Power Control Pc Bd. Asbly	2407058	
9SS31223-19	THE LINCOLN ELECTRIC COMPANYOutlet Cover	2424834	
9ST14813-B	Thumb Screw For Power MIGR 300/215XT/255 Welding System	925966315	
84025	M16 R08P Drill Tap 2 Ct	924304132	
AD1253-455	Torch Angle Display	925033385	
K119	Flux Cone Assembly	925033421	
K119-1	Flux Cone Assembly	925033603	
K162-1	Spindle Adapter For Readi-Reels® and Spools	923585191	
K163-1	Four Wheeled Wire Feeder Undercarriage	923585001	
K202	Burnback Kit	923584829	
K223	Solenoid Kit	923584836	
K226R	Contact Jaw Assembly	925033567	
K229	Flat Fillet Adapter Kit	923585323	
K232	Horizontal Fillet and Lap Adapter Kit	923585068	
K285	Concentric Flux Cone	925688034	
K466-1	Connector Kit - LN-7-8-9 LN-25	0857251	
K466-3	Connector Kit - Miller® Feeders	922503622	
K466-8	Connector Kit - LN-8-9 - 1/16 & Larger	922503625	
K466-10	Connector Kit - LF-72-74 LN-25® Pro Power Feed® 25M	922503620	
K481	Gas Tube Kit	925033366	
K484	Jumper Plug Kit	925033387	
K488	Magnum® SG Control Module	922503624	
K489-1	FAST-MATE™ Adapter Kit - LN-7-8-9	923585690	
K489-2	FAST-MATE™ Adapter Kit - LN-25	922503615	
K489-7	FAST-MATE™ Adapter Kit - 10 Series Feeders	923585448	
K489-8	FAST-MATE™ Adapter Kit - Power MIG	925033484	
K492-10	Control Module Input Cable v Terminal Strip and Lug	922503703	
K493-10	Control Module Input Cable v 14-pin MS-type and Twist Mate™	922503701	
K520-1	Utility Cart (150 cu.ft bottle capacity)	925540753	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K559-3	Vertical Mounting Bracket	925033610	
K610-1	MIG Conversion Kit	925033601	
K610-2	MIG Conversion Kit	925033565	
K613-1	Magnum® 550 Connector Kit - Lincoln® Feeders	923585242	
K613-3	Magnum® 550 Connector Kit - Miller® Feeders	923586163	
K613-6	Magnum® 550 Connector Kit - LN-8/-9 1/16 and Up	923584496	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K613-7	Magnum® 550 Connector Kit - for 10 Series Feeders	923586324	
K683-3	Dual Procedure Switch - 15 ft	925688017	
K691-10	Control Module Input Cable v 14-pin MS-type and Lug	922503699	
K704	Accessory Kit - 400 Amp	920329740	
K761	Wheel Kit	925033628	
K802N	NEMA 5-20 / NEMA 14-50 Power Plug Kit	925372465	
K814	Arc Start Switch	925372452	
K814-2	Arc Start Switch (12-pin)	925033452	
K841	Idealarc® 400 & 500 Series Undercarriage	923585829	
K842	Idealarc® DC600 Undercarriage	923585627	
K843	Amptrol™ Adapter Kit	925033358	
K857	Remote Output Control 6 Pin - 25 ft. (7.6 m)	925372456	
K857-1	Remote Output Control 6 Pin - 100 ft. (30.5 m)	925372455	
K864	Remote Control Adapter	925033569	
K866	Idealarc® 250 Undercarriage	923585916	
K867	Universal Adapter Plug	923586024	
K870 †	Foot Amptrol™ - 6 pin 25 ft. (7.6m)	99858508	**Miller foot control (Controls, Wired, Foot; Controls, Wireless, Foot for wireless)** no part # **NE**
K870 †	Foot Amptrol™ - 6 pin 25 ft. (7.6m)	923586365	**Miller foot control (Controls, Wired, Foot; Controls, Wireless, Foot for wireless)** no part # **NE**
K870-2	Foot Amptrol™ - 25 ft. (7.6m) (12 pin)	923584823	**Miller foot control (Controls, Wired, Foot; Controls, Wireless, Foot for wireless)** no part # **NE**
K875	Accessory Kit - 150 Amp	925033506	
K895-2	Rotary Wire Dispenser	925688065	
K903-1	Spark Arrestor Kit for Select Engine-Driven Welders	925372447	
K936-1	TIG Module Control Cable (9-pin to 14-pin)	923585301	
K936-3	Control Cable for TIG Module	923585609	
K936-4	TIG Module Control Cable (9-pin to 115 V plug)	923585603	
K937-45	TIG Module Control Cable Extension	923585740	
K960-1	Twist Mate™ Torch Adapter	923585879	
K960-2 †	Small Twist Mate™ Torch Adapter	91208714	
K960-2 †	Small Twist Mate™ Torch Adapter (with separate gas)	923585101	
K963-3	Hand Amptrol™ Rotary Track Style 6 Pin 25 ft. (7.6 m)	923586297	**Miller hand control (Controls, Wired, Hand; Controls, Wireless, Hand for wireless)** no part # **NE**
K963-4	Hand Amptrol™ Rotary Track Style 25 ft (7.6m) (12-pin)	923586167	**Miller hand control (Controls, Wired, Hand; Controls, Wireless, Hand for wireless)** no part # **NE**
K1482-1	Digital Meter Kit	923584957	
K1486-1	Air Filter Kit	923585999	
K1501-10	Control Cable for LN-10 / DH-10	923584489	
K1504-1	60 Lb Wire Reel	923586067	
K1520-1	Transformer Kit 42 Volt	925033568	
K1524-3	Universal Wire Reel Stand	923584547	
K1528-1	Dual Process Switch	923585386	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1534-2	Air Exhaust Silencer	923585929	
K1536-1	Magnum® Flow Sensor	925688069	
K1543-8	Arclink Cable (8 Ft 24M)	923584920	
K1556-1	Light Duty Caster Kit	923585091	
K1634-4	Spool Cover 18 kg spools	923585542	
K1668-2	Exhaust or Extension Hose Set - 16 ft (5 m)	923589300	
K1701-1	Timer Kit	923585268	
K1702-1	Dual Cylinder Mounting Kit	923585784	
K1733-1	Wire Straightener	923585698	
K1733-4	Micro Wire Straightener	923585526	
K1736-1	Distribution Box	925033526	
K1737-3	All Terrain Undercarriage with Flat-Free Tires	923584946	
K1737-4	All Terrain Undercarriage (Pneumatic)	923585479	
K1743-3	Conversion Kit	923586020	
K1745-1	Welding Gas Cylinder	923585290	
K1745-2	LPG Tank Holder	923585275	
K1764-1	Inverter and Wire Feeder Cart	923585414	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K1770-2	Factory Undercarriage (Pneumatic)	923585129	
K1770-3	Factory Undercarriage with Flat-Free Tires	923586068	
K1785-4	14 Pin Heavy Duty Cont Cable 4Ft 1.2M	923586234	
K1785-8	14 Pin Heavy Duty Cont Cable 8Ft 2.4M	923586072	
K1785-12	14-Pin Heavy Duty Control Cable - 12ft (3.7m)	923585098	
K1785-16	14 Pin Heavy Duty Cont Cable 16Ft 4.9M	923585356	
K1785-25	14 Pin Hd Control Cable 25Ft 7.6M	923585652	
K1785-50	14 Pin Heavy Duty Cont Cable 50Ft 15.2M	923586247	
K1785-100	14 Pin Heavy Duty Cont Cable 100Ft 30.5M	923585338	
K1796-25	Cable Asbly 25 Ft	923585223	
K1796-50	Cable Asbly 50 Ft	923585922	
K1796-75	Cable Asbly 75 Ft	923585965	
K1797-10	Control Cable Extension - Male 14 pin to Female 14 pin - 10 ft (3 m)	923585055	
K1797-25	Control Cable Extension - Male 14 pin to Female 14 pin - 25 ft (7.6 m)	923585832	
K1797-50	Control Cable Extension - Male 14 pin to Female 14 pin - 50 ft (15.2 m)	923585365	
K1797-100	Control Cable Extension - Male 14 pin to Female 14 pin - 100 ft (30.5 m)	923585753	
K1798	Adapter Cable - Female 14 pin Control Cable to Terminal Strip	923585310	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1811-50	Process Sense Lead Asbly - 50Ft 152M	923585454	
K1811-100	Process Sense Lead Asbly - 100Ft 305M	923585118	
K1813-1	Cool-Arc® 40 Water Cooler (115/1/50/60)	923585702	
K1816-1	Full KVA Adapter Cable	923585903	
K1818-10	Control Cable LN-7	923586073	
K1819-10	Control Cable LN-742 / LN-15	923586134	
K1820-10	Control Cable Female 9-Pin to Male 14-Pin	923585274	
K1828-1	Under-Welder Cart Water Cooler Cart	923585228	
K1847-1	Spark Arrestor Kit for SAE-400® (Deutz®) and Vantage® 500 (Cummins®)	923585120	
K1859-1	Water Hose Kit	922503702	
K1859-2	Water Cooler Hoses (CGA to CGA)	922503700	
K1869-1	Undercarriage for Precision TIG® 275/375	923585381	
K1897-1	Paralleling Kit for DC-600 Codes Below 10500 and DC-1000's	925372460	
K1898-1	Spark Arrestor Kit for Kohler® CH730 Kubota® V1505 and Kubota® D722 Engines	923585706	
K1900-1	Paralleling Kit	925372461	
K2205-1	WIRE DRIVE INTERFACE MODULE	923586181	
K2275-1 †	Welding Cart (80 cu.ft bottle capacity)	0864652	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K2275-1 †	Welding Cart (80 cu.ft bottle capacity)	923585833	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K2328-1	Standard Duty Wire Reel Stand	923585984	
K2329-1	Remote Voltage Control Kit	923586226	
K2330-1	Postflow and Burnback Timer Kit	923586156	
K2330-2	Preflow Postflow and Burnback Timer Kit	923585497	
K2335-2	Adapter for Competitive Power Sources	923585334	
K2348-1	Precision TIG® 225 Understorage Cart	923586147	
K2377-1	CanVAS™ Cover (Small)	923585712	
K2377-2	CanVAS™ Cover (Small-Medium)	925303049	
K2378-1	CanVAS™ Cover (Medium)	923584675	
K2382-5	Ranger® 250 GXT Stainless Steel Case (Kohler® with Electric Fuel Pump)	923585022	**Miller Bobcat 230 Rehlko** Part # 907824 **NE**
K2389-2	Hose Connection Outlet	923584737	
K2389-7	MBH Wall Mounting Bracket	923585906	
K2389-10	Connector Hose to Hose 1-3/4 in. to 1-3/4 in.	923586015	
K2391-2	Power Ream® Ii	923585762	
K2393-1	Control/Weld Power Cable - 25' (7.6 m)	923585276	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2393-2	Control/Weld Power Cable - 75' (23 m)	923585325	
K2394-1	Stick Electrode Holder and Cable Assembly (Twist Mate™)	923585088	
K2423-1	Sheet Metal Kit Classic 300D	923585987	
K2444-3	Ce Filter Kit (Ac/Dc 1000 Sd)	925372459	
K2445-1	Magnum® SG Spool Gun Control Cable Adapter	923586323	
K2464-1	Remote Output Control for K385-2 Wire Feed Module 100 ft. (30.5 m)	923585020	
K2467-1	Digital Weld Meter Kit for Fleet® Engine-Driven Welders	923585578	
K2487-1	Insulated CT40FS Female Connector	923585304	
K2519-1	Control Cable Extension	923585071	
K2526-1	MIG Conversion Kit	925033513	
K2528-1	Innershield® Welding Kit .045 in (1.2 mm)	925033498	
K2535-2 †	Precision TIG® 225 TIG Welder Ready-Pak® with Cart	0864711	**Miller Syncrowave 212 Air-Cooled Package** Part # 907911 **NE**
K2535-2 †	Precision TIG® 225 TIG Welder Ready-Pak® with Cart	923589216	**Miller Syncrowave 212 Air-Cooled Package** Part # 907911 **NE**
K2536-4	Power Feed® 25M Aluminum Case Wire Feeder	923585854	
K2536-5	Power Feed® 25M Plastic Case Wire Feeder	923586103	
K2596-2	Replacement Case Kit - Polycarbonate	923585396	
K2617-1	Precision TIG® 225 Dual Cylinder Cart	923585610	
K2621-1	Precision 275 TIG Advanced Control Panel	923585491	
K2635-1	Small Two-Wheel Welder Trailer	923586209	
K2636-1	Medium Two-Wheel Welder Trailer	923585230	
K2637-2	Large Two-Wheel Welder Trailer	923584847	
K2639-1	Fender and Light Kit for Welder Trailers	923584879	
K2640-1	Cable Rack for Welder Trailers	923584774	
K2641-2	Four-Wheel Steerable Yard Trailer	923586169	
K2665-1	Caster Kit	923586003	
K2679-1	Cold Weather Kit for Perkins® Engines	923585305	
K2683-25	Heavy Duty Arclink Cable (25 Ft 76M)	923585586	
K2683-50	Heavy Duty Arclink Cable(50 Ft 152M)	923585566	
K2683-100	HEAVY DUTY ARCLINK CABLE (100FT 305m)	923585551	
K2694-1	Tig Inverter Cart	923586151	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K2709-12	14 Pin Wire Drive Cable (12Ft 3.7M)	923585767	
K2709-25	14 Pin Wire Drive Cable (25Ft 7.6M)	923585913	
K2709-50	14 Pin Wire Drive Cable (50Ft 15.2M)	923585523	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2709-100	14 Pin Wire Drive Cable (100Ft 30.5M)	923585932	
K2722-1 †	Undercarriage FOR OUTBACK 145, 185 and BULLDOG 140 Welding Machine Accessories	0864770	
K2722-1 †	Outback® Tube Frame Undercarriage	923585437	
K2735-1	Cold Weather Kit for Kubota® Engines	923584974	
K2752-3	Working Light Kit	923586293	
K2752-4	Current Activated Start/Stop Sensor	923585799	
K2752-5	Motion Activated Start/Stop Sensor	923585765	
K2752-6	Wheel Kit	923585296	
K2752-7	Silencer/Outlet Duct	923585366	
K2752-8	Mounting Kit For Bench Vise	923586021	
K2752-9	Dust Tray Lid	923585005	
K2829-1	115V Auxiliary Kit	923585127	
K2861-1	Remote Output Control for Big Red® Series of Engine Driven Welders 100 ft. (30.5 m)	923584795	
K2863-1	Analog Weld Meters Assembly	923585752	
K2864-1	Spark Arrestor Kit for Fleet™ 500 / 650 Vantage® 441X and Air Vantage® 600X-I	923586052	
K2910-1	12M To 7F Adapter	923586198	
K2910-2	12F To 7M Adapter	923585064	
K2942-1	HydroGuard® Bench Welding Rod Oven - 115/120 V	923588936	
K2942-2	HydroGuard® Bench Welding Rod Oven - 240/480 V	923589247	
K2946-1	Tweco-Style Cam-Lock Adapter Plug for 2/0 Cable	923586291	
K3056-1	Base Mounting Assembly	925033620	
K3056-2	Locking Foot Kit (Flextec 500/500P)	925033575	
K3059-4	Inverter and Wire Feeder Cart	923585357	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K3059-5	Dual Cylinder Inverter & Wire Feeder Cart	923586192	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K3061-1	Plastic Case (Activ8® Feeders)	923586274	
K3086-1	Cool Arc® 55 Water Cooler	923584831	
K3086-2	Cool-Arc® 55 S Water Cooler	923589274	
K3129-1	Flextec 650 Ce Filter Kit	925033357	
K3129-2	Flextec 500 Ce Filter Kit	925033511	
K3148-1	Rod Oven - Optional Thermometer Kit	923585321	
K3159-1	Magnum® PRO Dual Procedure/Dual Schedule Adapter	925033544	
K3166-1	HydroGuard® Rod Canister	0899993	
K3167-1	HydroGuard® Carrying Strap for Rod Canister	925688225	
K3328-3	Power Feed® 84 - U/I No Reel USB	923585760	
K3328-6	POWER FEED 84 - U/I STD. DTY REEL	923586179	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3328-7	Power Feed® 84 - Std. Dty Reel One-Pak	923585865	
K3328-12	Power Feed® 84 - U/I No Reel Gouge Kit USB	923584885	
K3328-13	Power Feed® 84 - U/I Hvy. Dty Reel USB	923585375	
K3330-3	Power Feed® 84 Dual Bench Wire Feeder - U/I No Reel USB	923585150	
K3330-5	Power Feed® 84 Dual Bench Wire Feeder - U/I Hvy. Dty Reel Cntcrs. USB	923584913	
K3330-7	Power Feed® 84 Dual Bench Wire Feeder - U/I Std. Dty. Reel One-Pak	923585638	
K3330-10	Power Feed® 84 Dual Bench Wire Feeder Hvy Dty. Reel One-Pak	923585027	
K3338-1	Gas Flow Sensor	923585247	
K3340-1	Wire Reel Enclosure Large	923586086	
K3341-1	Lift Bail	923584856	
K3342-1	Wire Reel Stand - Standard Duty	923585008	
K3343-1	Wire Reel Stand - Heavy Duty	923585026	
K3359-100IC/8LA	Magnum Pro Robo 550 One-Pak - 100Ic/8La	923586230	
K3359-100IC/8LW	Magnum Pro Robo 550 One-Pak - 100Ic/8Lw	923585634	
K3402-2	Flextec® 350X Construction Compact 4-Pack Rack	923584886	**Miller XMT 400** Part # 907881 **NE**
K3402-3	Flextec® 350X Construction (Tweco) 4-Pack Rack	925303016	**Miller XMT 400** Part # 907881 **NE**
K3403-2	Flextec® 350X Standard Compact 4-Pack Rack	923585632	**Miller XMT 400** Part # 907881 **NE**
K3403-3	Flextec 350XP (Tweco) 4-Pack Rack	925303017	**Miller XMT 400** Part # 907881 **NE**
K3410-1	Flextec 350X 4-Rack Bolt Together Kit	923585958	
K3475-1	Cool Arc® 22	923584880	
K3492-1	Adapter Hose-to-Tube 1 in. to 1 in.	923585110	
K3492-2	Adapter Hose-to-Tube 1-3/4 in. to 1-1/2 in.	923584502	
K3492-3	Adapter Hose-to-Tube 1-3/4 in. to 1-3/4 in.	923585893	
K3492-4	Adapter Hose-to-Tube 1-3/4 in. to 2 in.	923584857	
K3492-5	Adapter Hose-to-Tube 3 in. to 3 in.	923584954	
K3494-1	Kohler® Tune Up Kit (CH23S/CH730/ECH740)	923584948	
K3558-1	Service Kit for Deutz® Engine Model D2011L03i D2011L04i	923585503	
K3558-2	Service Kit for Deutz® Engine Model F3L912	923585944	
K3558-3	Service Kit for Deutz® Engine Model D2.9L4	923584851	
K3558-4	Service Kit for Deutz® Engine Model TD2.9L4 (SAE®)	923585993	
K3558-5	Service Kit for Deutz® Engine Model TD2.9L4 (Vantage®)	923584582	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3573-1	Irb1520Id Mounting Bracket	923585252	
K3573-2	Irb1660Id Mounting Bracket	923585677	
K3573-3	Irb2600Id Mounting Bracket	923585576	
K3573-4	Irb1600 Mounting Bracket	923585630	
K3573-5	Irb2600 Mounting Bracket	923585648	
K3573-6	Irb4600 Mounting Bracket	923585115	
K3580-1	4R Feeder Retrofit Bracket (K3580-1)	923585565	
K3589-1	Factory Undercarriage	923584888	
K3589-4	Factory Undercarriage with Flat-Free Tires	923585420	
K3590-1	All-Terrain Undercarriage	923586188	
K3590-2	All Terrain Undercarriage with Flat-Free Tires	923585037	
K3592-1	Gas Cylinder Holder	923584938	
K3598-1	Service Kit for Perkins® Engine Model 404D-22 404D-22T 403-15T	923585728	
K3599-1	Service Kit for Kubota® Engine Model V1505	923584769	
K3599-2	Service Kit for Kubota® Engine Model D1503	923585951	
K3599-3	Service Kit for Kubota® Engine Model V3600T	923584893	
K3674-100ID	Control Cable 14-Pin Wire Feeder 100Id	923585092	
K3676-1	Dual Cylinder Cart	923585311	**Miller Portable Millermatic, Multimatic & Diversion Cart (or Miller running gear/cylinder rack for the machine)** no part # **NE**
K3722-1	Heavy Duty Tape Measure - 25 FT (7.6 M)	0899976	
K3727-1	Industrial Flint Striker	0899974	
K3731-1	Pipefab	923584899	
K3734-1	PIPEFAB™ Ready-Pak®	923585410	
K3737-1	Pipefab Cooler	923584861	
K3738-1	Pipefab Remote Ui	923585847	
K3883-2	Flex Feed® 74 HT - Digital U/I No Reel	923586249	
K3883-4	Flex Feed® 74 HT - Digital U/I Gouge Kit	923584841	
K3883-11	Flex Feed® 74 HT - Simple U/I Heavy Duty Reel	923585599	
K3883-12	Flex Feed® 74 HT - Digital U/I Hvy. Dty. Reel	923585892	
K3883-13	Flex Feed® 74 HT - Simple U/I Hvy. Dty. Reel Gouge Kit	923584907	
K3883-14	Flex Feed® 74 HT - Digital U/I Heavy Duty Reel Gouge Kit	923584385	
K3929-1	Inlet Bushing Quick Connect Style	925290286	
K3949-1	Aspect™ 375 TIG Welder Cart	923589314	
K3985-1	Spark Arrestor Kit for Deutz® TD2.9L4 Tier 4 Final Engine	923586327	
K4014-2	Radius® Welpers	0899972	
K4068-1	Cart Mounting Bracket Kit	923585732	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4104-1	POWER MIG® 210 MP® Amptrol™ Adapter	923584985	
K4115-3	Connector Hose-To-Hose 1 in. to 1-3/4 in.	923585998	
K4115-10	Connector Hose-To-Hose 3 in. to 3 in.	923585710	
K4166-7	Cross Country® 300 (Kubota®) / K4268-1 Remote Control One-Pak®	923584937	**Miller Big Blue 400 PipePro Mitsubishi Blue w/ Wireless Interface Control** Part # 907805001 **NE**
K4217-1	Wireless Pedal for TIG Welding	923589060	**Miller foot control (Controls, Wired, Foot; Controls, Wireless, Foot for wireless)** no part # **NE**
K4218-1	Wireless Pedal Transmitter	923586108	
K4219-1	Wireless Pedal Receiver	923585051	
K4264-100	Arclink Cable Bayonet 100 Feet	923585081	
K4277-1	Flextec® 350X Construction 6-Pack Rack	923584429	**Miller XMT 400** Part # 907881 **NE**
K4277-2	Flextec® 350X Construction (Tweco) 6-Pack Rack	925303022	**Miller XMT 400** Part # 907881 **NE**
K4281-1	Flextec® 350X Standard 6-Pack Rack	923584987	**Miller XMT 400** Part # 907881 **NE**
K4281-2	Flextec® 350XP (Tweco) 6-Pack Rack	925303024	**Miller XMT 400** Part # 907881 **NE**
K4345-1	CrossLinc® Remote	925303048	
K4361-1	Foot Pedal	923586137	**Miller foot control (Controls, Wired, Foot; Controls, Wireless, Foot for wireless)** no part # **NE**
K4420-1	Flextec 350 Ce Filter	923586310	
K4421-1	Miller Rack Adapter Kit	925033395	
K4424-1	Flextec® 350X Locking Foot Kit	925033405	
K4483-8	Ext-Flex Arclink Cable (8 Ft 24M)	923584611	
K4483-16	Ext-Flex Arclinc Cable (16 Ft 4.9M)	923584935	
K4483-25	Ext-Flex Arclink Cable (25 Ft 76M)	923584508	
K4483-50	Ext-Flex Arclink Cable (50 Ft 15.2M)	923585453	
K4483-100	Ext-Flex Arclinc Cable (100 Ft 30.5M)	923585954	
K4544-7	M-F Water Hose Kit 7 Ft	925033461	
K4544-25	M-F Water Hose Kit 25 Ft	925033388	
K4650-3	HyperFill Dual Feeder Ready-Pak® - Dual Cylinder Cart	923585283	
K4650-4	HyperFill® Reveal™ Power Feed® 84 Dual Ready-Pak® Single Cart	925303039	
K4650-6	Hyperfill Rvl Pf84 Dual Rp Dual Cart	925303041	
K4697-1	Aluminized Fiberglass Hand Shield - 6 x 8	924684129	
K4713-1	Cool Wave™ 20S	923585824	
K4716-1	Feeder Remote Toggle Switch	923585004	
K4716-2	Dual Procedure Remote Switch	923584952	
K4728-1	Pipefab Feeder Caster Kit	925033597	
K4790-1	Arclink Splitter Cable	923585562	
K4793-1	Pipefab Hyperfill Reel Stand	923585342	
K5000-2 †	Flex Feed® 84 Single Bench with Heavy Duty Wire Reel Stand	923585769	
K5000-3	Flex Feed® 84 Single Bench with Contactor and Gouge Stud No Wire Reel Stand	923584514	
K5002-2	Flex Feed® 84 Dual Bench with Contactor Heavy Duty Wire Reel Stand	923586303	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5002-5	Flex Feed® 84 Dual Bench with Heavy Duty Wire Reel Stand	923584922	
K5104-12	Bulkhead Connector Kit	925688326	
K5105-28	1/4" NPT-M Quick Disconnect	925688325	
K5238-1	Ranger® Air 260MPX™ Multi-Function Engine Drive	924921010	
K5239-1	Ranger Air 330MPX™ Multi-Function Engine Drive	925648199	
K5282-2	DLF-82 Bench Model Wire Reel Stand	925138163	
K5282-3	DLF-82 Bench Model Wire Reel Stand Welding Gun	925303046	
K5338-1	Voyage Arc	925352934	
K5548-1	Elevate™ Sli Rolling Machine Case	925538197	
K5585-1	Sprinter™ 180Si Case and TIG One-Pak®	924982318	**Miller Maxstar 161 STH** Part # 907711 **NE**
K5600-1	Sprinter™ 180Si Case One-Pak®	924982090	**Miller Maxstar 161 STH** Part # 907711 **NE**
K5622-1	Elevate™ Sli Battery Powered Welder - Rolling Case Package	925389722	
K5624-1	Elevate™ Sli Battery Powered Welder - TIG and Rolling Case Package	925389721	
K5640-1	Ranger Air Auxiliary Power Remote Panel	925648208	
K5641-1	Ranger Air Weld and Battery Remote Panel	925648209	
K5642-1	Ranger Air User Interface Remote Panel	925648211	
K5643-10	Ranger Air User Interface Remote Panel Cable 10'	925648207	
K5643-20	Ranger Air User Interface Remote Panel Cable 20'	925648206	
K5643-30	Ranger Air User Interface Remote Panel Cable 30'	925648205	
K5645-10	Ranger Air Battery Assist Remote Panel Cable 10'	925648204	
K5645-20	Ranger Air Battery Assist Remote Panel Cable 20'	925648203	
K5645-30	Ranger Air Battery Assist Remote Panel Cable 30'	925648210	
K6080-1	20 - 211 A 175 A 50 - 500 in/min 0.023" - 0.045" Wire Inverter MIG Welding Machine	924524506	**Miller Millermatic 211 PRO** Part # 907839 **NE**
KP1529-1	Quick Connect Water Adapter	925033594	
KP2046-1	Standoff Guide	923585349	
KP2063-1B1 †	80 Amp Electrode 5Ct	920300039	
KP2085-1	Flux Cone	925033378	
KP2435-7	Reamer Bit .565 (14.3Mm)	923584862	
KP3066-100IC	CABLE ASBLY THRU THE ARM 100iC	923585151	
KP3066-100IC/6L	CABLE ASBLY THRU THE ARM 100iC/6L	923586285	
KP3066-100IC/8L	Cable Asbly 100Ic/8L	923586116	
KP3066-120IC	CABLE ASBLY THRU THE ARM 120iC	923585360	
KP3066-120IC/10L	CABLE ASBLY THRU THE ARM 120iC/10L	923584926	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP3066-M710IC/12L	Cable Asbly Thru The Arm M710Ic/12L	923584906	
KP3103-1	Shielding Gas Filter	923585337	
KP3379-4	Magnum® PRO AL Coolant 4 Gl / Case of 4 (1-gal jugs)	925688295	
KP3406-1	VMAC® Compressor Service Kit (6 months / 500 hours)	923585534	
KP3408-1	VMAC® Compressor Service Kit (12 months / 1000 hours)	923585972	
KP3548-15	Cable assembly Air Cooled 15 ft	923586026	
KP3548-25	Cable Assembly Air Cooled 25 ft	923585300	
KP3548-35	Cable Assembly Air Cooled 35 ft	923585772	
KP3549-15	Cable Assembly Water Cooled 15 ft	923585735	
KP3549-25	Cable Assembly Water Cooled 25 ft	923585624	
KP3728-1	Flint Striker Replacements Flints (5 Pack)	0899979	
KP3924-2	2Pc HE Filter Assembly	91170805	
KP4159-1	One Gallon of Low Conductivity Coolant	922837837	
KP4215-1	Valve Kit	925033582	
KP4642-1	Quick Connect	925033456	
KP4755-6-B10	Body Cup Bulk Pack 9/20	923588940	
KP4867-1	PIPEFAB™ Cable Bracket Kit	923585050	
KP4925-1	Flat-Free Tire Kit - 10 in	923585623	
KP4926-1	Flat-Free Tire Kit - 16"	923585872	
KP4927-1	Flat-Free Tire Kit - 14 in	923585933	
KP5115-3	Lincoln® 10 Series Inlet Adapter-Delrin for Large Wire	925688064	
KP5143-1	4000 Series 7 Ft Cable Asbly	924684149	
KP5144-1	4000 Series 10 Ft Cable Asbly	924684155	
KP5655-1	Elevate™ SLi 120V Input Cord 7.5 ft (2m)	925538169	
TMS-101-4005- 00	Torchmate Sight Glass M16 X 1.5 W/O Screen	925535967	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Guns, Torches & Consumables

MIG Guns (267)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K115-2	Magnum® Innershield® 450A FCAW-SS Welding Gun 15 ft 120-764	922503523	
K115-3	Magnum® Innershield® 450A FCAW-SS Welding Gun 10 ft 332	922503522	
K115-4	Magnum® Innershield® 450A FCAW-SS Welding Gun 15 ft 332	922503529	
K115-8	4" H x 3-1/2" W x 15 ft L Copper Standard MIG Gun	922503531	
K116-2	Magnum® Innershield® 600A FCAW-SS Welding Gun 15 ft 120-764	922503520	
K126-1	K126® Classic® Innershield® FCAW-S Welding Gun 350 A 0.062-3/32 in 10 ft	922503526	**Ironmate FC-1260 350 A self-shielded flux-cored gun, 15 ft** Part # 195729 **NE**
K126-2	4" H x 3-1/2" W x 15 ft L Copper Standard MIG Gun	922503521	
K126-10	K126® PRO Innershield® FCAW-S Welding Gun 350 A 0.062-3/32 in 10 ft	922503528	**Ironmate FC-1260 350 A self-shielded flux-cored gun, 15 ft** Part # 195729 **NE**
K126-11	K126® PRO Innershield® FCAW-S Welding Gun 350 A 0.062-3/32 in 15 ft	922503525	**Ironmate FC-1260 350 A self-shielded flux-cored gun, 15 ft** Part # 195729 **NE**
K126-12	K126® PRO Innershield® 350A FCAW-SS Welding Gun 15 ft 1/16-5/64	922503524	**Ironmate FC-1260 350 A self-shielded flux-cored gun, 15 ft** Part # 195729 **NE**
K345-10	Magnum® Innershield® 350A FCAW-SS Welding Gun 90 deg Noz 10 ft 068-564	923585530	
K470-1	Magnum® 300 Welding Guns	923588988	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K470-2	Magnum® 300 Welding Guns	923589024	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K470-4	Magnum® 300 Welding Guns	923589267	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K470-6	Magnum® 300 Welding Guns	923589148	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K471-1	Magnum® 400 Welding Guns	923589292	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-2	Magnum® 400 Welding Guns	923589033	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-4	Magnum® 400 Welding Guns	923588895	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-6	Magnum® 400 Welding Guns	923589241	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-10	Magnum® 400 Welding Guns	0857250	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-11	Magnum® 400 Welding Guns	923589039	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-13	Magnum® 400 Welding Guns	0857265	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-14	Magnum® 400 Welding Guns	923588962	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-15	Magnum® 400 Welding Guns	923589276	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-21	Magnum® 400 Welding Guns	923589074	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K471-22	Magnum® 400 Welding Guns	923588874	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K479-2	Magnum® 400 Welding Guns	923585934	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K479-4	Magnum® 400 Welding Guns	923585483	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K479-6	Magnum® 400 Welding Guns	923585801	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K487-25	Magnum® SG Spool Gun Air-Cooled - 25 ft	922503788	**Spoolmatic 30A spool gun, 30 ft** Part # 130831 **NE**
K497-1	Magnum® 200 Welding Guns	923589130	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K497-2	Magnum® 200 Welding Guns	923589347	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K497-21	Magnum® 200 Welding Guns	923589114	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K498-1	Magnum® 200 Welding Guns	923589041	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K524-5	Magnum® 250SP Welding Guns	923589127	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K530-3	Magnum® PRO 100L Welding Gun - 0.035-0.045 in 10 ft (3 m)	0864850	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K530-5	Magnum® PRO 100L Welding Gun - 0.025-0.35 in 10 ft (3 m)	0864851	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K530-6 †	REPR Lincoln K530-6 Magnum 100L 10FT	2328083	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K530-6 †	Magnum® PRO 100L Welding Gun - 4-pin 0.025-0.35 in 10 ft (3 m)	923584849	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K541-3	Magnum® 400 Short Neck Welding Guns	923588914	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K556-14	Magnum® 400XA GMAW Welding Gun 15 ft 052-116 60deg	923588884	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K575-2	Magnum® 400 Dual Schedule Welding Guns	923589287	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K598-7	Magnum® 550 Welding Guns	923585245	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K598-11	Magnum® 550 Welding Guns	923585326	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K684-12	Magnum® 450 Water Cooled Welding Guns	925033586	**Bernard T-Gun 450 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K1722-2 †	Magnum® 400 Dual Procedure Welding Guns	922987191	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K1722-2 †	Magnum® 400 Dual Procedure Welding Guns	923589315	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K1738-1	Spool Gun Holder for Power MIG	923584399	
K1802-1	Magnum® 300 Welding Guns	923585570	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2286-1	Magnum® 400 Welding Guns	0857263	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2651-1	Magnum® PRO 250 Welding Guns	922503762	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K2651-2	Magnum® PRO 250 Welding Guns	922503745	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K2651-2-6-45	Magnum® PRO 250 Welding Guns	922503752	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K2651-3	Magnum® PRO 250 Welding Guns	922503730	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K2651-4	Magnum® PRO 250 Welding Guns	922503779	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K2652-1	Magnum® PRO 350 Welding Guns	922503786	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2652-2	Magnum® PRO 350 Welding Guns	922503764	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2652-2-10-45	Magnum® PRO 350 Welding Guns	922503787	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2652-3	Magnum® PRO 350 Welding Guns	922503755	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2652-4	Magnum® PRO 350 Welding Guns	922503743	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2653-1	Magnum® PRO 450 Welding Guns	922503773	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K2653-2	Magnum® PRO 450 Welding Guns	922503770	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K2653-2-10-45	Magnum® PRO 450 Welding Guns	922503722	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K2653-3	Magnum® PRO 450 Welding Guns	922503751	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K2653-4	Magnum® PRO 450 Welding Guns	922503742	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K2655-1	Magnum® PRO 550 Welding Guns	922503785	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2655-2	Magnum® PRO 550 Welding Guns	922503749	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K2655-3	Magnum® PRO 550 Welding Guns	922503777	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K2655-4	Magnum® PRO 550 Welding Guns	922503768	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K2704-2	Cougar™ Push-Pull Welding Gun - Air-Cooled 25ft (7.6 m)	923588892	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K2704-3	Cougar™ Push-Pull Welding Gun Air-Cooled 50ft (15.2 m)	923589070	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K2950-1	Magnum® PRO Curve™ 200 Welding Guns	922503708	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K2950-2	15' Magnum Pro Curve 5Pc Kit	920116703	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K2950-2-10-45	Magnum® PRO Curve™ 200 Welding Guns	922503758	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K2950-2-FM-45	Magnum® PRO Curve™ 200 Welding Guns	923584889	**Bernard BTB 200 A (Q20) air-cooled MIG gun** no part # **NE**
K2951-1	Magnum® PRO Curve™ 300 Welding Gun - 10 ft	922503747	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-2	Magnum® PRO Curve™ 300 Welding Gun - 15 ft	922503759	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-2-3-45	Magnum® PRO Curve™ 300 Ready-Pak® 0.035-0.045 in K466-3 15 ft	923589068	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-2-6-45	Magnum® PRO Curve™ 300 Ready-Pak® 0.035-0.045 in K466-6 15 ft	922503717	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-2-10-45	Magnum® PRO Curve™ 300 Ready-Pak® 0.035-0.045 in K466-10 15 ft	922503774	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-2-10-116	Magnum® PRO Curve™ 300 Ready-Pak® 0.052-1/16 in K466-10 15 ft	922503725	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-2-FM-45	Magnum® PRO Curve™ 300 Ready-Pak® 0.035-0.045 in Fast-Mate 15 ft	923589006	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-3	20' Magnum Pro Curve 3Pc Kit	920116702	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2951-4	Magnum® PRO Curve™ 300 Welding Gun - 25 ft	922503735	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K2952-1	Magnum® PRO Curve™ 400 Welding Guns	922503712	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2	Magnum Pro Curve 400 (15') Kit 5Pc	920116694	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-1-116-550	Magnum® PRO Curve™ 400 Welding Guns	923589349	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-1-564-550	Magnum® PRO Curve™ 400 Welding Guns	923589218	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-3-45	Magnum® PRO Curve™ 400 Welding Guns	922503761	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-3-45-550	Magnum® PRO Curve™ 400 Welding Guns	923588957	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-6-45	Magnum® PRO Curve™ 400 Welding Guns	922503776	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-10-45	Magnum® PRO Curve™ 400 Welding Guns	922503782	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-2-10-45-550	Magnum® PRO Curve™ 400 Welding Guns	923589361	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2952-2-FM-45	Magnum® PRO Curve™ 400 Welding Guns	923589027	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-3	Magnum® PRO Curve™ 400 Welding Guns	922503757	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-3-3-45	Magnum® PRO Curve™ 400 Welding Guns	922503784	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-3-3-45-550	Magnum® PRO Curve™ 400 Welding Guns	923588854	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-3-6-45	Magnum® PRO Curve™ 400 Welding Guns	922503769	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-3-10-45-550	Magnum® PRO Curve™ 400 Welding Guns	923588903	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K2952-4	Magnum® PRO Curve™ 400 Welding Guns	922503748	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-1	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923589002	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-2	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923589208	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-2-6-45	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923589289	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-2-10-45	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923589145	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-3	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923589428	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-3-6-45	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923584827	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3055-4	Magnum® PRO Curve™ 400 Shortneck Welding Guns	923589090	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3092-1	Magnum® PRO Curve™ 300 Dual Schedule Welding Guns	923584325	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3092-2	Magnum® PRO Curve™ 300 Dual Schedule Welding Guns	923585318	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3092-3	Magnum® PRO Curve™ 300 Dual Schedule Welding Guns	923585234	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3092-4	Magnum® PRO Curve™ 300 Dual Schedule Welding Guns	923585557	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3093-1	Magnum® PRO Curve™ 400 Dual Schedule Welding Guns	923585207	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3093-2	Magnum® PRO Curve™ 400 Dual Schedule Welding Guns	923585074	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3093-3	Magnum® PRO Curve™ 400 Dual Schedule Welding Guns	923586236	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3093-4	Magnum® PRO Curve™ 400 Dual Schedule Welding Guns	923584980	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3098-1	Magnum® PRO Curve™ 400 Dual Procedure Welding Guns	923586261	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3098-2	Magnum® PRO Curve™ 400 Dual Procedure Welding Guns	923586241	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3098-3	Magnum® PRO Curve™ 400 Dual Procedure Welding Guns	923586208	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3098-4 †	Magnum® PRO Curve™ 400 Dual Procedure Welding Guns	922987194	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3098-4 †	Magnum® PRO Curve™ 400 Dual Procedure Welding Guns	923589180	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3130-1	Magnum® PRO Curve™ 300 Dual Procedure Welding Guns	923585470	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3130-2	Magnum® PRO Curve™ 300 Dual Procedure Welding Guns	923585261	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3130-3	Magnum® PRO Curve™ 300 Dual Procedure Welding Guns	923585660	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3130-4	Magnum® PRO Curve™ 300 Dual Procedure Welding Guns	923586008	**Bernard BTB 300 A (Q30) air-cooled MIG gun** no part # **NE**
K3131-1	Magnum® PRO 350 Dual Procedure Welding Guns	923584967	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3131-2	Magnum® PRO 350 Dual Procedure Welding Guns	925033530	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3131-3	Magnum® PRO 350 Dual Procedure Welding Guns	923585393	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3131-4	Magnum® PRO 350 Dual Procedure Welding Guns	923585651	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3132-1	Magnum® PRO 350 Dual Schedule Welding Guns	923585581	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3132-2	Magnum® PRO 350 Dual Schedule Welding Guns	923585143	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3132-3	Magnum® PRO 350 Dual Schedule Welding Guns	923585353	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3132-4	Magnum® PRO 350 Dual Schedule Welding Guns	923585620	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K3133-1	Magnum® PRO 450 Dual Procedure Welding Guns	923585858	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3133-2	Magnum® PRO 450 Dual Procedure Welding Guns	923585188	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3133-3	Magnum® PRO 450 Dual Procedure Welding Guns	923586300	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3133-4	Magnum® PRO 450 Dual Procedure Welding Guns	923586105	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3134-1	Magnum® PRO 450 Dual Schedule Welding Guns	923584951	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3134-2	Magnum® PRO 450 Dual Schedule Welding Guns	923585894	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3134-3	Magnum® PRO 450 Dual Schedule Welding Guns	923585671	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3134-4	Magnum® PRO 450 Dual Schedule Welding Guns	923585645	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K3135-1	Magnum® PRO 550 Dual Procedure Welding Guns	923584665	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3135-2	Magnum® PRO 550 Dual Procedure Welding Guns	923586125	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3135-3	Magnum® PRO 550 Dual Procedure Welding Guns	923585038	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3135-4	Magnum® PRO 550 Dual Procedure Welding Guns	923586186	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3136-1	Magnum® PRO 550 Dual Schedule Welding Guns	923584933	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3136-2	Magnum® PRO 550 Dual Schedule Welding Guns	923585953	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3136-3	Magnum® PRO 550 Dual Schedule Welding Guns	923585080	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3136-4	Magnum® PRO 550 Dual Schedule Welding Guns	923586321	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K3269-1	MAGNUM® PRO 100SG SPOOL GUN	99827056	**Spoolmate 100 spool gun, 12 ft** Part # 300371 **NE**
K3355-1	Magnum® PRO AL Air-Cooled 225A 12-pin Rear Trigger Push/Pull Gun 15'	922503715	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K3355-2	Magnum® PRO AL Air-Cooled 225A 12-pin Rear Trigger Push/Pull Gun 25'	922503739	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K3356-1	Magnum® PRO AL Air-Cooled 225A 7-pin Rear Trigger Push/Pull Gun 15'	922503720	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K3356-2	Magnum® PRO AL Air-Cooled 225A 7-pin Rear Trigger Push/Pull Gun 25'	922503736	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K3356-3	Magnum® PRO AL Air-Cooled 225A 7-pin Rear Trigger Push/Pull Gun 35'	922503754	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K3357-2	Magnum® PRO AL Water-Cooled 450A 12-pin Rear Trigger Push/Pull Gun 25'	922503771	**XR-Aluma-Pro Water Cooled, 25 ft** Part # 301572 **NE**
K3358-1	Magnum® PRO AL Water-Cooled 450A 7-pin Rear Trigger Push/Pull Gun 15'	922503728	**XR-Aluma-Pro Water Cooled, 15 ft** Part # 301571 **NE**
K3420-1	Magnum® PRO AL Air-Cooled 225A 12-pin Front Trigger Push/Pull Gun 15'	922503724	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K3420-2	Magnum® PRO AL Air-Cooled 225A 12-pin Front Trigger Push/Pull Gun 25'	922503740	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K3420-3	Magnum® PRO AL Air-Cooled 225A 12-pin Front Trigger Push/Pull Gun 35'	922503756	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K3421-1	Magnum® PRO AL Air-Cooled 225A 7-pin Front Trigger Push/Pull Gun 15'	922503723	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K3421-2	Magnum® PRO AL Air-Cooled 225A 7-pin Front Trigger Push/Pull Gun 25'	922503775	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K3421-3	Magnum® PRO AL Air-Cooled 225A 7-pin Front Trigger Push/Pull Gun 35'	922503763	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K3422-2	Magnum® PRO AL Water-Cooled 450A 12-pin Front Trigger Push/Pull Gun 25'	922503738	**XR-Aluma-Pro Water Cooled, 25 ft** Part # 301572 **NE**
K3423-2	Magnum® PRO AL Water-Cooled 450A 7-pin Front Trigger Push/Pull Gun 25'	922503760	**XR-Aluma-Pro Water Cooled, 25 ft** Part # 301572 **NE**
K3478-1	Magnum® PRO AL Pistol Grip Welding Gun - Air-Cooled 15ft (4.5 m)	922503713	**XR-Pistol-Pro Air Cooled, 15 ft** Part # 300782 **NE**
K3478-2	Magnum® PRO AL Pistol Grip Welding Gun - Air-Cooled 25ft (7.6 m)	922503721	**XR-Pistol-Pro Air Cooled, 25 ft** Part # 300783 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3478-3	Magnum® PRO AL Pistol Grip Welding Gun - Air-Cooled 35 ft (10.7 mm)	923588956	**XR-Pistol-Pro Air Cooled, 35 ft** Part # 300784 **NE**
K3479-1	Magnum® PRO AL Pistol Grip Welding Gun - Water-Cooled 15ft (4.5 m)	923589355	**XR-Pistol-Pro Water Cooled, 15 ft** Part # 300786 **NE**
K3479-2	Magnum® PRO AL Pistol Grip Welding Gun - Water-Cooled 25 ft (7.6 m)	923589198	**XR-Pistol-Pro Water Cooled, 25 ft** Part # 300787 **NE**
K3569-2	Magnum® PRO 250LX GT Spool Gun - 25 ft	922503778	**Spoolmate 200 spool gun, 20 ft** Part # 300497 **NE**
K3570-2	Magnum® PRO 250LX Spool Gun - 25 ft	922503726	**Spoolmate 200 spool gun, 20 ft** Part # 300497 **NE**
K3667-1	Spool Gun Holder	925033453	
K4101-2	LN-25® PRO Wire Feeder / K126® PRO FCAW-S Gun One-Pak®	923585685	
K4360-1	Magnum® PRO 100SG Spool Gun - 8 Pin 10 ft (3m)	923589139	**Spoolmate 100 spool gun, 12 ft** Part # 300371 **NE**
K4521-2-10-45	Magnum® PRO 400 Water Cooled Welding Guns	922503727	**Bernard T-Gun 400 A water-cooled (compact series handle) semi-automatic MIG gun (built to order)** no part # **NE**
K4521-2-FM-45	Magnum® PRO 400 Water Cooled Welding Guns	923588864	**Bernard T-Gun 400 A water-cooled (compact series handle) semi-automatic MIG gun (built to order)** no part # **NE**
K4522-1-10-45	Magnum® PRO 500 Water Cooled Welding Guns	922503709	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-1-FM-45	Magnum® Pro 500Wc Fast Mate 10 Ft.	922503711	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-2-10-45	Magnum® PRO 500 Water Cooled Welding Guns	922503718	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-2-10-564	Magnum® PRO 500 Water Cooled Welding Guns	923585219	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-2-FM-45	Magnum® PRO 500 Water Cooled Welding Guns	922503783	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-3-10-45	Magnum® Pro 500Wc 20Ft.	922503767	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-3-FM-45	Magnum® Pro 500Wc Fast Mate 20 Ft.	922503731	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-4-10-45	Magnum® Pro 500Wc 25Ft.	922503750	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4522-4-FM-45	Magnum® Pro 500Wc Fast Mate 25 Ft.	922503734	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4528-1	Magnum® PRO 100L Welding Gun - 4-pin 10 ft (3m)	922503707	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K4528-1-8P	Magnum® PRO 100L Welding Gun - 8-pin 10 ft (3m)	923588858	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K4529-1	Magnum® PRO 175L Welding Guns - POWER MIG® 210 MP® 10 ft (3m)	922503780	**Bernard TGX 180 A, 10 ft, AccuLock S .035 in, Miller Power Pin** Part # MXS1810-35 **NE**
K4530-2	Magnum® PRO 250L Welding Gun - 15 ft	922503716	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-1	Magnum® PRO Curve™ HDE™ 250 Welding Gun - 10 ft	922503710	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-2	Magnum® PRO Curve™ HDE™ 250 Welding Gun - 15 ft	922503719	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4531-2-3-45	Magnum® PRO Curve™ HDE™ 250 Ready-Pak® 0.035-0.045 in K466-3 15 ft	925033504	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-2-6-45	Magnum® PRO Curve™ HDE™ 250 Ready-Pak® 0.035-0.045 in K466-6 15 ft	925033632	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-2-10-45	Magnum® PRO Curve™ HDE™ 250 Ready-Pak® 0.035-0.045 in K466-10 15 ft	925033374	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-2-FM-45	Magnum® PRO Curve™ HDE™ 250 Fast-Mate - 15 ft - K4531-2-FM-45	925033537	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-3	Magnum® PRO Curve™ HDE™ 250 Welding Gun - 20 ft	922503766	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-4	Magnum® PRO Curve™ HDE™ 250 Welding Gun - 25 ft	922503733	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4531-4-FM-45	Magnum® PRO Curve™ HDE™ 250 Fast-Mate - 25 ft - K4531-4-FM-45	925033441	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4532-1	Magnum® PRO Curve™ HDE™ 350 Welding Gun - 10 ft	922503706	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2	Magnum® PRO Curve™ HDE™ 350 Welding Gun - 15 ft	922503781	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-1-45	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.035-0.045 in K466-1 15 ft	925033437	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-1-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-1 15 ft	925033497	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-3-45	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.035-0.045 in K466-3 15 ft	925033527	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-3-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-3 15 ft	925033432	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-6-45	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.035-0.045 in K466-6 15 ft	925033595	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-6-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-6 15 ft	925033426	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-10-45	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.035-0.045 in K466-10 15 ft	925033508	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-10-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-10 15 ft	925033570	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-2-FM-45	Magnum® PRO Curve™ HDE™ 350 Fast-Mate - 15 ft - K4532-2-FM-45	925033554	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-3	Magnum® PRO Curve™ HDE™ 350 Welding Gun - 20 ft	922503729	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-4	Magnum® PRO Curve™ HDE™ 350 Welding Gun - 25 ft	922503741	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-4-1-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-1 25 ft	925033391	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-4-3-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-3 25 ft	925033359	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4532-4-6-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-6 25 ft	925033642	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-4-10-116	Magnum® PRO Curve™ HDE™ 350 Ready-Pak® 0.052-1/16 in K466-10 25 ft	925033604	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4532-4-FM-45	Magnum® PRO Curve™ HDE™ 350 Fast-Mate - 25 ft - K4532-4-FM-45	925033559	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4533-1	Magnum® PRO Curve™ HDE™ 450 Welding Guns	922503746	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-2	Magnum® PRO Curve™ HDE™ 450 Welding Guns	922503714	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-2-3-332	Magnum® PRO Curve™ HDE™ 450 Welding Guns	925033494	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-2-3-564	Magnum® PRO Curve™ HDE™ 450 Welding Guns	925033516	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-2-7-332	Magnum® PRO Curve™ HDE™ 450 Welding Guns	925033495	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-2-10-564	Magnum® PRO Curve™ HDE™ 450 Welding Guns	925033371	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-3	Magnum® PRO Curve™ HDE™ 450 Welding Guns	922503753	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4533-4	Magnum® PRO Curve™ HDE™ 450 Welding Guns	922503737	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4534-1	Magnum® PRO Curve™ HDE™ 550 Welding Guns	922503765	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K4534-2	Magnum® PRO Curve™ HDE™ 550 Welding Guns	922503789	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K4534-2-3-332	Magnum® PRO Curve™ HDE™ 550 Welding Guns	925033542	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K4534-2-7-332	Magnum® PRO Curve™ HDE™ 550 Welding Guns	925033539	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K4534-3	Magnum® PRO Curve™ HDE™ 550 Welding Guns	922503732	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K4534-4	Magnum® PRO Curve™ HDE™ 550 Welding Guns	922503744	**Bernard BTB 600 A (Q60) air-cooled MIG gun** no part # **NE**
K4700-1-6-116A	Magnum® PRO Curve™ 300 AL Push Gun K466-6	923589270	
K4700-1-10-116A	Magnum® PRO Curve™ 300 AL Push Gun K466-10	923589283	
K4700-1-FM-116A	Magnum® PRO Curve™ 300 AL Push Gun Fast Mate	923588856	
K4795-1	Magnum® PRO AL FC 225 Air Push Pull Gun Rear-Trigger 12 Pin - 15'	923589239	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K4795-1-7P	Magnum Pro Ac/Pp Gun 15' 7P Rt Onepak	923586221	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K4795-2	Magnum® PRO AL FC 225 Air Push Pull Gun Rear-Trigger 12 Pin - 25'	923589062	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K4795-2-7P	Magnum Pro Ac/Pp Gun 25' 7P Rt Onepak	923586011	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K4795-3	Magnum® PRO AL FC 225 Air Push Pull Gun Rear-Trigger 12 Pin - 35ft	923586360	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K4795-4	Magnum® PRO AL FC 225 Air Push Pull Gun Rear-Trigger 12 Pin - 50ft	923586343	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4796-1	Magnum® PRO AL FC 450 Water Push Pull Gun Rear-Trigger 12 Pin - 15'	923589038	**XR-Aluma-Pro Water Cooled, 15 ft** Part # 301571 **NE**
K4796-2	Magnum® PRO AL FC 450 Water Push Pull Gun Rear-Trigger 12 Pin - 25'	923588910	**XR-Aluma-Pro Water Cooled, 25 ft** Part # 301572 **NE**
K4796-3	Magnum® PRO AL FC 450 Water Push Pull Gun Rear-Trigger 12 Pin - 35ft	923585605	**XR-Aluma-Pro Water Cooled, 35 ft** Part # 301573 **NE**
K4796-4	Magnum® PRO AL FC 450 Water Push Pull Gun Rear-Trigger 12 Pin - 50ft	923585096	**XR-Aluma-Pro Water Cooled, 35 ft** Part # 301573 **NE**
K4797-1	Magnum® PRO AL FC 225 Air Push Pull Gun Front-Trigger 12 Pin - 15'	923588867	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K4797-1-7P	Magnum Pro Ac/Pp Gun 15' 7P Ft Onepak	923586130	**XR-Aluma-Pro Air Cooled, 15 ft** Part # 301568 **NE**
K4797-2	Magnum® PRO AL FC 225 Air Push Pull Gun Front-Trigger 12 Pin - 25'	923588898	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K4797-2-7P	Magnum Pro Ac/Pp Gun 25' 7P Ft Onepak	923586263	**XR-Aluma-Pro Air Cooled, 25 ft** Part # 301569 **NE**
K4797-3	Magnum® PRO AL FC 225 Air Push Pull Gun Front-Trigger 12 Pin - 35ft	923585962	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K4797-4	Magnum® PRO AL FC 225 Air Push Pull Gun Front-Trigger 12 Pin - 50'	923586325	**XR-Aluma-Pro Air Cooled, 35 ft** Part # 301570 **NE**
K4798-1	Magnum® PRO AL FC 450 Water 12P FT - 15 ft	923589141	**XR-Aluma-Pro Water Cooled, 15 ft** Part # 301571 **NE**
K4798-2	Magnum® PRO AL FC 450 Water 12P FT - 25 ft	923589104	**XR-Aluma-Pro Water Cooled, 25 ft** Part # 301572 **NE**
K4798-3	Magnum® PRO AL FC 450 Water 12P FT - 35 ft	923585157	**XR-Aluma-Pro Water Cooled, 35 ft** Part # 301573 **NE**
K4798-4	Magnum® PRO AL FC 450 Water 12P FT - 50 ft	923584528	**XR-Aluma-Pro Water Cooled, 35 ft** Part # 301573 **NE**
K4871-1	Magnum® PRO 100L Welding Gun - Miller Connector 10 ft (3 m)	923589256	**MDX-100 MIG gun, 100 A, 10 ft, .030-.035 in wire** Part # 1770028 **NE**
K4872-1	Magnum® PRO 175L Welding Gun - Miller Connector 10 ft (3 m)	923588894	**Bernard TGX 180 A, 10 ft, AccuLock S .035 in, Miller Power Pin** Part # MXS1810-35 **NE**
K4873-2	Magnum® PRO 250L Welding Gun - Miller Connector 15 ft	923588877	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4874-2	Magnum® PRO 250L Welding Gun - K466-10 Connector 15 ft	923585877	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K5297-2	Magnum® PRO Curve™ HDE™ 350 - Dual Procedure - 15ft	925033503	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K5297-4	Magnum® PRO Curve™ HDE™ 350 - Dual Procedure - 25ft	925033404	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K5298-2	Magnum® PRO Curve™ HDE™ 350 - Dual Schedule - 15ft	925033518	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K5298-4	Magnum® PRO Curve™ HDE™ 350 - Dual Schedule - 25ft	925033637	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K5299-2	Magnum® PRO Curve™ HDE™ 450 - Dual Procedure - 15ft	925033455	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K5300-2	Magnum® PRO Curve™ HDE™ 450 - Dual Schedule - 15ft	925033532	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K5383-2-10-047H	Magnum® PRO Curve™ HDE™ 350 HyperFill® Ready Pak - 0.047" (1.2 mm) K466-10 15ft (4.6 m)	925033556	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5383-2-FM-047H	Magnum® PRO Curve™ HDE™ 350 HyperFill® Ready Pak - 0.047" (1.2 mm) Fast-Mate 15ft (4.6 m)	925033425	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K5384-2-10-047H	Magnum® PRO Curve™ HDE™ 450 HyperFill® Ready Pak - 0.047" (1.2 mm) K466-10 15ft (4.6 m)	925033443	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K5384-2-FM-047H	Magnum® PRO Curve™ HDE™ 450 HyperFill® Ready Pak - 0.047" (1.2 mm) Fast-Mate 15ft (4.6 m)	925033468	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

TIG Torches & Accessories (244)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K939-1	TIG Module Docking Kit	925033606	
K960-3	TWECO® Style TIG Torch Cam Lock Adapter 26 Series	923584869	
K960-4	TWECO® Style TIG Torch Cam Lock Adapter 17 Series	923585189	
K1622-1	TIG Adapter Kit - PTA-9/PTA-17	923584940	
K1622-3	TIG Torch Adapter Kit for PTA-26 Torches	923585256	
K1622-4	TIG Adapter Kit - PTW-18/PTW-20	923585388	
K1622-5	TIG Adapter Kit - Twist-Mate Adapter Assembly	923585109	
K1622-6	TIG Adapter Kit - Tweco Adapter Assembly	923585178	
K1762-2	Invertec® TIG Solenoid Kit	923586113	
K1781-1	PTA-9 TIG Torch (12.5 ft 1pc)	922503662	**Weldcraft A-125, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9-12-R **NE**
K1781-3	PTA-9 TIG Torch (25 ft 1pc)	922503653	**Weldcraft A-125, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-9-25-R **NE**
K1781-9	Ultra-Flex™ PTA-9F TIG Torch Package	922503635	**Weldcraft A-125 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9F-12-R **NE**
K1782-1	PTA-17 TIG Torch (12.5 ft 1 piece cable)	922503640	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K1782-2	PTA-17 TIG Torch (12.5 ft 2 piece cable)	922503660	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K1782-3	PTA-17 TIG Torch (25 ft 1pc)	922503648	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17-25-2 **NE**
K1782-4	PTA-17 TIG Torch (25 ft 2 piece cable)	922503632	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17-25-2 **NE**
K1782-6	PTA-17V TIG Torch (12.5 ft 1 piece cable)	922503655	**Weldcraft A-150 Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17V-12-R **NE**
K1782-7	PTA-17V TIG Torch (12.5 ft 2pc)	922503636	**Weldcraft A-150 Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17V-12-R **NE**
K1782-8	PTA-17V TIG Torch (25 ft 1 piece cable)	922503650	**Weldcraft A-150 Valve, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17V-25-2 **NE**
K1782-9	PTA-17V TIG Torch (25 ft 2pc)	922503659	**Weldcraft A-150 Valve, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17V-25-2 **NE**
K1782-10	PTA-17F TIG Torch (25 ft 1pc)	922503641	**Weldcraft A-150 Flex, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17F-25-R **NE**
K1782-11	Pro-Torch Series Rubber Air Cooled TIG Torch	922503649	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1782-12	PTA-17 TIG Torch w/Ultra-Flex™ Cable (12.5 ft)	922503651	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K1782-13	PTA-17FV TIG Torch w/Ultra-Flex™ Cable (12.5 ft 1pc)	91208713	**Weldcraft A-150 Flex Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17FV-12-R **NE**
K1782-14	PTA-17F TIG Torch Ready-Pak® (12.5 ft 1 piece cable)	922503644	**Weldcraft A-150 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17F-12-R **NE**
K1782-15	PTA-17F TIG Torch with Ultra-Flex™ Cable (12.5 ft 1 piece cable)	922503658	**Weldcraft A-150 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17F-12-R **NE**
K1782-16	PTA-9 TIG Torch (12.5 ft)	922503664	**Weldcraft A-125, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9-12-R **NE**
K1782-18	PTA-17F TIG Torch Ready-Pak® (25 ft 1 piece cable)	922503654	**Weldcraft A-150 Flex, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17F-25-R **NE**
K1783-1	PTA-26 TIG Torch (12.5 ft 1pc)	922503647	**Weldcraft A-200, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-26-12-R **NE**
K1783-2	PTA-26 TIG Torch (12.5 ft 2pc)	922503661	**Weldcraft A-200, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-26-12-R **NE**
K1783-3	PTA-26 TIG Torch (25 ft 1pc)	922503643	**Weldcraft A-200, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26-25-R **NE**
K1783-4	PTA-26 TIG Torch (25 ft 2pc)	922503646	**Weldcraft A-200, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26-25-2 **NE**
K1783-7	PTA-26V TIG Torch (12.5 ft 2pc)	922503663	**Weldcraft A-200 Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-26V-12-R **NE**
K1783-8	PTA-26V TIG Torch (25 ft 1pc)	922503634	**Weldcraft A-200 Valve, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26V-25-R **NE**
K1783-9	PTA-26V TIG Torch (25 ft 2pc)	922503639	**Weldcraft A-200 Valve, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26V-25-2 **NE**
K1783-10	PTA-26F TIG Torch (25 ft 1pc)	922503652	**Weldcraft A-200 Flex, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26F-25-R **NE**
K1783-11	PTA-26FV TIG Torch (25 ft 1pc)	922503656	**Weldcraft A-200 Flex Valve, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26FV-25-R **NE**
K1784-1	PTW-18 TIG Torch (12.5 ft 3pc)	922503665	**Weldcraft W-350, Braided, Torch Package, 12.5 ft. (3.8 m)** Part # WP-18-12-R **NE**
K1784-2	PTW-18 TIG Torch (25 ft 3pc)	922503642	**Weldcraft W-350, Braided, Torch Package, 25 ft. (7.6 m)** Part # WP-18-25-R **NE**
K1784-3	PTW-20 TIG Torch (12.5 ft 3pc)	922503638	**Weldcraft W-250, Braided Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-20-12-R **NE**
K1784-4	PTW-20 TIG Torch (25 ft 3pc)	922503657	**Weldcraft W-250, Braided Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-20-25-R **NE**
K2166-1	PTA-26 One-Cable Adapter	923585401	
K2166-2	PTA-9 -17 -26 Two-Cable Adapter	923584877	
K2166-3	PTA-9 -17 One-Cable Adapter	923584895	
K2265-1	TIG-Mate™ 17V Air-Cooled TIG Torch Starter Pack	922503633	**Weldcraft A-150 Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17V-12-R **NE**
K2266-1 †	TIG-Mate™ 17 Air-Cooled TIG Torch Starter Pack	922092001	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K2266-1 †	TIG-Mate™ 17 Air-Cooled TIG Torch Starter Pack	923585324	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K2267-1	TIG-Mate™ 20 Water-Cooled TIG Torch Starter Pack	922503645	**Weldcraft W-250, Braided Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-20-12-R **NE**
K2504-1	PTA-26V Pipefitter Special TIG Torch	923584950	**Weldcraft A-200 Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-26V-12-R **NE**
K2505-1	V-TIG Torch Twist Mate™ to Twist Mate™ Adapter Cable	923585945	
K2505-2	V-TIG Torch Twist Mate™ to Stud Adapter Cable Set	923586286	
K2505-3	TIG Torch Twist-Mate™ to Stud Adapter Cable 2 ft. (3.7 m) Gas Hose	923586046	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3690-1	TIG Kit for POWER MIG® 210 MP®	923585014	
K3950-1	Cool Arc® 47 TIG Torch Cooler - Aspect® 375	923585496	
K4168-2	20H-320-25R 320A TIG Torch 25' 3 PC	922503637	**Weldcraft W-310, Braided Rubber, Accessories, Torch Package, 25 ft. (7.6 m)** Part # CS31025RM **NE**
K4841-17-1	Caliber® 17 Series TIG Torch - Rigid, 12.5 ft (3.8 m)	925688198	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K4841-17-2	Caliber® 17 Series TIG Torch - Rigid, 25 ft (7.6 m)	925688075	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17-25-2 **NE**
K4841-17F-1	Caliber® 17 Series TIG Torch - Flexible, 12.5 ft (3.8 m)	925688076	**Weldcraft A-150 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17F-12-R **NE**
K4841-17F-2	Caliber® 17 Series TIG Torch - Flexible, 25 ft (7.6 m)	925688077	**Weldcraft A-150 Flex, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17F-25-R **NE**
K4841-17FV-1	Caliber® 17 Series TIG Torch - Flex/Valve 12.5 ft (3.8 m)	925538172	**Weldcraft A-150 Flex Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17FV-12-R **NE**
K4841-17FV-2	Caliber® 17 Series TIG Torch - Flex/Valve, 25 ft (7.6 m)	925688078	**Weldcraft A-150 Flex Valve, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-17FV-25-R **NE**
K4842-26-1	Caliber® 26 Series TIG Torch - Rigid, 12.5 ft (3.8 m)	925688079	**Weldcraft A-200, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-26-12-R **NE**
K4842-26-2	Caliber® 26 Series TIG Torch - Rigid, 25 ft (7.6 m)	925688080	**Weldcraft A-200, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26-25-R **NE**
K4842-26F-1	Caliber® 26 Series TIG Torch - Flexible, 12.5 ft (3.8 m)	925688081	**Weldcraft A-200 (formerly WP-26) air-cooled TIG torch, flexible head, 12.5 ft** no part # **NE**
K4842-26F-2	Caliber® 26 Series TIG Torch - Flexible, 25 ft (7.6 m)	925688152	**Weldcraft A-200 Flex, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26F-25-R **NE**
K4842-26FV-1	Caliber® 26 Series TIG Torch - Flex/Valve, 12.5 ft (3.8 m)	925688197	**Weldcraft A-200 Flex Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-26FV-12-R **NE**
K4842-26FV-2	Caliber® 26 Series TIG Torch - Flex/Valve, 25 ft (7.6 m)	925688232	**Weldcraft A-200 Flex Valve, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-26FV-25-R **NE**
K4843-18-1	Caliber 18 Tig Torch - Rigid 12.5Ft	925034259	**Weldcraft W-350, Braided, Torch Package, 12.5 ft. (3.8 m)** Part # WP-18-12-R **NE**
K4843-18-2	Caliber 18 Tig Torch - Rigid 25Ft	925034291	**Weldcraft W-350, Braided, Torch Package, 25 ft. (7.6 m)** Part # WP-18-25-R **NE**
K4843-18F-1	Caliber 18 Tig Torch - Flexible 12.5Ft	925034336	**Weldcraft W-350 (formerly WP-18) water-cooled TIG torch, flexible head, 12.5 ft** no part # **NE**
K4843-18F-2	Caliber 18 Tig Torch - Flexible 25Ft	925034299	**Weldcraft W-350 (formerly WP-18) water-cooled TIG torch, flexible head, 25 ft** no part # **NE**
K4844-9-1	Caliber® 9 Series TIG Torch - Rigid, 12.5 ft (3.8 m)	925688199	**Weldcraft A-125, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9-12-R **NE**
K4844-9-2	Caliber® 9 Series TIG Torch - Rigid, 25 ft (7.6 m)	925688308	**Weldcraft A-125, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-9-25-R **NE**
K4844-9F-1	Caliber® 9 Series TIG Torch - Flexible, 12.5 ft (3.8 m)	925688309	**Weldcraft A-125 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9F-12-R **NE**
K4844-9F-2	Caliber® 9 Series TIG Torch - Flexible, 25 ft (7.6 m)	925688310	**Weldcraft A-125 Flex, Rubber,Torch Package, 25 ft. (7.6 m)** Part # WP-9F-25-R **NE**
K4844-9FV-1	Caliber® 9 Series TIG Torch - Flex/Valve, 12.5 ft (3.8 m)	925688311	**Weldcraft A-125 Flex Valve, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9FV-12-R **NE**
K4844-9FV-2	Caliber® 9 Series TIG Torch - Flex/Valve, 25 ft (7.6 m)	925688312	**Weldcraft A-125 Flex Valve, Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-9FV-25-R **NE**
K4845-20-1	Caliber® 20 Series TIG Torch - Rigid 12.5 ft (3.8 m)	925034240	
K4845-20-2	Caliber® 20 Series TIG Torch - Rigid 25 ft (7.6 m)	925034263	**Weldcraft W-250, Braided Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-20-25-R **NE**
K4845-20F-1	Caliber® 20 Series TIG Torch - Flexible 12.5 ft (3.8 m)	925034273	**Weldcraft W-250 (formerly WP-20) water-cooled TIG torch, flexible head, 12.5 ft** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4845-20F-2	Caliber® 20 Series TIG Torch - Flexible 25 ft (7.6 m)	925034261	**Weldcraft W-250 (formerly WP-20) water-cooled TIG torch, flexible head, 25 ft** no part # **NE**
K5339-17-1	Caliber® 17 Series TIG Torch Ready-Pak® - Rigid 12.5 ft (3.8 m)	925034341	**Weldcraft A-150, 2-Piece, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17-12-2 **NE**
K5339-17F-1	Caliber® 17 Series TIG Torch Ready-Pak® - Flexible 12.5 ft (3.8 m)	925034364	**Weldcraft A-150 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-17F-12-R **NE**
K5340-9-1	Caliber® 9 Series TIG Torch Ready-Pak® - Rigid 12.5 ft (3.8 m)	925034230	**Weldcraft A-125, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9-12-R **NE**
K5340-9F-1	Caliber® 9 Series TIG Torch Ready-Pak® - Flexible 12.5 ft (3.8 m)	925034367	**Weldcraft A-125 Flex, Rubber, Torch Package, 12.5 ft. (3.8 m)** Part # WP-9F-12-R **NE**
K5359-20-2	Caliber® 20 Series TIG Torch Ready-Pak® - Rigid 25 ft (7.6 m)	925034297	**Weldcraft W-250, Braided Rubber, Torch Package, 25 ft. (7.6 m)** Part # WP-20-25-R **NE**
K5359-20F-2	Caliber® 20 Series TIG Torch Ready-Pak® - Flexible 25 ft (7.6 m)	925034276	**Weldcraft W-250 (formerly WP-20) water-cooled TIG torch, flexible head, 25 ft** no part # **NE**
KP504	Hook-Up Kit for 18 and 20 Series Torches	925688071	
KP505	Hook-Up kit for for PTA-9, PTA-9F, PTA-17, PTA-17F, PTA-26 and PTA-26F TIG torches	925688072	
KP506	Hook-Up kit for for PTA-17V and PTA-26V TIG torches	925688073	
KP507	Parts Kit for PTA-9 TIG Torch	925372458	
KP508	Parts Kit for PTA-17 TIG Torch	91208715	
KP509	Parts Kit for PTA-26 and PTW-18 TIG Torches	925688074	
KP510	Parts Kit for 20H-320 and PTW-20 TIG Torches	925372457	
KP2414-1	Gas Lens Parts Kit for PTA-9, PTW-20, 20H-320	925688070	
KP4641-1	Liner Collet/Lock Nut Kit	923585818	
KP4721-18	Lincoln Electric 2% Lanthanated Tungsten Electrode 1/8"	922837847	**Weldcraft 2% Lanthanated Tungsten, 1/8 in. x 7 in. (3.2 mm x 175 mm)** Part # WL2018X7 **SM**
KP4721-020	2% Lanthanated Premium Tungsten Electrode .020" x 7"	922837855	
KP4721-040	2% Lanthanated Premium Tungsten Electrode .040" x 7"	922837851	**Weldcraft 2% Lanthanated Tungsten, 0.040 in. x 7 in. (1.0 mm x 175 mm)** Part # WL2040X7 **SM**
KP4721-116	2% Lanthanated Premium Tungsten Electrode 1/16" x 7"	922837852	**Weldcraft 2% Lanthanated Tungsten, 1/16 in. x 7 in. (1.6 mm x 175 mm)** Part # WL2116X7 **SM**
KP4721-332	2% Lanthanated Premium Tungsten Electrode 3/32" x 7"	922837845	**Weldcraft 2% Lanthanated Tungsten, 3/32 in. x 7 in. (2.4 mm x 175 mm)** Part # WL2332X7 **SM**
KP4721-532	2% Lanthanated Premium Tungsten Electrode 5/32" x 7"	922837842	**Weldcraft 2% Lanthanated Tungsten, 5/32 in. x 7 in. (4.0 mm x 1.75 mm)** Part # WL2532X7 **SM**
KP4722-18	2% Ceriated Premium Tungsten Electrode 1/8" x 7"	922837843	**Weldcraft Tungsten, 2% Ceriated, 1/8 in. x 7 in. (3.2 mm x 175 mm)** Part # WC018X7 **SM**
KP4722-020	2% Ceriated Premium Tungsten Electrode .020" x 7"	922837838	
KP4722-040	2% Ceriated Premium Tungsten Electrode .040" x 7"	923589199	**Weldcraft Tungsten, 2% Ceriated, 0.04 in. x 7 in. (1.0 mm x 175 mm)** Part # WC040X7 **SM**
KP4722-116	2% Ceriated Premium Tungsten Electrode 1/16" x 7"	922837848	**Weldcraft Tungsten, 2% Ceriated, 1/16 in. x 7 in. (1.6 mm x 175 mm)** Part # WC116X7 **SM**
KP4722-332	2% Ceriated Premium Tungsten Electrode 3/32" x 7"	922837846	**Weldcraft Tungsten, 2% Ceriated, 3/32 in. x 7 in. (2.4 mm x 175 mm)** Part # WC332X7 **SM**
KP4722-532	2% Ceriated Premium Tungsten Electrode 5/32" x 7"	922837840	**Weldcraft Tungsten, 2% Ceriated, 5/32 in. x 7 in. (4.0 mm x 175 mm)** Part # WC532X7 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4723-18	WX Multi-Oxide Premium Tungsten Electrode 1/8" x 7"	922837844	**Weldcraft Rare Earth Tungsten, 1/8 in. x 7 in. (3.2 mm x 175 mm)** Part # WG018X7 **NE**
KP4723-020	WX Multi-Oxide Premium Tungsten Electrode .020" x 7"	922837841	
KP4723-040	WX Multi-Oxide Premium Tungsten Electrode .040" x 7"	922837856	
KP4723-116	WX Multi-Oxide Premium Tungsten Electrode 1/16" x 7"	922837849	**Weldcraft Rare Earth Tungsten, 1/16 in. x 7 in. (1.6 mm x 175 mm)** Part # WG116X7 **NE**
KP4723-332	WX Multi-Oxide Premium Tungsten Electrode 3/32 in x 7 in	923588852	**Weldcraft Rare Earth Tungsten, 3/32 in. x 7 in. (2.4 mm x 175 mm)** Part # WG332X7 **NE**
KP4723-532	WX Multi-Oxide Premium Tungsten Electrode 5/32 in x 7 in	922837853	
KP4745-L	9/20 Long Back Cap	923589151	**Weldcraft Long Back Cap** Part # 57Y02 **NE**
KP4745-L-B10	9/20 Long Back Cap Bulk Pack	923589307	**Weldcraft Long Back Cap** Part # 57Y02 **NE**
KP4745-M	9/20 Medium Back Cap	923588974	**Weldcraft Medium Back Cap** Part # 300M **NE**
KP4745-M-B10	9/20 Medium Back Cap Bulk Pack	923589301	**Weldcraft Medium Back Cap** Part # 300M **NE**
KP4745-S	9/20 Short Back Cap	923589035	**Weldcraft Short Back Cap** Part # 57Y04 **NE**
KP4745-S-B10	9/20 Short Back Cap Bulk Pack	923588939	**Weldcraft Short Back Cap** Part # 57Y04 **NE**
KP4746-L	17/18/26 Long Back Cap	923588885	**Weldcraft Long Back Cap** Part # 57Y02 **NE**
KP4746-L-B10	17/18/26 Long Back Cap Bulk Pack	923588975	**Weldcraft Long Back Cap** Part # 57Y02 **NE**
KP4746-M	17/18/26 Medium Back Cap	923589383	**Weldcraft Medium Back Cap** Part # 300M **NE**
KP4746-M-B10	17/18/26 Medium Back Cap Bulk Pack	923589327	**Weldcraft Medium Back Cap** Part # 300M **NE**
KP4746-S	17/18/26 Short Back Cap	923589157	**Weldcraft Short Back Cap** Part # 57Y04 **NE**
KP4746-S-B10	17/18/26 Short Back Cap Bulk Pack	923589188	**Weldcraft Short Back Cap** Part # 57Y04 **NE**
KP4748-GL †	17/18/26 Gas Lens Insulator	923589108	**Weldcraft Stubby Gas Lens Insulator** Part # 17GLG20 **NE**
KP4748-GL †	Insulator - Gas Lens Torches	924234308	**Weldcraft Stubby Gas Lens Insulator** Part # 17GLG20 **NE**
KP4748-GL-B10	17/18/26 Gas Lens Insulator Bulk Pack	923589282	**Weldcraft Stubby Gas Lens Insulator** Part # 17GLG20 **NE**
KP4749-18	1/8" Standard 9/20 Collet	923589159	**Weldcraft Collet, 1/8 in. (3.2 mm)** Part # 13N24 **SM**
KP4749-18-B10	1/8In Standard 9/20 Collet Bulk Pack	923589311	**Weldcraft Collet, 1/8 in. (3.2 mm)** Part # 13N24 **SM**
KP4749-020	.020" Standard 9/20 Collet	923588985	
KP4749-020-B10	.020" Standard 9/20 Collet Bulk Pack	923588921	
KP4749-040	.040" Standard 9/20 Collet	923589014	**Weldcraft Collet, 0.040 in. (1.0 mm)** Part # 13N21 **SM**
KP4749-040-B10	.040" Standard 9/20 Collet Bulk Pack	923589350	**Weldcraft Collet, 0.040 in. (1.0 mm)** Part # 13N21 **SM**
KP4749-116	1/16" Standard 9/20 Collet	923589244	**Weldcraft Collet, 1/16 in. (1.6 mm)** Part # 13N22 **SM**
KP4749-116-B10	1/16" Standard 9/20 Collet Bulk Pack	923589265	**Weldcraft Collet, 1/16 in. (1.6 mm)** Part # 13N22 **SM**
KP4749-332	3/32" Standard 9/20 Collet	923588926	**Weldcraft Collet, 3/32 in. (2.4 mm)** Part # 13N23 **SM**
KP4749-332-B10	3/32" Standard 9/20 Collet Bulk Pack	923589363	**Weldcraft Collet, 3/32 in. (2.4 mm)** Part # 13N23 **SM**
KP4750-18	1/8" Standard 17/18/26 Collet	923589337	**Weldcraft Collet, 1/8 in. (3.2 mm)** Part # 10N25 **SM**
KP4750-18-B10	1/8" Standard 17/18/26 Collet Bulk Pack	923589053	**Weldcraft Collet, 1/8 in. (3.2 mm)** Part # 10N25 **SM**
KP4750-020	.020" Standard 17/18/26 Collet	923589107	
KP4750-020-B10	.020" Standard 17/18/26 Collet Bulk Pack	923589263	
KP4750-040	.040" Standard 17/18/26 Collet	923588951	**Weldcraft Collet, 0.040 in. (1.0 mm)** Part # 10N22 **SM**
KP4750-040-B10	.040" Standard 17/18/26 Collet Bulk Pack	923588983	**Weldcraft Collet, 0.040 in. (1.0 mm)** Part # 10N22 **SM**
KP4750-116	1/16" Standard 17/18/26 Collet	923589408	**Weldcraft Collet, 1/16 in. (1.6 mm)** Part # 10N23 **SM**
KP4750-116-B10	1/16" Standard 17/18/26 Collet Bulk Pack	923589401	**Weldcraft Collet, 1/16 in. (1.6 mm)** Part # 10N23 **SM**
KP4750-332	3/32" Standard 17/18/26 Collet	923588941	**Weldcraft Collet, 3/32 in. (2.4 mm)** Part # 10N24 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4750-332-B10	3/32" Standard 17/18/26 Collet Bulk Pack	923589031	**Weldcraft Collet, 3/32 in. (2.4 mm)** Part # 10N24 **SM**
KP4750-532	5/32" Standard 17/18/26 Collet	923589007	**Weldcraft Collet, 5/32 in. (4.0 mm)** Part # 54N20 **SM**
KP4750-532-B10	5/32" Standard 17/18/26 Collet Bulk Pack	923589366	**Weldcraft Collet, 5/32 in. (4.0 mm)** Part # 54N20 **SM**
KP4751-18	1/8" Standard 9/20 Collet Body	923589154	**Weldcraft Collet Body, 1/8 in. (3.2 mm)** Part # 13N29 **SM**
KP4751-18-B10	1/8" Standard 9/20 Collet Body	923589303	**Weldcraft Collet Body, 1/8 in. (3.2 mm)** Part # 13N29 **SM**
KP4751-020	.020" Standard 9/20 Collet Body	923589345	
KP4751-020-B10	.020" Standard 9/20 Collet Body Bulk Pac	923589177	
KP4751-040	.040" Standard 9/20 Collet Body	923588861	**Weldcraft Collet Body, 0.040 in. (1.0 mm)** Part # 13N26 **SM**
KP4751-040-B10	.040" Standard 9/20 Collet Body Bulk Pac	923588862	**Weldcraft Collet Body, 0.040 in. (1.0 mm)** Part # 13N26 **SM**
KP4751-116	1/16" Standard 9/20 Collet Body	923589356	**Weldcraft Collet Body, 1/16 in. (1.6 mm)** Part # 13N27 **SM**
KP4751-116-B10	1/16" Standard 9/20 Collet Body Bulk Pac	923589284	**Weldcraft Collet Body, 1/16 in. (1.6 mm)** Part # 13N27 **SM**
KP4751-332	3/32" Standard 9/20 Collet Body	923589354	**Weldcraft Collet Body, 3/32 in. (2.4 mm)** Part # 13N28 **SM**
KP4751-332-B10	3/32" Standard 9/20 Collet Body Bulk Pac	923589409	**Weldcraft Collet Body, 3/32 in. (2.4 mm)** Part # 13N28 **SM**
KP4752-18	Caliber® Collet Body - 1/8 in (3.2 mm) 17/18/26 Torches (2/pack)	923588942	**Weldcraft Collet Body, 1/8 in. (3.2 mm)** Part # 10N28 **SM**
KP4752-18-B10	Caliber® Collet Body - 1/8 in (3.2 mm) 17/18/26 Torches (10/pack)	923589368	**Weldcraft Collet Body, 1/8 in. (3.2 mm)** Part # 10N28 **SM**
KP4752-020	Caliber® Collet Body - 0.020 in (0.5 mm) 17/18/26 Torches (2/pack)	923589424	
KP4752-020-B10	Caliber® Collet Body - 0.020 in (0.5 mm) 17/18/26 Torches (10/pack)	923589331	
KP4752-040	Caliber® Collet Body - 0.040 in (1.0 mm) 17/18/26 Torches (2/pack)	923589416	**Weldcraft Collet Body, 0.040 in. (1.0 mm)** Part # 10N30 **SM**
KP4752-040-B10	Caliber® Collet Body - 0.040 in (1.0 mm) 17/18/26 Torches (10/pack)	923589414	**Weldcraft Collet Body, 0.040 in. (1.0 mm)** Part # 10N30 **SM**
KP4752-116	Caliber® Collet Body - 1/16 in (1.6 mm) 17/18/26 Torches (2/pack)	923588890	**Weldcraft Collet Body, 1/16 in. (1.6 mm)** Part # 10N31 **SM**
KP4752-116-B10	Caliber® Collet Body - 1/16 in (1.6 mm) 17/18/26 Torches (10/pack)	923588973	**Weldcraft Collet Body, 1/16 in. (1.6 mm)** Part # 10N31 **SM**
KP4752-332	Caliber® Collet Body - 3/32 in (2.4 mm) 17/18/26 Torches (2/pack)	923589150	**Weldcraft Collet Body, 3/32 in. (2.4 mm)** Part # 10N32 **SM**
KP4752-332-B10	Caliber® Collet Body - 3/32 in (2.4 mm) 17/18/26 Torches (10/pack)	923588925	**Weldcraft Collet Body, 3/32 in. (2.4 mm)** Part # 10N32 **SM**
KP4752-532	Caliber® Collet Body - 5/32 in (4.0 mm) 17/18/26 Torches (2/pack)	923589081	**Weldcraft Collet Body, 5/32 in. (4.0 mm)** Part # 406488 **SM**
KP4752-532-B10	Caliber® Collet Body - 5/32 in (4.0 mm) 17/18/26 Torches (10/pack)	923588954	**Weldcraft Collet Body, 5/32 in. (4.0 mm)** Part # 406488 **SM**
KP4753-18	1/8" Standard 9/20 Gas Lens	923589178	**Weldcraft Small Gas Lens, 1/8 in. (3.2 mm)** Part # 45V45 **SM**
KP4753-18-B10	1/8" Standard 9/20 Gas Lens Bulk Pack	923589138	**Weldcraft Small Gas Lens, 1/8 in. (3.2 mm)** Part # 45V45 **SM**
KP4753-020	.020" Standard 9/20 Gas Lens	923589207	
KP4753-020-B10	.020" Standard 9/20 Gas Lens Bulk Pack	923589255	
KP4753-040	.040" Standard 9/20 Gas Lens	923589222	**Weldcraft Small Gas Lens, 0.040 in. (1.0 mm)** Part # 45V42 **SM**
KP4753-040-B10	.040" Standard 9/20 Gas Lens Bulk Pack	923589231	**Weldcraft Small Gas Lens, 0.040 in. (1.0 mm)** Part # 45V42 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4753-116	1/16" Standard 9/20 Gas Lens	923588883	**Weldcraft Small Gas Lens, 1/16 in. (1.6 mm)** Part # 45V43 **SM**
KP4753-116-B10	1/16" Standard 9/20 Gas Lens Bulk Pack	923588924	**Weldcraft Small Gas Lens, 1/16 in. (1.6 mm)** Part # 45V43 **SM**
KP4753-332	3/32" Standard 9/20 Gas Lens	923589111	**Weldcraft Small Gas Lens, 3/32 in. (2.4 mm)** Part # 45V44 **SM**
KP4753-332-B10	3/32" Standard 9/20 Gas Lens Bulk Pack	923589248	**Weldcraft Small Gas Lens, 3/32 in. (2.4 mm)** Part # 45V44 **SM**
KP4754-18	1/8" Standard 17/18/26 Gas Lens	923588853	**Weldcraft Small Gas Lens, 1/8 in. (3.2 mm)** Part # 45V27 **SM**
KP4754-18-B10	1/8" Standard 17/18/26 Gas Lens Bulk Pa	923588851	**Weldcraft Small Gas Lens, 1/8 in. (3.2 mm)** Part # 45V27 **SM**
KP4754-020	.020" Standard 17/18/26 Gas Lens	923589232	
KP4754-020-B10	.020" Standard 17/18/26 Gas Lens Bulk Pa	923589015	
KP4754-040	.040" Standard 17/18/26 Gas Lens	923589194	**Weldcraft Gas Lens, 0.040 in. (1.0 mm)** Part # 45V24 **SM**
KP4754-040-B10	.040" Standard 17/18/26 Gas Lens Bulk P	923589257	**Weldcraft Gas Lens, 0.040 in. (1.0 mm)** Part # 45V24 **SM**
KP4754-116	1/16" Standard 17/18/26 Gas Lens	923589359	**Weldcraft Gas Lens, 1/16 in. (1.6 mm)** Part # 45V25 **SM**
KP4754-116-B10	1/16" Standard 17/18/26 Gas Lens Bulk P	923589412	**Weldcraft Gas Lens, 1/16 in. (1.6 mm)** Part # 45V25 **SM**
KP4754-332	3/32" Standard 17/18/26 Gas Lens	923588995	**Weldcraft Gas Lens, 3/32 in. (2.4 mm)** Part # 45V26 **SM**
KP4754-332-B10	3/32" Standard 17/18/26 Gas Lens Bulk P	923589059	**Weldcraft Gas Lens, 3/32 in. (2.4 mm)** Part # 45V26 **SM**
KP4754-532	5/32" Standard 17/18/26 Gas Lens	923588952	**Weldcraft Small Gas Lens, 5/32 in. (4.0 mm)** Part # 45V28 **SM**
KP4754-532-B10	5/32" Standard 17/18/26 Gas Lens Bulk P	923589280	**Weldcraft Small Gas Lens, 5/32 in. (4.0 mm)** Part # 45V28 **SM**
KP4755-4	#4 Collet Body Cup 9/20	923589372	**Weldcraft Alumina Nozzle, #4 (1/4 in.)** Part # 13N08 **SM**
KP4755-4-B10	#4 Collet Body Cup Bulk Pack 9/20	923589196	**Weldcraft Alumina Nozzle, #4 (1/4 in.)** Part # 13N08 **SM**
KP4755-5	#5 Collet Body Cup 9/20	923589051	**Weldcraft Alumina Nozzle, #5 (5/16 in.)** Part # 13N09 **SM**
KP4755-5-B10	#5 Collet Body Cup Bulk Pack 9/20	923589269	**Weldcraft Alumina Nozzle, #5 (5/16 in.)** Part # 13N09 **SM**
KP4755-6	#6 Collet Body Cup 9/20	923588869	**Weldcraft Alumina Nozzle, #6 (3/8 in.)** Part # 13N10 **SM**
KP4755-7	#7 Collet Body Cup 9/20	923589332	**Weldcraft Alumina Nozzle, #7 (7/16 in.)** Part # 13N11 **SM**
KP4755-7-B10	#7 Collet Body Cup Bulk Pack 9/20	923589400	**Weldcraft Alumina Nozzle, #7 (7/16 in.)** Part # 13N11 **SM**
KP4755-8	#8 Collet Body Cup 9/20	923589200	**Weldcraft Alumina Nozzle, #8 (1/2 in.)** Part # 13N12 **SM**
KP4755-8-B10	#8 Collet Body Cup Bulk Pack 9/20	923589238	**Weldcraft Alumina Nozzle, #8 (1/2 in.)** Part # 13N12 **SM**
KP4755-10	#10 Collet Body Cup 9/20	923589164	**Weldcraft Alumina Nozzle, #10 (5/8 in.)** Part # 13N13 **SM**
KP4755-10-B10	#10 Collet Body Cup Bulk Pack 9/20	923589321	**Weldcraft Alumina Nozzle, #10 (5/8 in.)** Part # 13N13 **SM**
KP4756-4	#4 Collet Body Cup 17/18/26	923589072	**Weldcraft Alumina Nozzle, #4 (1/4 in.)** Part # 10N50 **SM**
KP4756-4-B10	#4 Collet Body Cup Bulk Pack 17/18/26	923589377	**Weldcraft Alumina Nozzle, #4 (1/4 in.)** Part # 10N50 **SM**
KP4756-5	#5 Collet Body Cup 17/18/26	923589206	**Weldcraft Alumina Nozzle, #5 (5/16 in.)** Part # 10N49 **SM**
KP4756-5-B10	#5 Collet Body Cup Bulk Pack 17/18/26	923589023	**Weldcraft Alumina Nozzle, #5 (5/16 in.)** Part # 10N49 **SM**
KP4756-6	#6 Collet Body Cup 17/18/26	923588859	**Weldcraft Alumina Nozzle, #6 (3/8 in.)** Part # 10N48 **SM**
KP4756-6-B10	#6 Collet Body Cup Bulk Pack 17/18/26	923588865	**Weldcraft Alumina Nozzle, #6 (3/8 in.)** Part # 10N48 **SM**
KP4756-7	#7 Collet Body Cup 17/18/26	923589073	**Weldcraft Alumina Nozzle, #7 (7/16 in.)** Part # 10N47 **SM**
KP4756-7-B10	#7 Collet Body Cup Bulk Pack 17/18/26	923589399	**Weldcraft Alumina Nozzle, #7 (7/16 in.)** Part # 10N47 **SM**
KP4756-8	#8 Collet Body Cup 17/18/26	923589261	**Weldcraft Alumina Nozzle, #8 (1/2 in.)** Part # 10N46 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4756-8-B10	#8 Collet Body Cup Bulk Pack 17/18/26	923589056	**Weldcraft Alumina Nozzle, #8 (1/2 in.)** Part # 10N46 **SM**
KP4756-10	#10 Collet Body Cup 17/18/26	923589254	**Weldcraft Alumina Nozzle, #10 (5/8 in.)** Part # 10N45 **SM**
KP4756-10-B10	#10 Collet Body Cup Bulk Pack 17/18/26	923589102	**Weldcraft Alumina Nozzle, #10 (5/8 in.)** Part # 10N45 **SM**
KP4757-4	#4 Gas Lens Cup 9/20	923588996	**Weldcraft Small Alumina Gas Lens Nozzle, #4 (1/4 in.)** Part # 53N58 **SM**
KP4757-4-B10	#4 Gas Lens Cup Bulk Pack 9/20	923589125	**Weldcraft Small Alumina Gas Lens Nozzle, #4 (1/4 in.)** Part # 53N58 **SM**
KP4757-5	#5 Gas Lens Cup 9/20	923589158	**Weldcraft Small Alumina Gas Lens Nozzle, #5 (5/16 in.)** Part # 53N59 **SM**
KP4757-5-B10	#5 Gas Lens Cup Bulk Pack 9/20	923589065	**Weldcraft Small Alumina Gas Lens Nozzle, #5 (5/16 in.)** Part # 53N59 **SM**
KP4757-6	#6 Gas Lens Cup 9/20	923589392	**Weldcraft Small Alumina Gas Lens Nozzle, #6 (3/8 in.)** Part # 53N60 **SM**
KP4757-6-B10	#6 Gas Lens Cup Bulk Pack 9/20	923588966	**Weldcraft Small Alumina Gas Lens Nozzle, #6 (3/8 in.)** Part # 53N60 **SM**
KP4757-7	#7 Gas Lens Cup 9/20	923588899	**Weldcraft Small Alumina Gas Lens Nozzle, #7 (7/16 in.)** Part # 53N61 **SM**
KP4757-7-B10	#7 Gas Lens Cup Bulk Pack 9/20	923588912	**Weldcraft Small Alumina Gas Lens Nozzle, #7 (7/16 in.)** Part # 53N61 **SM**
KP4757-8	#8 Gas Lens Cup 9/20	923589160	
KP4757-8-B10	#8 Gas Lens Cup Bulk Pack 9/20	923589227	
KP4758-4	#4 Gas Lens Cup 17/18/26	923589258	**Weldcraft Alumina Gas Lens Nozzle, #4 (1/4 in.)** Part # 54N18 **SM**
KP4758-4-B10	#4 Gas Lens Cup Bulk Pack 17/18/26	923589011	**Weldcraft Alumina Gas Lens Nozzle, #4 (1/4 in.)** Part # 54N18 **SM**
KP4758-5	#5 Gas Lens Cup 17/18/26	923589117	**Weldcraft Alumina Gas Lens Nozzle, #5 (5/16 in.)** Part # 54N17 **SM**
KP4758-5-B10	#5 Gas Lens Cup Bulk Pack 17/18/26	923589249	**Weldcraft Alumina Gas Lens Nozzle, #5 (5/16 in.)** Part # 54N17 **SM**
KP4758-6	#6 Gas Lens Cup 17/18/26	923589136	**Weldcraft Alumina Gas Lens Nozzle, #6 (3/8 in.)** Part # 54N16 **SM**
KP4758-6-B10	#6 Gas Lens Cup Bulk Pack 17/18/26	923589328	**Weldcraft Alumina Gas Lens Nozzle, #6 (3/8 in.)** Part # 54N16 **SM**
KP4758-7	#7 Gas Lens Cup 17/18/26	923588967	**Weldcraft Alumina Gas Lens Nozzle, #7 (7/16 in.)** Part # 54N15 **SM**
KP4758-7-B10	#7 Gas Lens Cup Bulk Pack 17/18/26	923589225	**Weldcraft Alumina Gas Lens Nozzle, #7 (7/16 in.)** Part # 54N15 **SM**
KP4758-8	#8 Gas Lens Cup 17/18/26	923589133	**Weldcraft Alumina Gas Lens Nozzle, #8 (1/2 in.)** Part # 54N14 **SM**
KP4758-8-B10	#8 Gas Lens Cup Bulk Pack 17/18/26	923589417	**Weldcraft Alumina Gas Lens Nozzle, #8 (1/2 in.)** Part # 54N14 **SM**
KP4758-11	#11 Gas Lens Cup 17/18/26	923589193	
KP4758-11-B10	#11 Gas Lens Cup Bulk Pack 17/18/26	923589229	
KP4759-HD	Caliber® 9/20 Series TIG Torch Expendables Kit - 1/16"-1/8"	925033424	**Weldcraft Ceriated Accessory Kit** Part # AK1C **NE**
KP4759-MD	Caliber® 9/20 Series TIG Torch Expendables Kit - 0.040"-3/32"	925033427	**Weldcraft Ceriated Accessory Kit** Part # AK1C **NE**
KP4760-HD	Caliber® 17/18/26 Series TIG Torch Expendables Kit - 1/16"-1/8"	925033390	**Weldcraft Ceriated Accessory Kit** Part # AK3C **NE**
KP4760-MD	Caliber® 17/18/26 Series TIG Torch Expendables Kit - 0.040"-3/32"	925033419	**Weldcraft Ceriated Accessory Kit** Part # AK3C **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

MIG Gun Consumables (1,190)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
9SG1927	Gun Handle Set	0857253	
9SS24719	Spring Boot Retainer (Gun End)	0857256	
9ST13483-8	O-Ring For MagnumR 100L/Pro Curve 300/400 Welding System	925966313	
91141790/KP2744-045	Copper Plus® Contact Tip - 350A Standard 0.045 (in)	91141790	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
BK277118	Nozzle 260A	925033517	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277120	Nozzle 30A	925033402	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277121	Nozzle 30A	925033466	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277122	Nozzle 50A	925033410	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277123	Nozzle 50A	925033501	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277124	Nozzle 70A	925033449	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277126	Nozzle 100A	925033520	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277269	Nozzle 275A	925033370	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277276	Nozzle 275A	925033377	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277284	Nozzle 100A	925033646	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277287	Nozzle 200A	925033611	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277289	Nozzle 200A	925033451	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277293	Nozzle 150A	925033602	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK277297	Nozzle 150A	925033584	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK279469	Nozzle (For Silver) 275A	925033617	
BK279489	Nozzle (For Silver) 200A	925033446	
BK279493	Nozzle (For Silver) 150A	925033550	
BK284125	Nozzle 400A	925033478	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK284157	Nozzle 400A	925033525	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
BK284158	Nozzle 400A	925033629	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
K115-1	Magnum® Innershield® Welding Gun- 450A7/64"-.120"(2.4-3.0mm) 82°Gun Tube10ft	922503527	
K115-10	Magnum® Innershield® Welding Gun- 450A 7/64"-.120"(2.4-3.0mm)45° Gun Tube10ft	922503519	
K126-13	K126® PRO Innershield® 350A FCAW-SS Welding Gun 15 ft - K613-6 Ext. Gun Tube	922503530	
K148A	Positive Contact Nozzle Assembly	925033523	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
K148B	Positive Contact Nozzle Assembly	925033622	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K149-5/32	Linc-Fill Long Stickout Extension	925688058	
K231-1	Submerged Arc Contact Nozzle Assembly - 600A	925033368	
K386	Magnum® Narrow Gap Nozzle	925033492	
K466-12	Connector (Thru Arm) Small Liner Size	923585128	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
K613-12	Connector (Thru Arm) Large Liner Size	923586042	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
K639-1	SHM-300 Suction Nozzle - 300 mm (12 in)	925372463	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
K639-5	SHFA Flat Suction Nozzle	925372464	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
K1500-1	Gun Adapter Kit	923589277	
K1500-2	Gun Adapter Kit	923589288	
K1500-3	Gun Adapter Kit	923589057	
K1500-4	Gun Receiver Bushing Kit	923589219	
K1500-5	Gun Adapter Kit	923589082	
K2310-1	POWER MIG® 255 Spool Gun Adapter Kit	923585227	
K2389-3	NKT Nozzle Kit	923585015	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
K2389-5	EN 20 Extraction Nozzle	923585379	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
K2703-1	Power Mig 215 Xt Spool Gun Adapter	923585222	
K3193-2	Heavy Duty Robotic Gun Tube Straightener	925688028	
K3344-1	Gun Adapter Kit Lincoln	922503617	
K3345-1	Gun Adapter Kit Standard #4	922503619	
K3346-1	Gun Adapter Kit Magnum® 500 #5	922503626	
K3347-1	Gun Adapter Kit Miller	922503613	
K3348-1	Gun Adapter Kit OXO®	923584903	
K3349-1	Gun Adapter Kit Fast-Mate	922503614	
K3673-50	Magnum® PRO 250LX GT Cable Extension	922503697	
K3724-1	Industrial Tip Cleaner	0899977	
K3910-1	Wire Sizer with 0.035 in (0.9 mm) die	925688105	
K3911-1	Wire Sizer replacement die for 0.035 in (0.9 mm) wire	925688096	
K3912-1	Wire Sizer replacement die for 0.045 in (1.2 mm) wire	925688097	
K3913-1	Wire Sizer with 0.045 in (1.2 mm) die	925688098	
K3914-1	Wire Sizer with 0.052 in (1.3 mm) die	925688099	
K3915-1	Wire Sizer replacement die for 0.052 in (1.3 mm) wire	925688100	
K3917-1	Wire Sizer with 0.062 in (1.6 mm) die	925688101	
K3918-1	Wire Sizer replacement die for 0.062 in (1.6 mm) wire	925688102	
K3919-1	Wire Sizer with 0.078 in (2.0 mm) die	925688103	
K3920-1	Wire Sizer replacement die for 0.078in (2.0 mm) wire	925688104	
K4856-1	Magnum® PRO Barrel HDE™ 250 - 10 ft	925033465	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-2	Magnum® PRO Barrel HDE™ 250 - 15 ft	925033485	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-2-1-45	Magnum® PRO Barrel HDE™ 250 - .045 in K466-1 15 ft	925033376	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4856-2-3-45	Magnum® PRO Barrel HDE™ 250 - .045 in K466-3 15 ft	925033394	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-2-10-45	Magnum® PRO Barrel HDE™ 250 - .045 in K466-10 15 ft	925033397	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-2-FM-45	Magnum® PRO Barrel HDE™ 250 Fast-Mate - 15 ft - K4856-2-FM-45	925033588	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-3	Magnum® PRO Barrel HDE™ 250 - 20 ft	925033417	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-4	Magnum® PRO Barrel HDE™ 250 - 25 ft	925033433	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4856-4-FM-45	Magnum® PRO Barrel HDE™ 250 Fast-Mate - 25 ft - K4856-4-FM-45	925033509	**Bernard S-Gun S250 (250 A) air-cooled MIG gun** no part # **NE**
K4857-1	Magnum® PRO Barrel HDE™ 350 - 10 ft	925033473	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-2	Magnum® PRO Barrel HDE™ 350 - 15 ft	925033600	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-2-1-116	Magnum® PRO Barrel HDE™ 350 Ready-Pak® 0.052-1/16 in K466-1 15 ft	925033471	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-2-3-116	Magnum® PRO Barrel HDE™ 350 Ready-Pak® 0.052-1/16 in K466-3 15 ft	925033578	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-2-10-116	Magnum® PRO Barrel HDE™ 350 Ready-Pak® 0.052-1/16 in K466-10 15 ft	925033472	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-2-FM-45	Magnum® PRO Barrel HDE™ 350 Fast-Mate - 15 ft - K4857-2-FM-45	925033502	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-3	Magnum® PRO Barrel HDE™ 350 - 20 ft	925033613	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-4	Magnum® PRO Barrel HDE™ 350 - 25 ft	925033454	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-4-1-116	Magnum® PRO Barrel HDE™ 350 Ready-Pak® 0.052-1/16 in K466-1 25 ft	925033440	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-4-3-116	Magnum® PRO Barrel HDE™ 350 Ready-Pak® 0.052-1/16 in K466-3 25 ft	925033636	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-4-10-116	Magnum® PRO Barrel HDE™ 350 Ready-Pak® 0.052-1/16 in K466-10 25 ft	925033477	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4857-4-FM-45	Magnum® PRO Barrel HDE™ 350 Fast-Mate - 25 ft - K4857-4-FM-45	925033483	**Bernard BTB 400 A (Q40) air-cooled MIG gun** no part # **NE**
K4858-1	Magnum® PRO Barrel HDE™ 450 - 10 ft	925033552	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4858-2	Magnum® PRO Barrel HDE™ 450 - 15 ft	925033396	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4858-2-1-564	Magnum® PRO Barrel HDE™ 450 - 5/64 in K466-1 15 ft	925033583	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4858-2-3-564	Magnum® PRO Barrel HDE™ 450 - 5/64 in K466-3 15 ft	925033633	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4858-2-10-564	Magnum® PRO Barrel HDE™ 450 - 5/64 in K466-10 15 ft	925033623	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4858-3	Magnum® PRO Barrel HDE™ 450 - 20 ft	925033624	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4858-4	Magnum® PRO Barrel HDE™ 450 - 25 ft	925033467	**Bernard BTB 500 A (Q50) air-cooled MIG gun** no part # **NE**
K4879-2-10-564	Magnum® PRO Barrel 500 Water-Cooled Gun - 15 ft	923588961	
K4879-3-10-564	Magnum® PRO Barrel 500 Water-Cooled Gun - 20 ft	923585919	
K4879-4-10-564	Magnum® PRO Barrel 500 Water-Cooled Gun - 25 ft	923585591	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4880-2-10-564	Magnum® PRO Barrel 500 Water-Cooled Gun - Dual Procedure 15 ft	923589319	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4880-3-10-564	Magnum® PRO Barrel 500 Water-Cooled Gun - Dual Procedure 20 ft	923585152	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4880-4-10-564	Magnum® PRO Barrel 500 Water-Cooled Gun - Dual Procedure 25 ft	923585058	**Bernard W-Gun 600 A water-cooled semi-automatic MIG gun (built to order)** no part # **NE**
K4885-2-10-332	Magnum® PRO 500 Water Cooled Welding Guns - Ext. Length Gun Tube	923586367	
K4885-2-FM-332	Magnum® PRO 500 Water Cooled Welding Guns - Ext. Length Gun Tube	923586071	
K5306-2	Magnum® PRO Barrel HDE™ 350 - Dual Schedule - 15ft	925033372	
K5306-4	Magnum® PRO Barrel HDE™ 350 - Dual Schedule - 25ft	925033429	
K5308-2	Magnum® PRO Barrel HDE™ 450 - Dual Schedule - 15ft	925033512	
KH652	Electrode and Nozzle	923584881	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KH653	Shield Cup&Air Diffuser Ring 60028603	925372462	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP-1505-035S	Drive Roll & Guide Tube Kit for .035" Wire	91170804	
KP11-25	Magnum® Contact Tip - Standard .025 in (0.6 mm) - 10/pack	923585577	**Bernard Centerfire (or AccuLock S) contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-25-B100	Magnum® Contact Tip - Standard .025 in (0.6 mm) - 100/pack	923585436	**Bernard Centerfire (or AccuLock S) contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-30	Contact Tip 030 (0.8Mm) M6 X 1 Thread	923585484	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-30-B100	Magnum® Contact Tip - Standard .030 in (0.8 mm) - 100/pack	923585478	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-35	Contact Tip 035 (0.9Mm) M6 X 1 Thread	923585555	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-35-B100	Magnum® Contact Tip - Standard .035 in (0.9 mm) - 100/pack	923585755	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-45	Magnum® Contact Tip - Standard .045 in (1.2 mm) - 10/pack	923585714	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11-45-B100	Magnum® Contact Tip - Standard .045 in (1.2 mm) - 100/pack	923585716	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11T-25	Magnum® Contact Tip - Tapered .025 in (0.6 mm) - 10/pack	923586284	**Bernard Centerfire (or AccuLock S) contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP11T-30	Magnum® Contact Tip - Tapered .030 in (0.8 mm) - 10/pack	923585631	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11T-35	Magnum® Contact Tip - Tapered .035 in (0.9 mm) - 10/pack	923585812	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP11T-45	Magnum® Contact Tip - Tapered .045 in (1.2 mm) - 10/pack	923586228	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-25	Magnum® Contact Tip - Standard .025 in (0.6 mm) - 10/pack	923585859	**Bernard Centerfire (or AccuLock S) contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-25-B100	Magnum® Contact Tip - Standard .025 in (0.6 mm) - 100/pack	923585134	**Bernard Centerfire (or AccuLock S) contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-30	Magnum® Contact Tip - Standard .030 in (0.8 mm) - 10/pack	923586118	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-30-B100	Magnum® Contact Tip - Standard .030 in (0.8 mm) - 100/pack	923585158	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-35	Magnum Contact Tip - Standard.035 in (0.9 mm)	91087906	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-35-B100	Magnum® Contact Tip - Standard .035 in (0.9 mm) - 100/pack	923585164	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-40	Magnum® Contact Tip - Standard .040 in (1.0 mm) - 10/pack	923585875	**Bernard Centerfire (or AccuLock S) contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-45	Magnum® Contact Tip - Standard .045 in (1.2 mm) - 10/pack	923585384	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-45-B100	Magnum® Contact Tip - Standard .045 in (1.2 mm) - 100/pack	923585717	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-52	Contact Tip 052 1/4-28 Thd (14-52)	923585828	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-52-B100	Magnum® Contact Tip - Standard .052 in (1.3 mm) - 100/pack	923585397	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-116	Magnum® Contact Tip - Standard 1/16 in (1.6 mm) - 10/pack	923586270	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14-116-B100	Magnum® Contact Tip - Standard 1/16 in (1.6 mm) - 100/pack	923585640	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP14-564	Magnum® Contact Tip - Standard 5/64 in (2.0 mm) - 10/pack	923585791	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14A-364	Magnum® Contact Tip - Aluminum 3/64 in (1.2 mm) - 10/pack	923584481	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14A-364-B100	Magnum® Contact Tip - Aluminum 3/64 in (1.2 mm) - 100/pack	923585939	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14AH-116	Magnum® Contact Tip - Heavy Duty Aluminum 1/16 in (1.6 mm) - 10/pack	923585642	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14AH-364	Magnum® Contact Tip - Heavy Duty Aluminum 3/64 in (1.2 mm) - 10/pack	923585077	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14AH-364-B100	Magnum® Contact Tip - Heavy Duty Aluminum 3/64 in (1.2 mm) - 100/pack	923585139	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-35	Magnum® Contact Tip - Heavy Duty .035 in (0.9 mm) - 10/pack	923586200	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-35-B100	Magnum® Contact Tip - Heavy Duty .035 in (0.9 mm) - 100/pack	0857262	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-40	Magnum® Contact Tip - Heavy Duty .040 in (1.0 mm) - 10/pack	923586114	**Bernard Centerfire (or AccuLock S) contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-40-B100	Magnum® Contact Tip - Heavy Duty .040 in (1.0 mm) - 100/pack	923585990	**Bernard Centerfire (or AccuLock S) contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-45	Magnum® Contact Tip - Heavy Duty .045 in (1.2 mm) - 10/pack	923586025	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-45-B100	Magnum® Contact Tip - Heavy Duty .045 in (1.2 mm) - 100/pack	0857261	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-52	Magnum® Contact Tip - Heavy Duty .052 in (1.3 mm) - 10/pack	923586045	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-52-B100	Magnum® Contact Tip - Heavy Duty .052 in (1.3 mm) - 100/pack	923585403	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-116	Magnum® Contact Tip - Heavy Duty 1/16 in (1.6 mm) - 10/pack	923586280	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP14H-116-B100	Magnum® Contact Tip - Heavy Duty 1/16 in (1.6 mm) - 100/pack	923586154	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14H-564	Magnum® Contact Tip - Heavy Duty 5/64 in (2.0 mm) - 10/pack	923586129	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-25	Magnum® Contact Tip - Tapered .025 in (0.6 mm) - 10/pack	923585899	**Bernard Centerfire (or AccuLock S) contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-30	Magnum® Contact Tip - Tapered .030 in (0.8 mm) - 10/pack	923586317	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-30-B100	Magnum® Contact Tip - Tapered .030 in (0.8 mm) - 100/pack	923585650	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-35	Magnum® Contact Tip - Tapered .035 in (0.9 mm) - 10/pack	923585967	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-35-B100	Magnum® Contact Tip - Tapered .035 in (0.9 mm) - 100/pack	923585373	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-40	Magnum® Contact Tip - Tapered .040 in (1.0 mm) - 10/pack	923584870	**Bernard Centerfire (or AccuLock S) contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-40-B100	Magnum® Contact Tip - Tapered .040 in (1.0 mm) - 100/pack	923585173	**Bernard Centerfire (or AccuLock S) contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-45	Magnum® Contact Tip - Tapered .045 in (1.2 mm) - 10/pack	923585811	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-45-B100	Magnum® Contact Tip - Tapered .045 in (1.2 mm) - 100/pack	923585153	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-52	Contact Tip 052 Tapered1/4-28(14T-52)	923585810	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-52-B100	Magnum® Contact Tip - Tapered .052 in (1.3 mm) - 100/pack	923585218	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP14T-116	Contact Tip1/16Tapered1/4-28(14T-116)	923586165	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP15H-35	Magnum® Contact Tip - Heavy Duty .035 in (0.9 mm) - 10/pack	923585246	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP15H-45	Magnum® Contact Tip - Heavy Duty .045 in (1.2 mm) - 10/pack	923585459	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP15H-116	Magnum® Contact Tip - Heavy Duty 1/16 in (1.6 mm) - 10/pack	923585485	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP15H-332	Magnum® Contact Tip - Heavy Duty 3/32 (2.4 mm) - 10/pack	923585552	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP15H-564	Magnum® Contact Tip - Heavy Duty 5/64 in (2.0 mm) - 10/pack	923585709	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP15HFC-116	Magnum® Contact Tip - Heavy Duty Flux Cored 1/16 in (1.6 mm) - 10/pack	923584939	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-18	Magnum® Contact Tip - Heavy Duty 1/8 (3.2 mm) - 10/pack	923586190	**Bernard Centerfire (or AccuLock S) contact tip for 1/8 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-35	Magnum® Contact Tip - Heavy Duty .035 in (0.9 mm) - 10/pack	923585923	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-45	Magnum® Contact Tip - Heavy Duty .045 in (1.2 mm) - 10/pack	923585789	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-52	Magnum® Contact Tip - Heavy Duty .052 in (1.3 mm) - 10/pack	923585874	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-116	Magnum® Contact Tip - Heavy Duty 1/16 in (1.6 mm) - 10/pack	923586224	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-116-B100	Magnum® Contact Tip - Heavy Duty 1/16 in (1.6 mm) - 100/pack	923586041	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-332	Magnum® Contact Tip - Heavy Duty 3/32 (2.4 mm) - 10/pack	923586091	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-332-B100	Magnum® Contact Tip - Heavy Duty 3/32 (2.4 mm) - 100/pack	923585841	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-564	Magnum® Contact Tip - Heavy Duty 5/64 in (2.0 mm) - 10/pack	923585431	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-564-B100	Magnum® Contact Tip - Heavy Duty 5/64 in (2.0 mm) - 100/pack	923585429	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP16S-764	Magnum® Contact Tip - Heavy Duty 7/64 (2.8 mm) - 10/pack	923585766	**Bernard Centerfire (or AccuLock S) contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP21-50-F	Gas Nozzle Fixed Recess .50 in (12.7 mm) inner diameter	923586136	**Bernard Centerfire nozzle: .50 in bore, 1/8 in recess** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP21-62-FAS	&Nozzlespot Weld.625Id21-62-Fas 1006095	923589384	**Bernard Centerfire nozzle: .625 in bore** no part # **NE**
KP21T-37	Gas Nozzle Fixed Recess .375 in (9.5 mm) inner diameter	923585579	**Bernard Centerfire nozzle: .375 in bore, 1/8 in recess** no part # **NE**
KP21T-50	Gas Nozzle Fixed Recess .505 in (12.8 mm) inner diameter	923585855	**Bernard Centerfire nozzle: .505 in bore, 1/8 in recess** no part # **NE**
KP21T-62	Gas Nozzle Fixed Recess .625 in (15.9 mm) inner diameter	923586115	**Bernard Centerfire nozzle: .625 in bore, 1/8 in recess** no part # **NE**
KP22-37	Gas Nozzle Slip Adj .37 in (9.4 mm) inner diameter	923586302	**Bernard Centerfire nozzle: .37 in bore, slip-on** no part # **NE**
KP22-37-B25	Gas Nozzle Slip Adj .37 in (9.4 mm) inner diameter - 25/pack	923584285	**Bernard Centerfire nozzle: .37 in bore, slip-on** no part # **NE**
KP22-50	Gas Nozzle Slip Adj .50 in (12.7 mm) inner diameter	923586331	**Bernard Centerfire nozzle: .50 in bore, slip-on** no part # **NE**
KP22-50-B25	Nozzle Gas Slip-Adj .50 Id (22-50)	923584727	**Bernard Centerfire nozzle: .50 in bore, slip-on** no part # **NE**
KP22-62	Gas Nozzle Slip Adj .62 in (15.7 mm) inner diameter	923585955	**Bernard Centerfire nozzle: .62 in bore, slip-on** no part # **NE**
KP22-62-B25	Gas Nozzle Slip Adj .62 in (15.7 mm) inner diameter - 25/pack	923584996	**Bernard Centerfire nozzle: .62 in bore, slip-on** no part # **NE**
KP23-37	Gas Nozzle Fixed Recess .38 in (9.7 mm) inner diameter	923585838	**Bernard Centerfire nozzle: .38 in bore, 1/8 in recess** no part # **NE**
KP23-37-B25	Gas Nozzle Fixed Recess .38 in (9.7 mm) inner diameter - 25/pack	923586043	**Bernard Centerfire nozzle: .38 in bore, 1/8 in recess** no part # **NE**
KP23-37F	Gas Nozzle Fixed Flush .38 in (9.7 mm) inner diameter	923585316	**Bernard Centerfire nozzle: .38 in bore, flush** no part # **NE**
KP23-50 †	Gas Nozzle Fixed Recess .50 in (12.7 mm) inner diameter	2406094	**Bernard Centerfire nozzle: .50 in bore, 1/8 in recess** no part # **NE**
KP23-50 †	Gas Nozzle Fixed Recess .50 in (12.7 mm) inner diameter	923585785	**Bernard Centerfire nozzle: .50 in bore, 1/8 in recess** no part # **NE**
KP23-50-B25	Gas Nozzle Fixed Recess .50 in (12.7 mm) inner diameter - 25/pack	923586345	**Bernard Centerfire nozzle: .50 in bore, 1/8 in recess** no part # **NE**
KP23-50F	Gas Nozzle Fixed Flush .50 in (12.7 mm) inner diameter	923584965	**Bernard Centerfire nozzle: .50 in bore, flush** no part # **NE**
KP23-50F-B25	Gas Nozzle Fixed Flush .50 in (12.7 mm) inner diameter - 25/pack	923585432	**Bernard Centerfire nozzle: .50 in bore, flush** no part # **NE**
KP23-62	Gas Nozzle Fixed Recess .62 in (15.7 mm) inner diameter	923585636	**Bernard Centerfire nozzle: .62 in bore, 1/8 in recess** no part # **NE**
KP23-62-B25	Gas Nozzle Fixed Recess .62 in (15.7 mm) inner diameter - 25/pack	923586201	**Bernard Centerfire nozzle: .62 in bore, 1/8 in recess** no part # **NE**
KP23-62F	Gas Nozzle Fixed Flush .62 in (15.7 mm) inner diameter	923585719	**Bernard Centerfire nozzle: .62 in bore, flush** no part # **NE**
KP23-62F-B25	Gas Nozzle Fixed Flush .62 in (15.7 mm) inner diameter - 25/pack	923585023	**Bernard Centerfire nozzle: .62 in bore, flush** no part # **NE**
KP23-75	Gas Nozzle Fixed Recess .75 in (19 mm) inner diameter	923585507	**Bernard Centerfire nozzle: .75 in bore, 1/8 in recess** no part # **NE**
KP23-75F	Gas Nozzle Fixed Flush .75 in (19 mm) inner diameter	925688043	**Bernard Centerfire nozzle: .75 in bore, flush** no part # **NE**
KP23H-62	Gas Nozzle Thread Recess .62 in (15.7 mm) inner diameter	923584472	**Bernard Centerfire nozzle: .62 in bore, 1/8 in recess** no part # **NE**
KP23H-62-B25	Gas Nozzle Thread Recess .62 in (15.7 mm) inner diameter - 25/pack	923585548	**Bernard Centerfire nozzle: .62 in bore, 1/8 in recess** no part # **NE**
KP23T-37	Gas Nozzle Fixed Recess .38 in (9.7 mm) inner diameter	923585184	**Bernard Centerfire nozzle: .38 in bore, 1/8 in recess** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP23T-37-B25	Gas Nozzle Fixed Recess .38 in (9.7 mm) inner diameter - 25/pack	923585837	**Bernard Centerfire nozzle: .38 in bore, 1/8 in recess** no part # **NE**
KP24A-37-SS	Gas Nozzle Slip Recess .375 in (9.5 mm) inner diameter	923586185	**Bernard Centerfire nozzle: .375 in bore, 1/8 in recess, slip-on** no part # **NE**
KP24A-50	Gas Nozzle Slip Adj .50 in (12.7 mm) inner diameter	923585550	**Bernard Centerfire nozzle: .50 in bore, slip-on** no part # **NE**
KP24A-50-B25	Nozzle Gas Slip-Adj .50 Id (24A-50)	923584956	**Bernard Centerfire nozzle: .50 in bore, slip-on** no part # **NE**
KP24A-50-SS	Gas Nozzle Slip Recess .50 in (12.7 mm) inner diameter	923585389	**Bernard Centerfire nozzle: .50 in bore, 1/8 in recess, slip-on** no part # **NE**
KP24A-62	Gas Nozzle Slip Adj .62 in (15.7 mm) inner diameter	923585532	**Bernard Centerfire nozzle: .62 in bore, slip-on** no part # **NE**
KP24A-62-B25	Gas Nozzle Slip Adj .62 in (15.7 mm) inner diameter - 25/pack	923584350	**Bernard Centerfire nozzle: .62 in bore, slip-on** no part # **NE**
KP24A-62-SS	Gas Nozzle Slip Recess .62 in (15.7 mm) inner diameter	923585982	**Bernard Centerfire nozzle: .62 in bore, 1/8 in recess, slip-on** no part # **NE**
KP24A-62-SS-B25	Gas Nozzle Slip Recess .62 in (15.7 mm) inner diameter - 25/pack	923586207	**Bernard Centerfire nozzle: .62 in bore, 1/8 in recess, slip-on** no part # **NE**
KP24CT-62-R	Gas Nozzle Coarse Thread .62 in (15.7 mm) inner diameter	923585846	**Bernard Centerfire nozzle: .62 in bore, thread-on** no part # **NE**
KP24CT-62-R-B25	Gas Nozzle Coarse Thread .62 in (15.7 mm) inner diameter - 25/pack	923585462	**Bernard Centerfire nozzle: .62 in bore, thread-on** no part # **NE**
KP24CT-62-S	Gas Nozzle Coarse Thread .62 in (15.7 mm) inner diameter	923584846	**Bernard Centerfire nozzle: .62 in bore, thread-on** no part # **NE**
KP24CT-62-S-B25	Gas Nozzle Coarse Thread .62 in (15.7 mm) inner diameter - 25/pack	923585067	**Bernard Centerfire nozzle: .62 in bore, thread-on** no part # **NE**
KP24CT-75-R	Gas Nozzle Coarse Thread .75 in (19 mm) inner diameter	923585169	**Bernard Centerfire nozzle: .75 in bore, thread-on** no part # **NE**
KP24CT-75-S	Gas Nozzle Coarse Thread .75 in (19 mm) inner diameter	0857258	**Bernard Centerfire nozzle: .75 in bore, thread-on** no part # **NE**
KP25CT-62	Gas Nozzle Coarse Thread .62 in (15.7 mm) inner diameter	923585258	**Bernard Centerfire nozzle: .62 in bore, thread-on** no part # **NE**
KP25CT-75	Gas Nozzle Coarse Thread .75 in (19 mm) inner diameter	923585611	**Bernard Centerfire nozzle: .75 in bore, thread-on** no part # **NE**
KP26CT-62	Magnum® Gas Nozzle - .62" (15.7 mm) ID	91141789	**Bernard Centerfire nozzle: .62 in bore** no part # **NE**
KP26CT-62-R	Gas Nozzle Coarse Thread .62 in (15.7 mm) inner diameter	923586157	**Bernard Centerfire nozzle: .62 in bore, thread-on** no part # **NE**
KP26CT-75	Gas Nozzle Coarse Thread .75 in (19 mm) inner diameter	923585217	**Bernard Centerfire nozzle: .75 in bore, thread-on** no part # **NE**
KP26CT-75-B25	Gas Nozzle Coarse Thread .75 in (19 mm) inner diameter - 25/pack	923585696	**Bernard Centerfire nozzle: .75 in bore, thread-on** no part # **NE**
KP26CT-75-R	Gas Nozzle Coarse Thread .75 in (19 mm) inner diameter	923585900	**Bernard Centerfire nozzle: .75 in bore, thread-on** no part # **NE**
KP26I-75	Gas Nozzle Self-Ins. .75 in (19 mm) inner diameter	923585451	**Bernard Centerfire nozzle: .75 in bore** no part # **NE**
KP32	Slip-On Nozzle Insulator Assembly	91202260	**Bernard Centerfire nozzle: bore size not stated, slip-on** no part # **NE**
KP32-B25	Slip-On Nozzle Insulator Assembly - 25/pack	925688037	**Bernard Centerfire nozzle: bore size not stated, slip-on** no part # **NE**
KP34A-B25	Insulator For Adj Slip Noz - 25/pack	925688168	
KP34CT	Lincoln Electric® Insulator Assembly For Magnum® 300/Magnum® 400 MIG Gun	925688163	**Conversion insulator 10012 (Lincoln Magnum 300/400, AccuLock S)** Part # 10012 **SM**
KP34CT-B25	Coarse Thread Insulator Assembly - 25/pack	0857259	**Conversion insulator 10012 (Lincoln Magnum 300/400, AccuLock S)** Part # 10012 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP35-40-15	Cable Liner .023-.035	2333222	**Bernard QUICK LOAD / E-Z Feed liner for 0.023-0.035 in wire** no part # **NE**
KP35-40-15-B10	Cable Liner .023-.035 - 10/pack	923586126	**Bernard QUICK LOAD / E-Z Feed liner for 0.023-0.035 in wire** no part # **NE**
KP35-50	Gas Diffuser	923585554	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP35CT	Lincoln Electric® 5/8" X 2 1/8" Cylinder Insulator Assembly For Magnum® 500 MIG Gun	925688164	
KP35CT-B25	Lincoln Electric® 5/8" X 2 1/8" Cylinder Insulator Assembly For Magnum® 500 MIG Gun - 25/pack	925688106	
KP36CT	Coarse Thread Insulator Assembly For 600A Magnum® Guns	925688165	
KP36CT-B25	Coarse Thread Insulator Assembly For 600A Magnum® Guns - 25/pack	925688094	
KP42-25-15	Cable Liner .025-.030 in (0.6-0.8 mm) 15 ft (4.6 m)	923586094	**Bernard QUICK LOAD / E-Z Feed liner for 0.025-0.030 in wire** no part # **NE**
KP42-25-25	Liner .025 - .030 20/25' Gun (42 - 25 - 25)	923586144	**Bernard QUICK LOAD / E-Z Feed liner for 0.025-0.030 in wire** no part # **NE**
KP42-3035-6	Cable Liner for Robotic Gun .030-.035 in (0.8-0.9 mm) 6 ft (1.8 m)	923586044	**Bernard QUICK LOAD / E-Z Feed liner for 0.030-0.035 in wire** no part # **NE**
KP42-3035-6-B10	Cable Liner for Robotic Gun .030-.035 in (0.8-0.9 mm) 6 ft (1.8 m) - 10/Pack	923585911	**Bernard QUICK LOAD / E-Z Feed liner for 0.030-0.035 in wire** no part # **NE**
KP42-3035-15	Cable Liner .030-.035 in (0.8-0.9 mm) 15 ft (4.6 m)	922503680	**Bernard QUICK LOAD / E-Z Feed liner for 0.030-0.035 in wire** no part # **NE**
KP42-3035-25	LINER .030-.035 20/25' GUN (42-3035-25)	923585621	**Bernard QUICK LOAD / E-Z Feed liner for 0.030-0.035 in wire** no part # **NE**
KP42-4045-6	Cable Liner Robotic Gun .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m) 6 ft (1.8 m)	923585244	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP42-4045-6-B10	Cable Liner Robotic Gun .035-.045"(0.9-1.2mm) 15ft (4.6 m) 6ft (1.8 m) - 10/Pack	923585409	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP42-4045-15	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m)	920116690	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP42-4045-15-B10	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m) - 10/pack	923586342	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP42-4045-25	Liner .035-.045 20/25 Gun (42-4045-25)	923586149	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP44-116-15	Cable Liner .052-1/16 in (1.3-1.6 mm) 15 ft (4.6 m)	923589016	**Bernard QUICK LOAD / E-Z Feed liner for 0.052-1/16 in wire** no part # **NE**
KP44-116-15-B10	Cable Liner .052-1/16 in (1.3-1.6 mm) 15 ft (4.6 m) - 10/pack	0857264	**Bernard QUICK LOAD / E-Z Feed liner for 0.052-1/16 in wire** no part # **NE**
KP44-116-25	Cable Liner .052-1/16 in (1.3-1.6 mm) 25 ft (7.6 m)	922503672	**Bernard QUICK LOAD / E-Z Feed liner for 0.052-1/16 in wire** no part # **NE**
KP44-116-25-B10	Cable Liner .052-1/16 in (1.3-1.6 mm) 25 ft (7.6 m) - 10/pack	923584867	**Bernard QUICK LOAD / E-Z Feed liner for 0.052-1/16 in wire** no part # **NE**
KP44-116A-10	Aluminum Liner Asbly	923585492	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP44-116A-10-B10	Aluminum Liner Asbly (Bulk)	923585475	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP44-332-6	Liner 3/32 6' Gun (44-332-6)	923589042	**Bernard QUICK LOAD / E-Z Feed liner for 3/32 in wire** no part # **NE**
KP44-332-6-B10	Liner 3/32 6' Gun (44-332-6)	923585727	**Bernard QUICK LOAD / E-Z Feed liner for 3/32 in wire** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP44-332-15	Liner 3/32 15' Gun (44-332-15)	923588909	**Bernard QUICK LOAD / E-Z Feed liner for 3/32 in wire** no part # **NE**
KP44-332-15-B10	Liner 3/32 15' Gun (44-332-15)	923584421	**Bernard QUICK LOAD / E-Z Feed liner for 3/32 in wire** no part # **NE**
KP44-332-25	Liner 3/32 25' Gun (44-332-25)	923589318	**Bernard QUICK LOAD / E-Z Feed liner for 3/32 in wire** no part # **NE**
KP44-332-25-B10	Liner 3/32 25' Gun (44-332-25)	923586305	**Bernard QUICK LOAD / E-Z Feed liner for 3/32 in wire** no part # **NE**
KP44-564-15	Cable Liner 1/16-5/64 in (1.6-2.0 mm) 15 ft (4.6 m)	922503674	**Bernard QUICK LOAD / E-Z Feed liner for 1/16-5/64 in wire** no part # **NE**
KP44-564-15-B10	Cable Liner 1/16-5/64 in (1.6-2.0 mm) 15 ft (4.6 m) - 10/pack	923586061	**Bernard QUICK LOAD / E-Z Feed liner for 1/16-5/64 in wire** no part # **NE**
KP44-564-25	Cable Liner 1/16-5/64 in (1.6-2.0 mm) 25 ft (7.6 m)	922503691	**Bernard QUICK LOAD / E-Z Feed liner for 1/16-5/64 in wire** no part # **NE**
KP44-564-25-B10	Cable Liner 1/16-5/64 in (1.6-2.0 mm) 25 ft (7.6 m) - 10/pack	923585593	**Bernard QUICK LOAD / E-Z Feed liner for 1/16-5/64 in wire** no part # **NE**
KP44-3545-15	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m)	923589192	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP44-3545-15-B10	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m) - 10/pack	923585195	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP44-3545-25	Cable Liner .035-.045 in (0.9-1.2 mm) 25 ft (7.6 m)	923588989	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP44-3545-25-B10	Cable Liner .035-.045 in (0.9-1.2 mm) 25 ft (7.6 m) - 10/pack	923584815	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP44N-116-15	Liner Aluminum 1/16 in (1.6 mm) 15 ft (4.6 m)	923585231	**Bernard QUICK LOAD / E-Z Feed liner for 1/16 in wire** no part # **NE**
KP44N-3545-15	Liner Aluminum .035-3/64 in (0.9-1.2 mm) 15 ft (4.6 m)	922503679	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-3/64 in wire** no part # **NE**
KP45-18-15	Cable Liner 7/64-1/8 in (2.8-3.2 mm) 15 ft (4.6 m)	923584925	**Bernard QUICK LOAD / E-Z Feed liner for 7/64 in wire** no part # **NE**
KP45-18-25	Cable Liner 7/64-1/8 in (2.8-3.2 mm) 25 ft (4.6 m)	923586358	**Bernard QUICK LOAD / E-Z Feed liner for 7/64 in wire** no part # **NE**
KP45-40-15	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m)	922503678	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45-40-15-B10	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m) - 10/pack	923589338	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45-116-15	Cable Liner .052-1/16 in (1.3-1.6 mm) 15 ft (4.6 m)	922503671	**Bernard QUICK LOAD / E-Z Feed liner for 0.052-1/16 in wire** no part # **NE**
KP45-116-25	Cable Liner .052-1/16 in (1.3-1.6 mm) 25 ft (7.6 m)	923584760	**Bernard QUICK LOAD / E-Z Feed liner for 0.052-1/16 in wire** no part # **NE**
KP45-3545-6	Cable Liner .035-.045 in (0.9-1.2 mm) 6 ft (1.8 m)	923589313	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45-3545-6-B10	Cable Liner .035-.045 in (0.9-1.2 mm) 6 ft (1.8 m) - 10/pack	922503675	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45-3545-15	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m)	923588943	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45-3545-15-B10	Cable Liner .035-.045 in (0.9-1.2 mm) 15 ft (4.6 m) - 10/pack	923589021	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45-3545-25	Cable Liner .035-.045 in (0.9-1.2 mm) 25 ft (7.6 m)	923589055	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP45H-332-15	Cable Liner 5/64-3/32 in (2.0-2.4 mm) 15 ft (4.6 m)	922503673	**Bernard QUICK LOAD / E-Z Feed liner for 5/64-3/32 in wire** no part # **NE**
KP45H-332-25	Cable Liner 5/64-3/32 in (2.0-2.4 mm) 25 ft (7.6 m)	923585006	**Bernard QUICK LOAD / E-Z Feed liner for 5/64-3/32 in wire** no part # **NE**
KP45N-116-15	Liner 1/16-Alum 10/12/15' (45N-116-15)	923585679	**Bernard QUICK LOAD / E-Z Feed liner for 1/16 in wire** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP45N-3545-15	Liner Aluminum .035-3/64 in (0.9-1.2 mm) 15 ft (4.5 m)	923586292	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-3/64 in wire** no part # **NE**
KP52	Gas Diffuser .035-.045 in (0.9-1.2 mm)	923585682	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP52-23	Gas Diffuser .025-.030 in (0.6-0.8 mm)	925688158	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP52-B25	Gas Diffuser .035-.045 in (0.9-1.2 mm) - 25/pack	923584832	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP52FN	Gas Diffuser	923585216	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP52FN-B25	Gas Diffuser - 25/pack	923585394	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP54A	Gas Diffuser	923585921	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **SM**
KP54A-B25	300 - 400 A Magnum Series Guns Diffuser	0857260	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **SM**
KP55	Gas Diff 1/16-5/64 in Liner (1.6-2.0 mm)	923586244	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP55H	Gas Diff 3/32-1/8 Liner (2.4-3.2 mm)	923586180	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP55SW	Gas Diff 035-1/16 Liner (0.9-1.6 mm)	923584855	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP55SW-B10	Gas Diff 035-1/16 Liner (0.9-1.6 mm) - 10/pack	923586119	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP56S-H	Gas Diff 1/16-1/8 Liner (1.6-3.2 mm)	923585777	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP56S-H-B10	Gas Diff 1/16-1/8 Liner (1.6-3.2 mm) - 10/pack	923586022	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP56S-SW	Gas Diff 035-1/16 Liner (0.9-1.6 mm)	923584953	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP502-1/16	Drive Roll Kit 1/16 in (1.6 mm) Solid Wire	923585979	
KP502-1/16C	Drive Roll Kit 1/16-.062 in (1.6 mm) Cored Wire	923586205	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP502-3/32	Drive Roll Kit .068-3/32 in (1.7-2.4 mm) Cored Wire	923586347	
KP502-7/64H	Drive Roll Kit7/64 Cored	923586252	
KP502-035	Drive Roll Kit030-035	923584689	
KP502-052	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Solid Wire	923584535	
KP502-052C	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Cored Wire	923585861	
KP502-120	Drive Roll Kit 7/64-.120 in (2.8-3.0 mm) Cored Wire	923586239	
KP545-3/32	Drive Roll Kit .068-3/32 in (1.7-2.4 mm) Cored Wire	923585764	
KP653-1/16	Drive Roll Kit 1/16-.062 in (1.6 mm) Cored Wire	923585193	
KP653-3/32	Drive Roll Kit .068-3/32 in (1.7-2.4 mm) Cored Wire	923585036	
KP653-7/64H	Drive Roll Kit (7/64-1202.8-3.0Mm)	923586202	
KP653-025S	Drive Roll Kit .023-.025 in (0.6 mm) Solid Wire	923586353	
KP653-030S	Drive Roll Kit .030 in (0.8 mm) Solid Wire	923584941	
KP653-035C	Drive Roll Kit .035 in (0.9 mm) Cored Wire	923585073	
KP653-035S	Drive Roll Kit .035 in (0.9 mm) Solid Wire	923584871	
KP653-052C	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Cored Wire	923584852	
KP653-052S	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Solid Wire	923584464	
KP653-120C	Drive Roll Kit 7/64-.120 in (2.8-3.0 mm) Cored Wire	923585850	
KP654-1/16A	Drive Roll Kit 1/16 in (1.6 mm) Aluminum Wire	923586092	
KP654-3/64A	Drive Roll Kit 3/64 in (1.2 mm) Aluminum Wire	923586191	
KP654-035A	Drive Roll Kit .035 in (0.9 mm) Aluminum Wire	923586184	
KP655-1/16	Drive Roll Kit 1/16-.062 in (1.6 mm) Cored Wire	923585235	
KP655-3/32	Drive Roll Kit .068-3/32 in (1.7-2.4 mm) Cored Wire	923585806	
KP655-035S †	Drive Roll Kit .035 in (0.9 mm) Solid Wire	922984414	
KP655-035S †	Drive Roll Kit .035 in (0.9 mm) Solid Wire	923586138	
KP655-052C	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Cored Wire	923585757	
KP655-052S †	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Solid Wire	922984814	
KP655-052S †	Drive Roll Kit .045-.052 in (1.1-1.3 mm) Solid Wire	923586090	
KP665-035	Solid Wire Drive Roll Kit 0.023-0.035 in (0.6-0.9 mm)	923585703	
KP665-045C	Cored Wire Drive Roll Kit 0.045 in (1.1 mm)	923585699	
KP666-035C	Cored Wire Drive Roll Kit 0.035 in (0.9 mm)	923586319	
KP666-045C	Knurled Drive Roll Kit .045 in (1.2 mm) Flux-Cored Wire	923586217	
KP674-3/64A	Aluminum SP-255 WM-255 Drive Roll Kit 3/64 in	923585054	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP674-035C	Cored SP-255 WM-255 Drive Roll Kit 0.035-0.045 in	923585870	
KP674-035S	Solid SP-255 WM-255 Drive Roll Kit 0.025-0.035 in	923585754	
KP674-045C	Cored SP-255 WM-255 Drive Roll Kit 0.045 in (1.1 mm)	923585372	
KP674-045S	Solid SP-255 WM-255 Drive Roll Kit 0.035-0.045 in	923585790	
KP1505-1	Drive Roll Kit (.035-.045 4 Roll)	923584924	
KP1505-1/16C	Drive Roll Kit (1/16 4 Roll) Cored	923585255	
KP1505-1/16S †	Drive Roll Kit (1/16 4 Roll)	921184011	
KP1505-1/16S †	Drive Roll Kit (1/16 4 Roll)	923585747	
KP1505-3/32	Drive Roll Kit (332 Stl4 Roll)	923586271	
KP1505-5/64	Drive Roll Kit (564 Stl4 Roll)	923585582	
KP1505-7/64	Drive Roll Kit (764 Stl4 Roll)	923586269	
KP1505-7/64H	Drive Roll Kit (764 Stl4 Roll)	923585619	
KP1505-030S	Drive Roll Kit (.023-.030 4 Roll)	923585949	
KP1505-035C	Drive Roll Kit (035 4 Roll) Cored	923585306	
KP1505-035R	Drive Roll Kit .035 (0.9Mm) Hvy Dty	923585742	
KP1505-035S	Drive Roll Kit .035 in (0.9 mm) Solid Wire	923585567	
KP1505-040R	Drive Roll Kit .040 (1.0Mm) Hvy Dty	923585686	
KP1505-040S	Drive Roll Kit .040 Inch Steel 4 Roll	923585653	
KP1505-045C	Drive Roll Kit (045 4 Roll) Cored	923585849	
KP1505-045R	Drive Roll Kit .045 (1.2Mm) Hvy Dty	923585374	
KP1505-045S †	Drive Roll Kit (.045 4 Roll)	921184012	
KP1505-045S †	Drive Roll Kit (.045 4 Roll)	923585597	
KP1505-052C	Drive Roll Kit (052 4 Roll) Cored	923585327	
KP1505-052R	Drive Roll Kit .052 (1.4Mm) Hvy Dty	923585694	
KP1505-052S	Drive Roll Kit (.052 4 Roll)	923585322	
KP1505-068	Drive Roll Kit (068-072 Stl4 Roll)	923586007	
KP1505-120	Drive Roll Kit (1/8 Stl4 Roll)	923586361	
KP1507-1/16A	1/16 Alum. Drive Roll 10 Series	923584345	
KP1507-3/32A	Drive Roll Kit (3/32 4 Roll) Aluminum	923586028	
KP1507-3/64A	Drive Roll Kit (3/64 4 Roll) Aluminum	923584892	
KP1507-035A	Drive Roll Series 10	923585170	
KP1507-040A	Drive Roll Kit (.040 4 Roll) Aluminum	923585163	
KP1695-1/16A	Drive Roll Kit 1/16 in (1.6 mm) Aluminum Wire	923584995	
KP1695-3/64A	Drive Roll Kit 3/64 in (1.2 mm) Aluminum Wire	923585400	
KP1695-035A †	Drive Roll Kit 035 .9mm	922984413	
KP1695-035A †	Drive Roll Kit .035 in (0.9 mm) Aluminum Wire	923584416	
KP1695-040A	Drive Roll Kit .040 in (1.0 mm) Aluminum Wire	923584866	
KP1696-1	Drive Roll Kit Combination .035 in / .045 in Solid Wire	923585783	
KP1696-1/16S	Drive Roll Kit 1/16 (1.6 mm) in Solid Wire	923585743	
KP1696-2	Drive Roll Kit .040 in (1.0 mm) Solid Wire	923585887	
KP1696-030S	Drive Roll Kit .023-.030 in (0.6-0.8 mm) Solid Wire	923586288	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP1696-035S †	Drive Roll Kit .035 in (0.9 mm) Solid Wire	922984410	
KP1696-035S †	Drive Roll Kit .035 in (0.9 mm) Solid Wire	923586273	
KP1696-045S	Drive Roll Kit .045 in (1.1 mm) Solid Wire	923586213	
KP1696-052S	Drive Roll Kit .052 in (1.3 mm) Solid Wire	923585233	
KP1697-1/16C	Drive Roll Kit 1/16 in (1.6 mm) Cored Wire	923586301	
KP1697-3/32	Drive Roll Kit 3/32 in (2.4 mm) Solid/Cored Wire	923586038	
KP1697-5/64	Drive Roll Kit 5/64 in (2.0 mm) Solid/Cored Wire	923585604	
KP1697-035C	Drive Roll Kit .030 - .035 in (0.8 - 0.9 mm) Cored Wire	923585434	
KP1697-045C †	Drive Roll Kit .040 - .045 in (1.0 - 1.2 mm) Cored Wire	922445407	
KP1697-045C †	Drive Roll Kit .040 - .045 in (1.0 - 1.2 mm) Cored Wire	923585741	
KP1697-052C †	Drive Roll Kit .052 in (1.3 mm) Cored Wire	922445409	
KP1697-052C †	Drive Roll Kit .052 in (1.3 mm) Cored Wire	923585681	
KP1697-068	Drive Roll Kit .068 - .072 in (1.8 mm) Cored Wire	923585902	
KP1881-1	Solid Wire Drive Roll Kit 0.023-0.035 in (0.6-0.9 mm)	923585039	
KP1884-1	Flux-Cored/MIG Wire Drive Roll	923585239	
KP1885-1	Drive Roll Knurled 3/32-7/32 in (2.7-5.5 mm)	923585350	
KP1886-1	Drive Roll Knurled 1/16-3/32 in (1.6-2.4 mm)	923585241	
KP1890-1	Drive Roll Center 5/64-3/32 in (2.0-2.4 mm) in Tiny Twin	923584897	
KP1890-2	Drive Roll Side 5/64-3/32 in (2.0-2.4 mm) in Tiny Twin	923585196	
KP1899-1	Drive Roll/Guide Tube Kit - 3/32-7/32 in (2.7-5.5 mm) Solid Wire	923586326	
KP1899-2	Drive Roll/Guide Tube Kit - 1/16in(1.6mm) 5/64in(2mm) 3/32in(2.4mm) Solid Wire	923584919	
KP1899-3	Drive Roll/Guide Tube Kit - .035in(.9mm) .045in(1.2mm) .052in(1.3mm) Solid Wire	923584945	
KP1899-4	Drive Roll/Guide Tube Kit - .045-.052 in (1.2-1.3 mm) Cored	923585809	
KP1901-1	Drive Roll/Guides/Tips Kit .045 in (1.2 mm) Tiny Twin	923586001	
KP1901-2	Drive Roll/Guides/Tips Kit 1/16 in (1.6 mm) Tiny Twin	923585041	
KP1901-3	Drive Roll/Guides/Tips Kit 3/32 in (2.4 mm) Tiny Twin	923586315	
KP1901-4	Drive Roll/Guides/Tips Kit 5/64 in (2 mm) Tiny Twin	923585126	
KP1907-1	Gun Tube Assembly 82° 120 Wire	923585730	
KP1907-2	Gun Tube Assembly 82° 3/32 Wire	922503597	
KP1908-1	Gun Tube Assembly 120-7/64 Straight	922503606	
KP1908-2	Gun Tube Assembly 3/32 Straight (Nozzle)	923586095	
KP1909-1	Gun Tube Assembly 62° Nozzle	922503537	
KP1910-1	Gun Tube Assembly 45° 120 Wire	923585521	
KP1910-2	Gun Tube Assembly 45° 3/32 Wire	923585079	
KP1914-1	Gun Tube Assembly FCAW 30° 12 in	922503604	
KP1914-2	Gun Tube Assembly FCAW 30° 6 in	922503602	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP1915-1	Gun Tube Assembly (45°) - .120 diameter wire	923586229	
KP1915-3	Gun Tube Assembly (82°) - .120 diameter wire	923586304	
KP1920-1	Gun Tube Assembly (90°)	922503608	
KP1921-1	Nozzle Assembly	925033549	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1922-2	Nozzle Assembly-45[DEG}	925688056	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1928-1 †	Gun Tube Assembly 60° (400 Amp)	922987193	
KP1928-1 †	Gun Tube Assembly 60° (400 Amp)	923585236	
KP1928-2 †	Gun Tube Assembly 60° (300 Amp)	922984411	
KP1928-2 †	Gun Tube Assembly 60° (300 Amp)	923584553	
KP1929-1	Gun Tube Assembly 45° (400 Amp)	923585819	
KP1929-2	Gun Tube Assembly 45° (300 Amp)	923585282	
KP1939-1	Magnum® Gasless Nozzle - 100A	925033521	
KP1940-2	Gun Tube Assembly 45°	923585358	
KP1941-1	Gun Tube Assembly 82° (400A)	923586033	
KP1947-1	Magnum® Gasless Nozzle - 200A	925033381	
KP1948-3	Gun Tube Assembly 45[DEG}	925688136	
KP1948-4	Gun Tube Asbly 60 Deg	923584308	
KP1951-1	Gun Tube Assembly 60° 3 in. Radius	923585607	
KP1951-2	Gun Tube Assembly 60° 5 in. Radius	91141788	
KP1951-3	Gun Tube Assembly 60° 5 in. Radius	923585920	
KP1952-1	Gun Tube Assembly 45&deg 120 Wire	923585501	
KP1953-1	Gun Tube Assembly 82° 120 Wire	923585108	
KP1957-1	Magnum® Water Cooled Nozzle - Flush	923585508	**Bernard Centerfire nozzle: bore size not stated, flush** no part # **NE**
KP1957-2	Magnum® Water Cooled Nozzle - Flush	923586158	**Bernard Centerfire nozzle: bore size not stated, flush** no part # **NE**
KP1957-3	Magnum® Water Cooled Nozzle - Flush	923585974	**Bernard Centerfire nozzle: bore size not stated, flush** no part # **NE**
KP1957-4	Magnum® Water Cooled Nozzle - Recessed	923585328	**Bernard Centerfire nozzle: bore size not stated, 1/8 in recess** no part # **NE**
KP1957-5	Magnum® Water Cooled Nozzle - Recessed	923585383	**Bernard Centerfire nozzle: bore size not stated, 1/8 in recess** no part # **NE**
KP1958-1B1	Liner .035-3/64 in Aluminum (Black) - 10 ft (3 m)	925688041	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-3/64 in wire** no part # **NE**
KP1958-4	Liner 1/16 Aluminum (Red) - 15 ft (4.6 m)	923585433	**Bernard QUICK LOAD / E-Z Feed liner for 1/16 in wire** no part # **NE**
KP1958-6	Cbl Liner Aluminum .035-3/64 in (0.9-1.2 mm) 15 ft (4.6 m)	922503548	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-3/64 in wire** no part # **NE**
KP1959-1	Cbl Liner Aluminum .035 in (0.9 mm)	923585588	**Bernard QUICK LOAD / E-Z Feed liner for 0.035 in wire** no part # **NE**
KP1963-1	Guide Tube 3/32-7/32 in (2.4-3.6 mm) Outgoing	923585123	
KP1964-1	Wire Guide Wire Straightener	923585594	
KP1965-1	Nozzle Insulated Guide 2.75 in (70 mm) 3/32-FC	923584596	
KP1965-2	Nozzle Insulated Guide 3.75 in (95 mm) 120-FC	923584904	
KP1966-2B1	Magnum® Contact Tip Pressure Shoe Type - 1/16 in (1.6 mm) wire diameter	923586175	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP1968-3	Nozzle Flux Cone 15/16 in (23.8 mm) opening Sub-Arc gun	923586264	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1968-4	Nozzle Flux Cone 3/4 in (19 mm) opening Sub-Arc gun	923586089	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1968-5	Nozzle Flux Cone 5/8 in (15.9 mm) opening Sub-Arc gun	923586010	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1970-2	Upper & Lower Wire Guide Assembly	923585291	
KP1971-1	Nozzle Insulated Guide 1.5 in (38 mm) 3/32-FC	923585179	
KP1973-1	Nozzle Tip	923585370	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1974-1	Guide Tube Assembly 3/32"-1/8" Wire	923586296	
KP1974-2	Guide Tube Assembly 5/32"-3/16" Wire	923585658	
KP1974-3	Guide Tube Assembly .068"-5/64" Wire	923585390	
KP1975-1	Guide Tube Extension Support 1 Inch	923584826	
KP1975-2	Extension Tube - 2" Long	923585107	
KP1976-1	Extension Tube - 1" Long	923585676	
KP1976-2	Guide Tube Extension End 3/16	923586275	
KP1976-3	Guide Tube Extension 3/32 2-3/4 ESO	923585355	
KP1976-4	Guide Tube Extension 5/32	923586211	
KP1979-1	Contact Tip	923586193	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP1979-2	Contact Tip for 052 Wire Only	923585464	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP1980-1	Internal Wire Guide	923585776	
KP1984-1	Guide Tube Assembly 068-3/16 Incoming	923586004	
KP1985-1	Guide Tube 3/32-3/16 in (2.4-4.8 mm) Outgoing	923585668	
KP1987-1	Nozzle Insulated (Nose Cone)	923584335	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1988-1	Tip Holder (1/16 5/64 & 3/32 Wire)	91000763	**Tregaskiss TOUGH LOCK / AccuLock R conversion diffuser for the converted Lincoln Magnum PRO gun** no part # **NE**
KP1990-1	Guide Tube Ext 3/32 2-1/4 ESO	923586084	
KP1991-1	Nozzle Tip	923585705	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1992-1	Contact Tip Adapter	925033386	
KP1993-1	Extension Guide - 3/4-1 in (19-25.4 mm)	923586153	
KP1995-1	Nozzle Insulated Guide 2 in (51 mm) 068-5/64-FC	923584438	
KP1996-4B1	Magnum® Contact Tip 3/32 in (2.4 mm) .348in (8.8mm) outer diameter unthreaded	923585224	**Bernard Centerfire (or AccuLock S) contact tip for 0.348 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP1996-5B1	Magnum® Contact Tip 5/64 in (2 mm) .348 in (8.8 mm) outer diameter unthreaded	923585474	**Bernard Centerfire (or AccuLock S) contact tip for 0.348 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP1997-1	Lincoln Electric KP1997-1 Nozzle Nut	925688057	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP1999-1	Guide Tube 045-052 Outgoing	923585666	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2001-1	Gas Diffuser Magnum® 350A	923585583	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP2006-1	Guide Tube Incoming	923586142	
KP2007-1	Guide Tube Assembly Outgoing	923584742	
KP2009-10	Liner Spring .062in(1.8mm) inner diameter .156in(4mm) outer diameter 1.13inlong	923585277	
KP2010-1	Teflon Liner	922503690	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP2010-2	Plastic Guide Tube	922503772	
KP2010-3B1	Magnum® Contact Tip Notched .030 in (.8 mm)	922503584	**Bernard Centerfire (or AccuLock S) contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2010-4B1	Magnum® Contact Tip Notched .035 in (.9 mm)	922503558	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2010-5B1	Magnum® Contact Tip Notched 3/64 in (1.2 mm)	922503580	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2010-6	Gas Diffuser	922503670	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP2010-7B1	Magnum® Contact Tip Notched .023-.025 in (.5-.6 mm)	922503582	**Bernard Centerfire (or AccuLock S) contact tip for 0.023-0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2010-8	Drive Roll Smooth	922503630	
KP2010-9	Drive Roll Knurled	922503631	
KP2015-1	Gun Tube Assembly 60°	923583902	
KP2024-2	Gas Diffuser (Magnum® 300/400 for .025-.030 in/.6-.9 mm Liners)	923585770	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **SM**
KP2028-1	Gun Tube Assembly 60°	923585885	
KP2038-1	Gun Tube Assembly	923585213	
KP2041-1	Gun Tube Assembly	923584882	
KP2042-1B1	Nozzle .055 in (1.4 mm)	923585649	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2042-2B1	Nozzle .067 in (1.7 mm)	923585931	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2042-3B1	Nozzle .075 in (1.9 mm)	923585844	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2042-4B1	Nozzle .118 in (3.0 mm)	923585745	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2051-1	Gas Diffuser	923586320	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP2051-1B1	Gas Diffuser	923585205	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP2053-1	Guide Tube Outgoing (Bowed)	923585771	
KP2059-1	Gas Diffuser - Magnum® 450WC	923585547	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2060-1	Nozzle Insulator - Magnum® 450WC	925688039	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2067-1B2	Magnum® Contact Tip .035 (0.9 mm) Aluminum	923585792	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-2B1	0.035" (0.9mm) Steel Contact Tip	91181052	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-4B1	Magnum® Contact Tip .040 (1.0 mm) Steel	923585960	**Bernard Centerfire (or AccuLock S) contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-5B1	Magnum® Contact Tip .045 (1.2 mm) Steel	923586355	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-6B1	Magnum® Contact Tip .052 (1.3 mm) Steel	923585878	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-7B1	Magnum® Contact Tip 1/16 in (1.6 mm) Aluminum	923585876	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-8B1	Magnum® Contact Tip 1/16 in (1.6 mm) Steel	923585443	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-9B1	Magnum® Contact Tip 3/64 in (1.2 mm) Aluminum	923585843	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2067-10B1	Magnum® Contact Tip 5/64 in (2 mm) Steel	923586029	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2071-1 †	Wire Guide Asbly Outer 4 Roll	922984412	
KP2071-1 †	Wire Guide Asbly Outer 4 Roll	923585796	
KP2071-2	Wire Guide Asbly Outer 4 Roll Alum	923585387	
KP2071-3	Wire Guide Assembly Outer 2 Roll Alum	923585977	
KP2071-4	Wire Guide Assembly Outer 2 Roll	923585805	
KP2078-1B1	Magnum® Contact Tip .035 in (0.9 mm) Aluminum - Mag 100L	923585938	
KP2079-1	Nozzle Holder Magnum® 450WC	925688038	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2080-1	Liner 023-030 Handy Mig/Handy Core	925688042	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP2082-1B1	Magnum® Contact Tip 3/32 in (2.4 mm) 3/8 in (9.5 mm) long 24 thread	923584968	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2082-2B1	Magnum® Contact Tip 5/64 in (2 mm) 3/8 in (9.5 mm) long 24 thread	923586109	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2086-1B1	Magnum® Contact Tip .068 in (1.7 mm) 5/16 in (7.9 mm) long 18 thread	923584972	**Bernard Centerfire (or AccuLock S) contact tip for 0.068 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2086-2B1	Magnum® Contact Tip 1/16 in (1.6 mm) 5/16 in (7.9 mm) long 18 thread	923585363	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2086-3B1	Magnum® Contact Tip 3/32 in (2.4 mm) 5/16 in (7.9 mm) long 18 thread	923585197	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2086-4B1	Magnum® Contact Tip 5/64 in (2 mm) 5/16 in (7.9 mm) long 18 thread	923585412	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2087-1	Wire Guide Collar Wire Straightener	923585148	
KP2088-2B1	Magnum® Contact Tip 3/32 in (2.4 mm) 3/8 in (9.5 mm) long 16 thread	923586168	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2088-3B1	Magnum® Contact Tip 5/64 in (2 mm) 3/8 in (9.5 mm) long 16 thread	923585201	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2088-4B1	Magnum® Contact Tip 7/64 in (38 mm) 3/8 in (9.5 mm) long 16 thread	923585442	**Bernard Centerfire (or AccuLock S) contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2089-1	Insulated Guide	922445413	
KP2090-1	Nozzle Ins. Ext. 2.75 3/32-Fc	923585428	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2094-1	Insert Ceramic Gun / Nozzle Tubes	923585486	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2094-2	Insert Ceramic Gun / Nozzle Tubes	923585086	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2094-4	Insert Ceramic Gun / Nozzle Tubes	923585460	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2095-2	Liner Spring .131in(3.3mm) inner diameter .310in(7.9mm) outer diameter 8.94 in	925033447	
KP2095-4	Liner Spring .133in(3.4mm) inner diameter .240in(6.1mm) outer diameter 5.00 in	925033649	
KP2095-6	Liner Spring .183in(4.6mm) inner diameter .310in(7.9mm) outer diameter 7.09 in	925033488	
KP2095-13	Liner Spring .131in(3.3mm) inner diameter .310in(7.9mm) outer diameter 7.62 in	925033621	
KP2099-1	Extension Guide Assembly 3/4 in (19 mm)	923585466	
KP2099-2	Extension Guide Assembly 1 1/2 in (38 mm)	923586069	
KP2099-3	Extension Guide Assembly 2 3/4 in (70 mm)	923586199	
KP2100-1B1	Innershield® Contact Tip - Severe Duty .068-.072in(1.7-1.8mm) 18 Thread	922445403	
KP2100-2B1 †	Innershield® Contact Tip - Severe Duty1/16in(1.6mm)5/16in(7.9mm)long18 thread	922503550	
KP2100-2B1 †	Innershield® Contact Tip - Severe Duty1/16in(1.6mm)5/16in(7.9mm)long18 thread	923768334	
KP2100-3B1	Innershield® Contact Tip - Severe Duty3/32in(2.4mm)5/16in(7.9mm)long18 thread	923585162	
KP2100-4B1	Innershield® Contact Tip - Severe Duty 5/64 in 5/16 in long 18 thread (10/pack)	923585192	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2101-1	Wire Guide Tiny Twin Wire Straightener	923585341	
KP2102-2	Extension Guide Assembly 2 3/4 in (70 mm)	923584591	
KP2103-1B1	Magnum® Contact Tip .068-.072 in (1.7-1.8 mm) 3/8 in (9.5 mm) long 16 thread	923586218	**Bernard Centerfire (or AccuLock S) contact tip for 0.068-0.072 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2103-2B1	Magnum® Contact Tip 1/16 in (1.6 mm) 3/8 in (9.5 mm) long 16 thread	923586161	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2103-3B1	Magnum® Contact Tip .120 in (3 mm) 3/8 in (9.5 mm) long 16 thread	923586235	**Bernard Centerfire (or AccuLock S) contact tip for 0.120 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2103-4B1	Magnum® Contact Tip 3/32 in (2.4 mm) 3/8 in (9.5 mm) long 16 thread	923585723	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2103-5B1	Magnum® Contact Tip 5/64 in (2 mm) 3/8 in (9.5 mm) long 16 thread	923586148	**Bernard Centerfire (or AccuLock S) contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2103-6B1	Magnum® Contact Tip 7/64 in (38 mm) 3/8 in (9.5 mm) long 16 thread	923585519	**Bernard Centerfire (or AccuLock S) contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2105-1B1	Magnum® Contact Tip .035 in (.9 mm) 5/16 in (7.9 mm) long 18 thread	923585928	**Bernard Centerfire (or AccuLock S) contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2105-2B1	Magnum® Contact Tip .045 in (1.2 mm) 5/16 in (7.9 mm) long 18 thread	923585665	**Bernard Centerfire (or AccuLock S) contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2105-3B1	Magnum® Contact Tip .052 in (1.3 mm) 5/16 in (7.9 mm) long 18 thread	923585948	**Bernard Centerfire (or AccuLock S) contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2108-1B1	Contact Tip - 3/32-3/8 in 16 Thread	923585343	**Bernard Centerfire (or AccuLock S) contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2110-1	Guide Tube	923586085	
KP2110-2	Guide Tube	923586101	
KP2110-6	Guide Tube	923586267	
KP2111-1	Gun Tube Assembly	923585449	
KP2114-2	Guide Tube .045-.052 in (1.2-1.3 mm) Middle 4 Roll	923585072	
KP2116-2	Guide Tube 3/32-7/32 in (2.4-3.6 mm) Incoming	923585406	
KP2117-1	Guide Tube 030-035 Outgoing	923584694	
KP2117-2	Guide Tube 045-052 Outgoing	923584660	
KP2117-3	Guide Tube 1/16 Outgoing	923584936	
KP2118-1	Guide Tube Insert 030-035 Outgoing	923585830	
KP2118-2	Guide Tube Insert .045-.052 in (1.2-1.3 mm) Outgoing	923584931	
KP2118-3	Guide Tube Insert 1/16 in (1.6 mm) Outgoing	923584850	
KP2119-1	Gude Tube 7/64-120 Outgoing	923584360	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2119-2	Gude Tube 068-3/32 Outgoing	923584908	
KP2120-1	Guide Tube Insert 7/64-.120 in (2.8-3 mm) Outgoing	923585795	
KP2120-2	Guide Tube Insert .068-3/32 in (1.7-2.4 mm) Outgoing	923585738	
KP2121-2	Guide Tube Assembly 1/16-5/64-.068 in (1.6-2-1.7 mm) Outgoing	923585063	
KP2123-1	Guide Tube 030-035 Incoming	923585141	
KP2123-2	Guide Tube 045-052 Incoming	923585294	
KP2123-3	Guide Tube 1/16 Incoming	923584314	
KP2123-4	Guide Tube 7/64-120 Incoming	923584751	
KP2123-5	Guide Tube 068-3/32 Incoming	923585013	
KP2124-1	Guide Tube Insert .023-.045 in (1.2 mm) in (0.6-1.2 mm) Outgoing	923586182	
KP2124-3 †	Guide Tube Insert .045-.052 in (1.2-1.3 mm) Outgoing	922984813	
KP2124-3 †	Guide Tube Insert .045-.052 in (1.2-1.3 mm) Outgoing	923586197	
KP2124-5	Guide Tube Insert .052-1/16 in (1.3-1.6 mm) in Outgoing	923586231	
KP2124-8	Guide Tube Insert .068-7/64 in (1.7-2.8 mm) Outgoing	923586106	
KP2125-1	Guide Tube .023-.035 in (0.6-0.9 mm) Outgoing	923586006	
KP2125-3	Guide Tube .052-1/16 in (1.3-1.6 mm) in Outgoing	923586354	
KP2125-5	Guide Tube .068-3/32 in (1.7-2.4 mm) Outgoing	923585377	
KP2126-1	Guide Tube .023-.035 in (0.6-0.9 mm) Incoming	923585851	
KP2126-3	Guide Tube .052-1/16 in (1.3-1.6 mm) incoming	923585746	
KP2138-1	Wire Guide Incoming	923585860	
KP2139-3	Guide Tube Assembly .052 in (1.3 mm) Incoming 2 Roll	923585867	
KP2139-5	Guide Tube Assembly 1/16 in (1.6 mm) Incoming 2 Roll	923585540	
KP2139-8	Guide Tube Assembly 7/64 Incoming 2 Roll	923585450	
KP2140-1	Guide Tube Outgoing	923584828	
KP2141-1	Guide Tube Incoming	923584355	
KP2171-1	Contact Tip Holder (Side by Side)	925033480	**Tregaskiss TOUGH LOCK / AccuLock R conversion diffuser for the converted Lincoln Magnum PRO gun** no part # **NE**
KP2173-1	Wire Guide Inner .023-.035 in (.6-.9 mm) Aluminum 2 Roll	923585203	
KP2173-2	Wire Guide Inner 3/64 in (1.2 mm) Aluminum 2 Roll	923585729	
KP2173-3	Wire Guide Inner 1/16 Alum 2 Roll	923584670	
KP2173-4	Wire Guide Inner 3/32 in (2.4 mm) Aluminum 2 Roll	923586122	
KP2178-3	Wire Guide Inner .052-1/16 2 Roll	923585212	
KP2178-6	Wire Guide Inner .035-.045 in (.9-1.2 mm)2 Roll	923585159	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2200-1	Drive Roll Kit 0.023-0.030 in Solid 0.035 in Cored	923585494	
KP2200-2	Drive Roll Kit	923585458	
KP2217-1B1	Heavy Duty Contact Tip 030	922503555	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2217-2B1	Heavy Duty Contact Tip 035 - 25/pack	922503557	**Bernard Centerfire (or AccuLock S) contact tip (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2217-3B1	Heavy Duty Contact Tip 3/64 (5356) - 25/pack	922503587	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2217-4B1	Heavy Duty Contact Tip 3/64 (4043)	922503586	**Bernard Centerfire (or AccuLock S) contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2217-5B1	Heavy Duty Contact Tip 1/16 - 25/pack	922503563	**Bernard Centerfire (or AccuLock S) contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum 200-400)** no part # **NE**
KP2243-035	Knurled Cored Wire Drive Roll Kit 0.035 in (0.9 mm)	923585312	
KP2435-1	Reaming Bit 1/2 Inch With Washer	923585345	
KP2435-3	Reaming Bit 5/8 Inch 15.5Mm W/Washer	923586194	
KP2435-5	Reaming Bit 3/4 Inch With Washer	923586227	
KP2435-6	REAMING BIT .70 (17.8mm) W/WASHER	923585816	
KP2454-1	Gun Tube Assembly 62° 7.5 in	923584898	
KP2455-1	Gun Tube Assembly 45° 6 in	923584684	
KP2456-1	Gun Tube Assembly 30° 12 in	923586183	
KP2482-1	Nozzle Assembly (30°) 11.68 in	923585655	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2518-1	Drive Roll - .025 in (.6 mm) / .035 in (.9 mm) (Steel)	922503629	
KP2518-2	Drive Roll - .030-.035 / 3/64 (Aluminum)	922503623	
KP2521-1	Magnum® 250LX Barrel Liner .025 - 3/64	923586366	
KP2529-1	Smooth Drive Roll 0.025-0.030 in	923585672	
KP2529-2	Smooth Drive Roll 0.035 in	923585250	
KP2529-3	Knurled Drive Roll 0.030-0.045 in	923584961	
KP2531-1 †	Inner Wire Guide - .025-.035 Steel	2407059	
KP2531-1 †	Inner Wire Guide - .025-.035 Steel	923585102	
KP2531-2	Inner Wire Guide - .045	923585659	
KP2631-1	Magnum® 100SG Gun Tube	922503592	
KP2632-1	Magnum® 100SG Barrel Liner	922503621	
KP2721-1	Nozzle Extension 5 in.	925033434	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2721-2	Nozzle Extension 45° Curved	925033540	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP2742-1-38F	Magnum® PRO Nozzle - 350A Thread-on Flush 3/8 in (9.5 mm) ID	91170793	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, flush, thread-on** no part # **NE**
KP2742-1-38F-B25	Magnum® PRO Nozzle - 350A Thread-on Flush 3/8 in (9.5 mm) ID - 25/pack	923585759	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, flush, thread-on** no part # **NE**
KP2742-1-38R	Magnum® PRO Nozzle - 350A Thread-on Recess 3/8 in (9.5 mm) ID	922503544	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2742-1-38R-B25	Nozzle Thread 350A 25Ct	920116704	**Tregaskiss TOUGH LOCK nozzle: bore size not stated** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2742-1-38S	Magnum® PRO Nozzle - 350A Thread-on Stickout 3/8 in (9.5 mm) ID	923589395	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2742-1-38S-B25	Magnum® PRO Nozzle - 350A Thread-on Stickout 3/8in(9.5mm) ID - 25/pack	923585549	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2742-1-50F †	Magnum® PRO Nozzle - 350A Thread-on Flush 1/2 in ID	920202050	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP2742-1-50F †	Magnum® PRO Nozzle - 350A Thread-on Flush 1/2 in ID	924679242	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP2742-1-50F-B25	Magnum® PRO Nozzle - 350A Thread-on Flush 1/2 in ID (25/pack)	922503540	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP2742-1-50R	Magnum® PRO Nozzle - 350A Thread-on Recess 1/2 in (12.7 mm) ID	922503546	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2742-1-50R-B25	Magnum® PRO Nozzle - 350A Thread-on Recess 1/2 in (12.7 mm) ID - 25/pack	91136816	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2742-1-50S	Magnum® PRO Nozzle - 350A Thread-on Stickout 1/2 in (12.7 mm) ID	923589298	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2742-1-62F	350A Thread-On Nozzle Flush 5/8"ID	91170794	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP2742-1-62F-B25	Magnum® PRO Nozzle - 350A Thread-on Flush 5/8 in ID (25/pack)	923585845	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP2742-1-62R	Magnum® PRO Nozzle - 350A Thread-on Recess 5/8 in (15.9 mm) ID	99860427	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2742-1-62R-B25	Magnum® PRO Nozzle - 350A Thread-on Recess 5/8 in (15.9 mm) ID - 25/pack	922503538	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2742-1-62S	Magnum® PRO Nozzle - 350A Thread-on Stickout 5/8 in ID	923589025	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2742-1-62S-B25	Magnum® PRO Nozzle - 350A Thread-on Stickout 5/8in(15.9mm)ID- 25/pack	923584929	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2742-2-50F	Magnum® PRO Nozzle - 350A Slip-on Flush 1/2 in (12.7 mm) ID	923585368	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, slip-on** no part # **NE**
KP2742-2-50R	Magnum® PRO Nozzle - 350A Slip-on Recess 1/2 in (12.7 mm) ID	923589324	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2742-2-50R-B25	Magnum® PRO Nozzle - 350A Slip-on Recess 1/2 in (12.7 mm) ID - 25/pack	923585017	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2742-2-50S	Magnum® PRO Nozzle - 350A Slip-on Stickout 1/2 in (12.7 mm) ID	923589378	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP2742-2-50S-B25	Magnum® PRO Nozzle - 350A, Slip-on, Stickout, 1/2in(12.7mm) ID - 25/pack	925688036	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP2742-2-62F	Magnum® PRO Nozzle - 350A Slip-on Flush 5/8 in (15.9 mm) ID	923589369	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, slip-on** no part # **NE**
KP2742-2-62F-B25	Magnum® PRO Nozzle - 350A Slip-on Flush 5/8 in (15.9 mm) ID - 25/pack	923585210	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, slip-on** no part # **NE**
KP2742-2-62R	Magnum® PRO Nozzle - 350A Slip-on Recess 5/8 in (15.9 mm) ID	923588866	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2742-2-62S	Magnum® PRO Nozzle - 350A Slip-on Stickout 5/8 in (15.9 mm) ID	923588901	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP2742-2-62S-B25	Magnum® PRO Nozzle - 350A Slip-on Stickout 5/8in(15.9mm) ID - 25/pack	923584280	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP2743-1-38F	Magnum® PRO Nozzle - 550A Thread-on Flush 3/8 in (9.5 mm) ID	923589173	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, flush, thread-on** no part # **NE**
KP2743-1-38R	Magnum® PRO Nozzle - 550A Thread-on Recess 3/8 in (9.5 mm) ID	923589330	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-38R-B25	Magnum® PRO Nozzle - 550A Thread-on Recess 3/8 in (9.5 mm) ID - 25/pack	923584703	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, 1/8 in recess, thread-on** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2743-1-38S	Magnum® PRO Nozzle - 550A Thread-on Stickout 3/8 in (9.5 mm) ID	923589302	**Tregaskiss TOUGH LOCK nozzle: 3/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2743-1-50F	Magnum® PRO Nozzle - 550A Thread-on Flush 1/2 in (12.7 mm) ID	923585500	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP2743-1-50R	Magnum® PRO Nozzle - 550A Thread-on Recess 1/2 in (12.7 mm) ID	923589004	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-50R-B25	Magnum® PRO Nozzle - 550A Thread-on Recess 1/2 in (12.7 mm) ID - 25/pack	923589272	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-50S	Magnum® PRO Nozzle - 550A Thread-on Stickout 1/2 in (12.7 mm) ID	923589044	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2743-1-62F	550A Thread-On Nozzle Flush 5/8"ID	91170795	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP2743-1-62F-B25	Magnum® PRO Nozzle - 550A Thread-on Flush 5/8 in ID (25/pack)	923585032	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP2743-1-62R	Magnum® PRO Nozzle - 550A Thread-on Recess 5/8 in (15.9 mm) ID	922503536	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-62R-B25	Magnum® PRO Nozzle - 550A Thread-on Recess 5/8 in (15.9 mm) ID - 25/pack	922503543	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-62RA	Magnum® PRO Nozzle - 550A Thread-on Recess Aluminum 5/8 in ID	922503533	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-62S	Magnum® PRO Nozzle - 550A Thread-on Stickout 5/8 in (15.9 mm) ID	923589381	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2743-1-62S-B25	Magnum® PRO Nozzle - 550A Thread-on Stickout 5/8 in ID (25/pack)	923585575	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2743-1-75F	Magnum® PRO Nozzle - 550A Thread-on Flush 3/4 in (19.1 mm) ID	923588945	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP2743-1-75F-B25	Magnum® PRO Nozzle - 550A Thread-on Flush 3/4 in (19.1 mm) ID - 25/pack	923585172	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP2743-1-75R	Magnum® PRO Nozzle - 550A Thread-on Recess 3/4 in (19.1 mm) ID	922503532	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-75R-B25	Magnum® PRO Nozzle - 550A Thread-on Recess 3/4 in (19.1 mm) ID - 25/pack	922503535	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP2743-1-75S	Magnum® PRO Nozzle - 550A Thread-on Stickout 3/4 in (19.1 mm) ID	923589425	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2743-1-75S-B25	Magnum® PRO Nozzle - 550A Thread-on Stickout 3/4in(19.1mm)ID- 25/pack	923585781	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP2743-2-62F	Nozzle 550A Slip-on Flush 5/8 in (15.9 mm) inner diameter	923589415	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, slip-on** no part # **NE**
KP2743-2-62F-B25	Nozzle 550A Slip-on Flush 5/8 in (15.9 mm) inner diameter - 25/pack	923585266	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, slip-on** no part # **NE**
KP2743-2-62R	Nozzle 550A Slip-on 1/8 in (3.2 mm) Recess 5/8 in (15.9 mm) inner diameter	923586035	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2743-2-62R-B25	Nozzle 550A Slip-on 1/8 in (3.2 mm) Recess 5/8 in (15.9 mm) inner diameter - 25/pack	923584921	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2743-2-62S	Nozzle 550A Slip-on 1/8" (3.2 mm) Stickout 5/8" (15.9 mm) inner diameter	923585517	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP2743-2-75F	Nozzle 550A Slip-on Flush 3/4 in (19 mm) inner diameter	923588872	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, slip-on** no part # **NE**
KP2743-2-75R	Nozzle 550A Slip-on 1/8 in (3.2 mm) Recess 3/4 in (19 mm) inner diameter	923588913	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2743-2-75R-B25	Nozzle 550A Slip-on 1/8 in (3.2 mm) Recess 3/4 in (19 mm) inner diameter - 25/pack	923585862	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, slip-on** no part # **NE**
KP2743-2-75S	Nozzle 550A Slip-on 1/8 in (3.2 mm) Stickout 3/4 in (19 mm) inner diameter	923589224	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in stickout, slip-on** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2743-2-75S-B25	Nozzle 550A Slip-on 1/8 in (3.2 mm) Stickout 3/4 in (19 mm) inner diameter - 25/pack	923585997	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP2744-025	Copper Plus® Contact Tip - 350A Standard .025 in (0.6 mm) - 10/pack	922503554	**Tregaskiss TOUGH LOCK contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-025-B100	Copper Plus® Contact Tip - 350A Standard .025 in (0.6 mm) - 100/pack	923586351	**Tregaskiss TOUGH LOCK contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-025T †	Copper Plus® Contact Tip - 350A Tapered .025 in (0.6 mm) - 10/pack	922503583	**Tregaskiss TOUGH LOCK contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-025T †	Copper Plus® Contact Tip - 350A Tapered .025 in (0.6 mm) - 10/pack	925372441	**Tregaskiss TOUGH LOCK contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-025T-B100	Copper Plus® Contact Tip - 350A Tapered .025 in (0.6 mm) - 100/pack	923585543	**Tregaskiss TOUGH LOCK contact tip for 0.025 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030	Copper Plus® Contact Tip - 350A Standard .030 in (0.8 mm) - 10/pack	922503569	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030-B100	Copper Plus® Contact Tip - 350A Standard .030 in (0.8 mm) - 100/pack	923586344	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030A	Copper Plus® Contact Tip - 350A Aluminum .030 in (.8 mm) - 10/pack	923584822	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030A-B100	Copper Plus® Contact Tip - 350A Aluminum .030 in (.8 mm) - 100/pack	923585989	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030T †	Copper Plus® Contact Tip - 350A Tapered .030 in (0.8 mm) - 10/pack	922503572	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030T †	Copper Plus® Contact Tip - 350A Tapered .030 in (0.8 mm) - 10/pack	925372442	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-030T-B100	Copper Plus® Contact Tip - 350A Tapered .030 in (0.8 mm) - 100/pack	923585249	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035	Copper Plus® Contact Tip - 350A Standard 0.035 in	91141791	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035-B100	Copper Plus® Contact Tip - 350A Standard 0.035 in (100/pack)	920116698	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035A	Copper Plus® Contact Tip - 350A Aluminum 0.035 in (10/pack)	922503585	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035A-B100	Copper Plus® Contact Tip - 350A Aluminum 0.035 in (100/pack)	923586222	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035AT	Copper Plus® Contact Tip - 350A Aluminum Tapered 0.035 in (10/pack)	922503581	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035T †	Copper Plus Contact Tip - 350A Tapered 0.035 in	2333223	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035T †	Copper Plus® Contact Tip - 350A Tapered 0.035 in (10/pack)	923574782	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2744-035T †	Copper Plus® Contact Tip - 350A Tapered 0.035 in (10/pack)	925372443	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-035T-B100	Tapered Tip Contact Copper Plus 0.035" 100Ct	920116708	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-040	Copper Plus® Contact Tip - 350A Standard .040 in (1.0 mm) - 10/pack	923589371	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-040-B100	Copper Plus® Contact Tip - 350A Standard .040 in (1.0 mm) - 100/pack	923586255	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-040T	Copper Plus® Contact Tip - 350A Tapered .040 in (1.0 mm) - 10/pack	923589052	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-040T-B100	Copper Plus® Contact Tip - 350A Tapered .040 in (1.0 mm) - 100/pack	923586135	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-045-B100	Contact Tip Copper Plus 50A 0.045 100Ct	920116696	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-045T	Copper Plus Contact Tip - 350A Tapered 0.045	99860426	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-045T-B100	Copper Plus® Contact Tip - 350A Tapered 0.045 in (100/pack)	922503549	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-052	Copper Plus® Contact Tip - 350A Standard .052 in (1.3 mm) - 10/pack	922445406	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-052-B100	Copper Plus® Contact Tip - 350A Standard .052 in (1.3 mm) - 100/pack	922503567	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-052T	Copper Plus® Contact Tip - 350A Tapered .052 in (1.3 mm) - 10/pack	923586330	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-052T-B100	Copper Plus® Contact Tip - 350A Tapered .052 in (1.3 mm) - 100/pack	923585901	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116	Copper Plus® Contact Tip - 350A Standard 1/16 in (10/pack)	922503560	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116-B100	Copper Plus® Contact Tip - 350A Standard 1/16 in (100/pack)	923586260	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116A	Copper Plus® Contact Tip - 350A Aluminum 1/16 in (10/pack)	923585194	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116A-B100	Copper Plus® Contact Tip - 350A Aluminum 1/16 in (100/pack)	923586120	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116AT	Copper Plus® Contact Tip - 350A Aluminum Tapered 1/16 in (10/pack)	923584973	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116AT-B100	Copper Plus® Contact Tip - 350A Aluminum Tapered 1/16 in (100/pack)	923586140	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116AT5356	Copper Plus® Contact Tip - 350A 5356 Aluminum Tapered 1/16 in (10/pack)	923584790	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2744-116T	Copper Plus® Contact Tip - 350A Tapered 1/16 in (10/pack)	923589020	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-116T-B100	Copper Plus® Contact Tip - 350A Tapered 1/16 in (100/pack)	923585985	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-364A	3/64" Copper Plus® Contact Tip	91170799	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-364A-B100	Copper Plus® Contact Tip - 350A Aluminum 3/64 in (1.2 mm) - 100/pack	923589293	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-364A5356	Copper Plus® Contact Tip - 350A 5356 Aluminum 3/64 in (1.2 mm) - 10/pack	923585049	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-364AT	Copper Plus® Contact Tip - 350A Aluminum Tapered 3/64 in (1.2 mm) - 10/pack	922503579	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-364AT-B100	Copper Plus® Contact Tip - 350A Aluminum Tapered 3/64 in (1.2 mm) - 100/pack	923586316	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-364AT5356	Copper Plus® Contact Tip - 350A 5356 Aluminum Tapered 3/64in(1.2mm) - 10/pack	923584559	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-564	Copper Plus® Contact Tip - 350A Aluminum 5/64 in (2.0 mm) - 10/pack	923589388	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-564-B100	Copper Plus® Contact Tip - 350A Aluminum 5/64 in (2.0 mm) - 100/pack	923585927	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-564T	Copper Plus® Contact Tip - 350A Tapered 5/64 in (2.0 mm) - 10/pack	923589094	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2744-564T-B100	Copper Plus® Contact Tip - 350A Tapered 5/64 in (2.0 mm) - 100/pack	923586311	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-18	Copper Plus® Contact Tip - 550A Standard 1/8 in (3.2 mm) - 10/pack	923589259	**Tregaskiss TOUGH LOCK contact tip for 1/8 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-18-B100	Copper Plus® Contact Tip - 550A Standard 1/8 in (3.2 mm) - 100/pack	923584902	**Tregaskiss TOUGH LOCK contact tip for 1/8 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-030A	Copper Plus® Contact Tip - 550A Aluminum .030 in (0.8 mm) - 10/pack	923589174	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-030A-B100	Copper Plus® Contact Tip - 550A Aluminum .030 in (0.8 mm) - 100/pack	923585680	**Tregaskiss TOUGH LOCK contact tip for 0.030 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035	Copper Plus® Contact Tip - 550A Standard 0.035 in	922503564	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035-B100 †	Copper Plus® Contact Tip - 550A Standard 0.035 in (100/pack)	922503577	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035-B100 †	Copper Plus® Contact Tip 550A Standard 0.035"	925640416	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035A	Copper Plus® Contact Tip - 550A Aluminum 0.035 in (10/pack)	922503552	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2745-035A-B100	Copper Plus® Contact Tip - 550A Aluminum 0.035 in (100/pack)	923585136	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035AT	Copper Plus® Contact Tip - 550A Aluminum Tapered 0.035 in (10/pack)	922503589	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035R	Copper Plus® Contact Tip - 550A Extended Life 0.035 in (10/pack)	922503566	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035R-B100	Copper Plus® Contact Tip - 550A Extended Life 0.035 in (100/pack)	922503553	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035T	Copper Plus® Contact Tip - 550A Tapered 0.035 in (10/pack)	923589049	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-035T-B100	Copper Plus® Contact Tip - 550A Tapered 0.035 in (100/pack)	923585155	**Tregaskiss TOUGH LOCK contact tip for 0.035 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-040	Copper Plus® Contact Tip - 550A Standard .040 in (1.0 mm) - 10/pack	922503562	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-040-B100	Copper Plus® Contact Tip - 550A Standard .040 in (1.0 mm) - 100/pack	923585259	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-040R	Copper Plus® Contact Tip - 550A Extended Life .040 in (1.0 mm) - 10/pack	923589373	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-040R-B100	Copper Plus® Contact Tip - 550A Extended Life .040 in (1.0 mm) - 100/pack	923584917	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-040T	Copper Plus® Contact Tip - 550A Tapered .040 in (1.0 mm) - 10/pack	923588982	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-040T-B100	Copper Plus® Contact Tip - 550A Tapered .040 in (1.0 mm) - 100/pack	923584934	**Tregaskiss TOUGH LOCK contact tip for 0.040 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-045	Copper Plus® Contact Tip - 550A Standard 0.045 in	91170798	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-045-B100	Copper Plus® Contact Tip - 550A Standard 0.045 in	922503571	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-045R	Copper Plus® Contact Tip - 550A Extended Life 0.045 in	922503561	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-045R-B100	Copper Plus® Contact Tip - 550A Extended Life 0.045 in (100/pack)	922503578	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-045T	Copper Plus® Contact Tip - 550A Tapered 0.045 in (10/pack)	923588875	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-045T-B100	Copper Plus® Contact Tip - 550A Tapered 0.045 in (100/pack)	923589080	**Tregaskiss TOUGH LOCK contact tip for 0.045 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-052	Copper Plus® Contact Tip - 550A Standard .052 in (1.3 mm) - 10/pack	922503565	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-052-B100	Copper Plus® Contact Tip - 550A Standard .052 in (1.3 mm) - 100/pack	923584993	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2745-052R	Copper Plus® Contact Tip - 550A Extended Life .052 in (1.3 mm) - 10/pack	923589135	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-052R-B100	Copper Plus® Contact Tip - 550A Extended Life .052 in (1.3 mm) - 100/pack	923585315	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-052T	Copper Plus® Contact Tip - 550A Tapered .052 in (1.3 mm) - 10/pack	923588972	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-052T-B100	Copper Plus® Contact Tip - 550A Tapered .052 in (1.3 mm) - 100/pack	923584821	**Tregaskiss TOUGH LOCK contact tip for 0.052 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-072	Copper Plus® Contact Tip - 550A Standard .068-.072 in (1.7-1.8 mm) - 10/pack	922503574	**Tregaskiss TOUGH LOCK contact tip for 0.068-0.072 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-072-B100	Copper Plus® Contact Tip - 550A Standard .068-.072 in (1.7-1.8 mm) - 100/pack	923584839	**Tregaskiss TOUGH LOCK contact tip for 0.068-0.072 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-072R	Copper Plus® Contact Tip - 550A Extended Life .068-.072in(1.7-1.8mm) - 10/pack	923585587	**Tregaskiss TOUGH LOCK contact tip for 0.068-0.072 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-072R-B100	Copper Plus® Contact Tip- 550A Extended Life .068-.072in(1.7-1.8mm) - 100/pack	923585426	**Tregaskiss TOUGH LOCK contact tip for 0.068-0.072 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116	Copper Plus® Contact Tip - 550A Standard 1/16 in (10/pack)	922503559	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116-B100	Copper Plus® Contact Tip - 550A Standard 1/16 in (100/pack)	922503588	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116A	Copper Plus® Contact Tip - 550A Aluminum 1/16 in (10/pack)	923589093	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116A-B100	Copper Plus® Contact Tip - 550A Aluminum 1/16 in (100/pack)	923585430	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116AT	Copper Plus® Contact Tip - 550A Aluminum Tapered 1/16 in (10/pack)	922503551	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116AT-B100	Copper Plus® Contact Tip - 550A Aluminum Tapered 1/16 in (100/pack)	923585590	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116AT5356	Copper Plus® Contact Tip - 550A 5356 Aluminum Tapered 1/16 in (10/pack)	923589063	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116R	Copper Plus® Contact Tip - 550A Extended Life 1/16 in (10/pack)	923585639	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116R-B100	Copper Plus® Contact Tip - 550A Extended Life 1/16 in (100/pack)	922503573	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116T	Copper Plus® Contact Tip - 550A Tapered 1/16 in (10/pack)	923589030	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-116T-B100	Copper Plus® Contact Tip - 550A Tapered 1/16 in (100/pack)	923585089	**Tregaskiss TOUGH LOCK contact tip for 1/16 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2745-332	Copper Plus® Contact Tip - 550A Standard 3/32 in (2.4 mm) - 10/pack	923589172	**Tregaskiss TOUGH LOCK contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-332-B100	Copper Plus® Contact Tip - 550A Standard 3/32 in (2.4 mm) - 100/pack	923585288	**Tregaskiss TOUGH LOCK contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-332R	Copper Plus® Contact Tip - 550A Extended Life 3/32 in (2.4 mm) - 10/pack	923585910	**Tregaskiss TOUGH LOCK contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-332R-B100	Copper Plus® Contact Tip - 550A Extended Life 3/32 in (2.4 mm) - 100/pack	923584994	**Tregaskiss TOUGH LOCK contact tip for 3/32 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-364A	Copper Plus® Contact Tip - 550A Aluminum 3/64 in (1.2 mm) - 10/pack	922503568	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-364A-B100	Copper Plus® Contact Tip - 550A Aluminum 3/64 in (1.2 mm) - 100/pack	923585476	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-364A5356	Contact Tip 3/64 (1.2Mm) 550A (5356 Al)	923585667	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-364AT	Copper Plus Contact Tip - 550A Aluminum Tapered 3/64 in (1.2	921704283	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-364AT-B100	Copper Plus® Contact Tip - 550A Aluminum Tapered 3/64 in (1.2 mm) - 100/pack	923584978	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-364AT5356	Copper Plus® Contact Tip - 550A 5356 Aluminum Tapered 3/64in(1.2mm) - 10/pack	922503575	**Tregaskiss TOUGH LOCK contact tip for 3/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-564	Copper Plus® Contact Tip - 550A Standard 5/64 in (2.0 mm) - 10/pack	922503556	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-564-B100	Copper Plus® Contact Tip - 550A Standard 5/64 in (2.0 mm) - 100/pack	923584894	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-564R	Copper Plus® Contact Tip - 550A Extended Life 5/64 in (2.0 mm) - 10/pack	922503576	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-564R-B100	Copper Plus® Contact Tip - 550A Extended Life 5/64 in (2.0 mm) - 100/pack	923585083	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-564T	Tapered Contact Tip 550A 5/64	923584999	**Tregaskiss TOUGH LOCK contact tip for 5/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-764	Copper Plus® Contact Tip - 550A Standard 7/64 in (2.8 mm) - 10/pack	923589187	**Tregaskiss TOUGH LOCK contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-764-B100	Copper Plus® Contact Tip - 550A Standard 7/64 in (2.8 mm) - 100/pack	923583715	**Tregaskiss TOUGH LOCK contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-764R	Copper Plus® Contact Tip - 550A Extended Life 7/64 in (2.8 mm) - 10/pack	923585981	**Tregaskiss TOUGH LOCK contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2745-764R-B100	Copper Plus® Contact Tip - 550A Extended Life 7/64 in (2.8 mm) - 100/pack	923584565	**Tregaskiss TOUGH LOCK contact tip for 7/64 in wire (with the Conversion Series diffuser for Lincoln Magnum PRO)** no part # **NE**
KP2746-1	Magnum® PRO Diffuser - 350A Thread-On	922503666	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2746-1-B25	Magnum® PRO Diffuser - 350A Thread-On (25/pack)	91170792	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP2746-2	Magnum® PRO Diffuser - 350A Slip-On	923585095	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP2746-2-B25	Magnum® PRO Diffuser - 350A Slip-On - 25/pack	923585574	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP2747-1	Magnum® PRO Diffuser - 550A Thread-On	91170790	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP2747-1-B25	Magnum® PRO Diffuser - 550A Thread-On (25/pack)	922503669	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP2747-1A	Magnum® PRO Diffuser - 550A Thread-On Aluminum	922503668	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP2747-1A-B25	Magnum® PRO Diffuser - 550A Thread-On Aluminum (25/pack)	923585105	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP2747-2	Diffuser Slip-on 550A	923585822	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP2747-2-B25	Magnum® PRO Diffuser - 550A Slip-On - 25/pack	923585970	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP2768-116	Cable Liner Robotic W/C Up To 1/16	923585295	**Bernard QUICK LOAD / E-Z Feed liner for 1/16 in wire** no part # **NE**
KP2773-1	Magnum® PRO Insulator - 550A	922503704	**AccuLock R insulator 402-28 (Lincoln Magnum PRO conversion)** Part # 402-28 **SM**
KP2773-1-B25	Magnum® PRO Insulator - 550A (25/pack)	922503705	**AccuLock R insulator 402-28 (Lincoln Magnum PRO conversion)** Part # 402-28 **SM**
KP2773-2	Magnum® PRO Insulator - 350A	920116699	**AccuLock R insulator 402-28 (Lincoln Magnum PRO conversion)** Part # 402-28 **SM**
KP2773-2-B25	Magnum® PRO Insulator - 350A (25/pack)	920116705	**AccuLock R insulator 402-28 (Lincoln Magnum PRO conversion)** Part # 402-28 **SM**
KP2866-45	Gun Tube 45° Magnum® PRO 250	923586121	
KP2866-60	Gun Tube 60° Magnum® PRO 250	923586177	
KP2867-45	Gun Tube 45° Magnum® PRO 350	923586174	
KP2867-60	Gun Tube 60° Magnum® PRO 350	922503598	
KP2868-45	Gun Tube 45° Magnum® PRO 450	923585662	
KP2868-60	Gun Tube 60° Magnum® PRO 450	923585541	
KP2868-82	Gun Tube 82° Magnum® PRO 550A	923585339	
KP2868-180	Gun Tube 180° Magnum® PRO 450	923585059	
KP2869-45	Gun Tube 45° Magnum® PRO 550	923585561	
KP2869-60	Gun Tube 60° Magnum® PRO 550	922503605	
KP2869-60L	Gun Tube Extended 60° for Magnum® PRO 550	923585952	
KP2869-60SN	Gun Tube 60° Short Neck Magnum® PRO 550	923584977	
KP2869-180	Gun Tube 180° Magnum® PRO 550	923585002	
KP2870-1	Locking Trigger Kit	925033535	
KP2876-1	Drive Roll - .035 - 3/64 in. (0.9 - 1.2 mm)	922503618	
KP2876-2	Drive Roll - 1/16 in. (1.6 mm)	923585866	
KP2877-45	Gun Barrel 45[DEG} Angle Air-Cooled Cooling System	925688135	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2877-60	Gun Barrel 60° Angle Air-Cooled Cooling System	922503595	
KP2877-180	Gun Barrel 180° Angle Air-Cooled Cooling System	922503599	
KP2879-1	Barrel Liner 45° and 60° Angle (.035 - 1/16 in.)	922503676	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-1/16 in wire** no part # **NE**
KP2879-2	Barrel Liner 180° Angle (.035 - 1/16 in.)	922503687	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-1/16 in wire** no part # **NE**
KP2879-3	Neck wire liner plastic (035-1/16 in) 45° & 60° necks	922503683	**Bernard QUICK LOAD / E-Z Feed liner for 1/16 in wire** no part # **NE**
KP2879-4	45/60° 550 Amp Expendable Liner	922503682	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP2879-5	180° 550 Amp Expendable Liner	922503686	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP2881-15	Wire Conduit 15 ft. (4.5 m) .035 - 1/16 in. (0.9 - 1.6 mm)	925688084	
KP2881-25	Wire Conduit 25 ft. (7.6 m) .035 - 1/16 in. (0.9 - 1.6 mm)	925688083	
KP2881-50	Wire Conduit 50 ft. (15.2 m) .035 - 1/16 in. (0.9 - 1.6 mm)	925688082	
KP2906-30	30° Non-Reverse Bend 6 in (152 mm)	925033647	
KP2906-30-L	Magnum® PRO Gun Tube - 30° Non-Reverse Bend 12" (305 mm)	923584835	
KP2906-30R	Magnum® PRO Gun Tube - 30° Reverse Bend 6" (152 mm)	923585045	
KP2906-30R-L	30° Reverse Bend 12 in (305 mm)	923585456	
KP2906-62	62° Non-Reverse Bend 6 in (152 mm)	923585124	
KP2906-62R	62° Reverse Bend 6 in (152 mm)	923585531	
KP2907-1	K126® PRO Innershield® Insulator	922445414	
KP2908-1	K126® PRO Innershield® Tip Holder	922445411	
KP2918-22	22° Thru-Arm Gooseneck (Tregaskiss™)	923585991	**Tregaskiss thru-arm gooseneck (same angle, from the TA3/Atlas range)** no part # **NE**
KP2918-45	45° Thru-Arm Gooseneck (Tregaskiss™)	923585779	**Tregaskiss thru-arm gooseneck (same angle, from the TA3/Atlas range)** no part # **NE**
KP2919-22	22° Thru-Arm Gooseneck (Binzel)	923584976	
KP2919-45	45° Thru-Arm Gooseneck (Binzel)	923585181	
KP2919-180	180° Thru-Arm Gooseneck (Binzel)	923585395	
KP2924-30	Magnum Pro 200A Curve 30 Degree Gun Tube	923589308	
KP2924-45	Gun Tube Assembly 45° (200 Amp)	923589407	
KP2924-60	Gun Tube Assembly 60° (200 Amp)	923588991	
KP2925-30	Magnum Pro Curve 30 Deg	923585031	
KP2925-45	Gun Tube Assembly 45° (300 Amp)	922503593	
KP2925-60	Gun Tube Assembly 60° (300 Amp)	922503610	
KP2926-45	Gun Tube Assembly 45° (400 Amp)	922503591	
KP2926-60	Gun Tube Assembly 60° (400 Amp)	920116697	
KP2926-60L	Gun Tube Extended 60° for Magnum® PRO 400	923586081	
KP2926-82	Gun Tube Assembly 82° (400 Amp)	923586031	
KP2935-072	Innershield® Contact Tip - 350A Extended Life .072 in. - 10/pack	923585616	
KP2935-116	Innershield® Contact Tip - 350A Extended Life 1/16 in. - 10/pack	923585376	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2935-332	Innershield® Contact Tip - 350A Extended Life 3/32 in. - 10/pack	923585637	
KP2935-564	Innershield Contact Tip 5/64 Ext Life	923584963	
KP2948-1	Flux-Cored/MIG Wire Drive Roll .025 - .035 in (0.6 - 0.9 mm)	923586062	
KP3049-1	DIFFUSER CAP ROBOTIC W/C	923585131	
KP3050-2-75R	Nozzle Rob. Slip-On 1/8R .750 Id	923585160	**Bernard Centerfire nozzle: .750 in bore, slip-on** no part # **NE**
KP3056-22	Gooseneck 22° Robotic A/C LECO TCP	923586110	
KP3056-45	Gooseneck 45° Robotic A/C LECO TCP	923586064	
KP3056-180	Gooseneck 180° Robotic A/C LECO TCP	923584915	
KP3057-22	Gooseneck 22° Robotic A/C TREG TCP	923585973	**Tregaskiss thru-arm gooseneck (same angle, from the TA3/Atlas range)** no part # **NE**
KP3075-1-38F	Magnum® PRO 100L & 175L Gas Nozzle - Flush 3/8 in. ID	922503541	
KP3075-1-38F-B25	Magnum® PRO 100L & 175L Gas Nozzle - Flush 3/8 in. ID - 25/pack	923586254	
KP3075-1-38S	Magnum® PRO 100L & 175L Gas Nozzle - 1/4 in. Stickout 3/8 in. ID	923589243	
KP3075-1-38S-B25	Magnum® PRO 100L & 175L Gas Nozzle - 1/4 in. Stickout 3/8 in. ID - 25/pack	923585800	
KP3075-1-50F †	Magnum® PRO 100L & 175L Gas Nozzle - Flush 1/2 in ID	922503542	
KP3075-1-50F †	Magnum® PRO 100L & 175L Gas Nozzle - Flush 1/2 in ID	925372444	
KP3075-1-50F-B25	Magnum® PRO 100L & 175L Gas Nozzle - Flush 1/2 in ID (25/pack)	923585941	
KP3075-1-50S	Magnum® PRO 100L & 175L Gas Nozzle - 1/4 in. Stickout 1/2 in. ID	923589346	
KP3075-1-50S-B25	Magnum® PRO 100L & 175L Gas Nozzle - 1/4 in. Stickout 1/2 in. ID (25/pack)	923585834	
KP3076-1	Magnum® PRO 100L Gas Diffuser	922503667	
KP3076-1-B25	Magnum® PRO 100L Gas Diffuser (25/pack)	923585186	
KP3078-45	Gun Tube 45° for Magnum® PRO 250L	923584942	
KP3078-60	Gun Tube 60° for Magnum® PRO 250L	923585198	
KP3082-60	Gun Tube 60° for Magnum® PRO 100L	923585113	
KP3084-1 †	Magnum® PRO 100L & 175L Gasless Nozzle	922503547	
KP3084-1 †	Magnum® PRO 100L & 175L Gasless Nozzle	925372445	
KP3084-1-B25	Magnum® PRO 100L & 175L Gasless Nozzle - 25/pack	923586265	
KP3141-1	Magnum® PRO Light Duty Diffuser Thread-on 350A	923589329	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP3141-1-B25	Magnum® PRO Light Duty Diffuser Thread-on 350A - 25/pack	923585897	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP3155-1	Diffuser Thread-on 1/4 Recess 550A	923589156	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP3155-1-B25	Diffuser Thread-on 1/4 Recess 550A - 25/pack	923585935	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP3160-1-50F	350A Thread-On Nozzle Flush Bottleneck 1/2"ID	91170796	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP3160-1-50R	Magnum® PRO 350A Gas Nozzle - Bottleneck 1/8 in. Recess Thread-On 1/2 in. ID	922503534	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3160-1-50R-B25	Nozzle 350A Thread On 1/8 Recess Bottleneck 1/2 ID	920116701	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess** no part # **NE**
KP3160-1-50S	Magnum® PRO 350A Gas Nozzle - Bottleneck 1/8 in. Stickout Thread-On 1/2 in. ID	923589186	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP3160-1-50S-B25	Magnum® PRO 350A Gas Nozzle - Bottleneck 1/8 in. Stickout Thread-On 1/2 in. ID - 25/pack	923585106	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP3161-1-62F	550A Thread-On Nozzle Flush Bottleneck 5/8"ID	91170797	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP3161-1-62F-B25	Magnum® PRO 550A Gas Nozzle - Bottleneck Flush Thread-On 5/8 in. ID - 25/pack	923589048	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP3161-1-62R	Magnum® PRO 550A Gas Nozzle - Bottleneck 1/8 in. Recess Thread-On 5/8 in. ID	922503545	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3161-1-62R-B25	Magnum® PRO 550A Gas Nozzle - Bottleneck 1/8 in. Recess Thread-On 5/8 in. ID - 25/pack	923585947	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3161-1-62S	Magnum® PRO 550A Gas Nozzle - Bottleneck 1/8 in. Stickout Thread-On 5/8 in. ID	923588878	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP3161-1-62S-B25	Magnum® PRO 550A Gas Nozzle - Bottleneck 1/8 in. Stickout Thread-On 5/8 in. ID - 25/pack	923586037	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP3199-1	Wire Guide Kit	923584984	
KP3200-1	Flexible Gun Tube Assembly (400 Amp)	922503596	
KP3200-2	Magnum Pro Barrel Flexible Gun Tube	923584650	
KP3200-3	Magnum Pro K126 Flexible Gun Tube	923585142	
KP3267-1	30° Non-Reverse Classic® Braided 12 in. (305 mm) Gun Tube	922503601	
KP3285-1	Flux-Cored/MIG Wire Drive Roll .035 - .045 in (0.9 - 1.1 mm)	923586173	
KP3325-1	Gun Tube Assembly	923584890	
KP3354-22	22° Thru-Arm Gooseneck (Tregaskiss™)	923585399	**Tregaskiss thru-arm gooseneck (same angle, from the TA3/Atlas range)** no part # **NE**
KP3354-22L5	Gooseneck Thru The Arm	923586225	
KP3354-45	45° Thru-Arm Gooseneck (Tregaskiss™)	923585536	**Tregaskiss thru-arm gooseneck (same angle, from the TA3/Atlas range)** no part # **NE**
KP3355-22	22° Thru-Arm Gooseneck (Binzel™)	923585675	
KP3355-45	45° Thru-Arm Gooseneck (Binzel™)	923585515	
KP3355-180	180° Thru-Arm Gooseneck (Binzel™)	923585413	
KP3359-1-50F	Magnum® PRO 350A Gas Nozzle - Extended Reach Flush Thread-On 1/2 in. ID	923589250	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP3359-1-50F-B25	Magnum® PRO 350A Gas Nozzle - Extended Reach Flush Thread-On 1/2 in. ID - 25/pack	923585093	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP3359-1-50R	Magnum® PRO 350A Gas Nozzle - Extended Reach 1/8 in. Recess Thread-On 1/2 in. ID	91170791	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3359-1-50R-B25	Magnum® PRO 350A Gas Nozzle - Extended Reach 1/8 in. Recess Thread-On 1/2 in. ID - 25/pack	923584887	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3359-1-50S	350A Ext. Reach Nozzle .500 Id S/O	923589236	**Bernard Centerfire nozzle: .500 in bore, 1/8 in stickout** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP3359-1-50S-B25	350A Ext. Reach Nozzle .500 Id S/O	923585035	**Bernard Centerfire nozzle: .500 in bore, 1/8 in stickout** no part # **NE**
KP3360-1	Diffuser Thread-on Extended Reach 350A	91170803	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP3360-1-B25	Diffuser Thread-on Extended Reach 350A - 25/pack	923586139	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP3364-1	Jump Liner .035-.045 in (0.9-1.2 mm)	923586357	
KP3364-2	Jump Liner .052-.1/16 in (1.3-1.6 mm)	923585568	
KP3364-3	Jump Liner 1/16-5/64 in (1.6-2.0 mm)	923585084	
KP3364-4	Jump Liner .035/.045	923585525	
KP3364-5	AutoDrive® SA Gooseneck Jumpliner Steel .035-.045"	923585635	
KP3364-6	AutoDrive® SA Gooseneck Jumpliner Steel .052-1/16"	923585625	
KP3364-8	AutoDrive® SA Gooseneck Jumpliner Aluminum .035-1/16"	923586027	
KP3364-10	Jump Liner Aluminum	923585265	
KP3375-1	Water Cooled Nozzle #10 Cup 5/8 in (15.9 mm) Magnum® PRO	923585380	**Tregaskiss AccuLock R nozzle: bore size not stated** no part # **NE**
KP3376-1	Liner Package Magnum® Pro	923585516	**Bernard QUICK LOAD / E-Z Feed liner** no part # **NE**
KP3376-2	Gooseneck Liner	923585969	
KP3376-3	Magnum® PRO AL Gooseneck Liner - 5/pack	922503677	
KP3379-5	Magnum® PRO AL Coolant 5 Gl Barrel	925688293	
KP3380-1F	Flexible Gun Tube Assembly for Magnum® PRO® AL Push/Pull Gun	923585996	
KP3380-45	Gun Tube Assembly 45°	922503603	
KP3380-60	Gun Tube Assembly 60°	922503590	
KP3380-180	Gun Tube Assembly 180°	923586040	
KP3381-45	Gun Tube 45D WC Magnum® PRO	923585303	
KP3381-60	Gun Tube Assembly 60°	923584842	
KP3381-180	Gun Tube Assembly 180°	923585308	
KP3536-1	Diffuser O-Rings 350A	923585656	
KP3537-1	Diffuser O-Rings 550A	923585782	
KP3541-45	Gun Tube Assembly 45 Degree Air Cooled	922503594	
KP3541-60	Gun Tube Assembly 60 Degree Air Cooled	922503607	
KP3541-180	Gun Tube Assembly 180 Degree Air Cooled	922503609	
KP3542-45	Gun Tube Assembly 45 Degree Water Cooled	923585571	
KP3542-60	Gun Tube Assembly 60 Degree Water Cooled	922503600	
KP3542-180	Gun Tube Assembly 180 Degree Water Cooled	923584786	
KP3543-35116-15	Liner .035 - 1/16 in Aluminum 15 ft	922503681	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-1/16 in wire** no part # **NE**
KP3543-35116-25	Liner .035 - 1/16 in Aluminum 25 ft	922503685	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-1/16 in wire** no part # **NE**
KP3543-364116-35	Liner .035 - 1/16 in Aluminum 35 ft	923585669	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-1/16 in wire** no part # **NE**
KP3543-364116-50	Liner .035 - 1/16 in Aluminum 50 ft	925688040	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-1/16 in wire** no part # **NE**
KP3544-3545-15	Liner .035 -.045 in Steel 15 ft	922503684	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP3544-3545-25	Liner .035 -.045 in Steel 25 ft	922503694	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP3544-3545-35	Liner .035 -.045 in Steel 35 ft	923585504	**Bernard QUICK LOAD / E-Z Feed liner for 0.035-0.045 in wire** no part # **NE**
KP3546-035	Drive Roll - 035 in	922503611	
KP3546-364	Drive Roll - 3/64 in	922503612	
KP3547-116	Drive Roll - 1/16 (1.6) in Knurled	925688016	
KP3547-364	Drive Roll - 3/64 in Knurled	923585133	
KP3582-1	Magnum® PRO 550A Heavy Duty Gas Nozzle Body - Thread-On	923589213	**Tregaskiss TOUGH LOCK nozzle: bore size not stated, thread-on** no part # **NE**
KP3582-1-B25	Magnum® PRO 550A Heavy Duty Gas Nozzle Body - Thread-On - 25/pack	923589304	**Tregaskiss TOUGH LOCK nozzle: bore size not stated, thread-on** no part # **NE**
KP3583-1-62F	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - Flush Thread-On 5/8 in. ID	923586259	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP3583-1-62F-B25	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - Flush Thread-On 5/8 in. ID - 25/pack	923585976	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP3583-1-62R	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - 1/8 in. Recess Thread-On 5/8 in. ID	923589175	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3583-1-62R-B25	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - 1/8 in. Recess Thread-On 5/8 in. ID - 25/pack	923585992	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3583-1-75F	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - Flush Thread-On 3/4 in. ID	923589116	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP3583-1-75F-B25	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - Flush Thread-On 3/4 in. ID - 25/pack	923585856	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP3583-1-75R	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - 1/8 in. Recess Thread-On 3/4 in. ID	923588950	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3583-1-75R-B25	Magnum® PRO 550A Heavy Duty Gas Nozzle Front End - 1/8 in. Recess Thread-On 3/4 in. ID - 25/pack	923585314	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP3617-1-50F	350A Narrow Gap Nozzle .500 Id Flush	923588905	
KP3617-1-50F-B25	350A Narrow Gap Nozzle .500 Id Flush	923584830	
KP3617-1-50R	350A Narrow Gap Nozzle .500 Id Recess	923589273	
KP3617-1-50R-B25	350A Narrow Gap Nozzle .500 Id Recess	923584817	
KP3617-1-50S	350A Narrow Gap Nozzle .500 Id S/O	923589017	
KP3617-1-50S-B25	350A Narrow Gap Nozzle .500 Id S/O	923584699	
KP3682-45	45° Barrel W/ Nut	922837850	
KP3682-60	60° Barrel W/ Nut	922837854	
KP3682-180	180° Barrel W/ Nut	922837839	
KP3807-6	Conduit Liner 6 ft	923585756	
KP3807-50	AutoDrive® SA Push Conduit Liner - .035"-1/16" 50ft	923586220	
KP3979-1	Wire Guide .035-.045 in	923586276	
KP3979-2	Wire Guide .052-.1/16 in	923586032	
KP3979-3	Wire Guide 5/64 in	923584394	
KP3982-1	250A/350A Insulator	925688166	
KP3982-2	450A/550A Insulator	925688167	
KP3988-45	Gun Tube 45D A/W Fixed Magnum® PRO	923586287	
KP3988-60	Gun Tube Assembly 60°	923585725	
KP3989-1	Drive Roll 0.035 / 0.040 Insulated	923585185	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP3989-2	Drive Roll 3/64 - 1/16 Insulated	923585533	
KP3990-1	Drive Roll Insul Knurl Magnum® PRO	923584632	
KP3991-6	Conduit Liner 6 ft	922503693	
KP3991-15	Conduit Liner 15 ft Magnum® PRO	922503692	
KP3991-25	Conduit Liner 25 ft Magnum® PRO	922503689	
KP3991-35	Conduit Liner 35 ft Magnum® PRO	923584848	
KP3991-50	Conduit Liner 50 ft Magnum® PRO	923586123	
KP3992-364	Idler Roll Insul Knurl For 3/64 in Wire	925688068	
KP4069-1	Guide Tube Kit for K3344-1 Gun Adapter Kit	923585421	
KP4069-2	Guide Tube Kit for K3348-1 Gun Adapter Kit	923586322	
KP4069-3	Guide Tube Kit for K3349-1 Gun Adapter Kit	923586141	
KP4087-1	Gun Tube 60° for Magnum® PRO 175L	923589285	
KP4120-1-38F	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 3/8 in. ID	923589078	**Tregaskiss AccuLock R nozzle: 3/8 in bore, flush, thread-on** no part # **NE**
KP4120-1-38F-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 3/8 in. ID - 25/pack	923585116	**Tregaskiss AccuLock R nozzle: 3/8 in bore, flush, thread-on** no part # **NE**
KP4120-1-38R	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 3/8 in. ID	923584640	**Tregaskiss AccuLock R nozzle: 3/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-38R-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 3/8 in. ID - 25/pack	923585132	**Tregaskiss AccuLock R nozzle: 3/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-38S	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 3/8 in. ID	923584304	**Tregaskiss AccuLock R nozzle: 3/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4120-1-38S-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 3/8 in. ID - 25/pack	923585137	**Tregaskiss AccuLock R nozzle: 3/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4120-1-50F	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 1/2 in. ID	923589339	**Tregaskiss AccuLock R nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP4120-1-50F-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 1/2 in. ID - 25/pack	923585042	**Tregaskiss AccuLock R nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP4120-1-50R	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 1/2 in. ID	923589260	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-50R-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 1/2 in. ID - 25/pack	923584645	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-50S	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 1/2 in. ID	923588938	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4120-1-50S-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 1/2 in. ID - 25/pack	923584971	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4120-1-62F	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 5/8 in. ID	923588888	**Tregaskiss AccuLock R nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP4120-1-62F-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 5/8 in. ID - 25/pack	923584834	**Tregaskiss AccuLock R nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP4120-1-62R	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 5/8 in. ID	923589119	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-62R-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 5/8 in. ID - 25/pack	923584878	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-62S	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 5/8 in. ID	923589268	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4120-1-62S-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 5/8 in. ID - 25/pack	923584732	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4120-1-75F	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 3/4 in. ID	923588987	**Tregaskiss AccuLock R nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP4120-1-75F-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On Flush 3/4 in. ID - 25/pack	923586290	**Tregaskiss AccuLock R nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP4120-1-75R	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 3/4 in. ID	923588944	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-75R-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Recess 3/4 in. ID - 25/pack	923586272	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4120-1-75S	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 3/4 in. ID	923589109	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4120-1-75S-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Thread-On 1/8 in. Stickout 3/4 in. ID - 25/pack	923586117	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4121-1-50F	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On Flush 1/2 in. ID	923589394	**Tregaskiss AccuLock R nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP4121-1-50F-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On Flush 1/2 in. ID - 25/pack	923586133	**Tregaskiss AccuLock R nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP4121-1-50R	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Recess 1/2 in. ID	923589166	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4121-1-50R-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Recess 1/2 in. ID - 25/pack	923586348	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4121-1-50S	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Stickout 1/2 in. ID	923589340	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4121-1-50S-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Stickout 1/2 in. ID - 25/pack	923586104	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4121-1-62F	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On Flush 5/8 in. ID	923589316	**Tregaskiss AccuLock R nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP4121-1-62F-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On Flush 5/8 in. ID - 25/pack	923585646	**Tregaskiss AccuLock R nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP4121-1-62R	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Recess 5/8 in. ID	923589410	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4121-1-62R-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Recess 5/8 in. ID - 25/pack	923585585	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4121-1-62S	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Stickout 5/8 in. ID	923588904	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4121-1-62S-B25	Magnum® PRO Water-Cooled Robotic Gas Nozzle - Bottleneck Thread-On 1/8 in. Stickout 5/8 in. ID - 25/pack	923585269	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4122-1	Magnum® PRO Tip Holder - 350A	925688137	**Tregaskiss TOUGH LOCK / AccuLock R conversion diffuser for the converted Lincoln Magnum PRO gun** no part # **NE**
KP4122-1-B25	Magnum® PRO Tip Holder - 350A - 25/pack	925688138	**Tregaskiss TOUGH LOCK / AccuLock R conversion diffuser for the converted Lincoln Magnum PRO gun** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4123-1	Magnum® PRO Tip Holder - 550A	923585786	**Tregaskiss TOUGH LOCK / AccuLock R conversion diffuser for the converted Lincoln Magnum PRO gun** no part # **NE**
KP4123-1-B25	Magnum® PRO Tip Holder - 550A - 25/pack	925688139	**Tregaskiss TOUGH LOCK / AccuLock R conversion diffuser for the converted Lincoln Magnum PRO gun** no part # **NE**
KP4124-1	Diffuser Cap	923585711	
KP4124-1-B25	Diffuser Cap - 25/pack	923584959	
KP4216-1	O-Ring Kit	925033573	
KP4335-035A	Drive Roll - 0.035" U-Groove Aluminum	923586294	
KP4335-035C	Drive Roll - .035" V-Groove Cored	923585104	
KP4335-035S	Drive Roll - .035" V-Groove Steel	923586210	
KP4335-040A	Drive Roll - 0.040" U-Groove Aluminum	923585569	
KP4335-040C	Drive Roll - .040" V-Groove Cored	923585180	
KP4335-040S	Drive Roll - .040" V-Groove Steel	923585238	
KP4335-045C	Drive Roll - .045" V-Groove Cored	923585012	
KP4335-045S	Drive Roll - .045" V-Groove Steel	923585930	
KP4335-047C	Drive Roll - .047" V-Groove Cored	923585168	
KP4335-047S	Drive Roll - 0.047" V-Groove Steel	923585367	
KP4335-116A	Drive Roll - 1/16" U-Groove Aluminum	923585546	
KP4335-364A	Drive Roll - 3/64" U-Groove Aluminum	923585267	
KP4378-22	AutoDrive® SA 22° Robotic Gooseneck	923584872	
KP4378-45	Gun Tube 45 Degree Wc	923584679	
KP4378-180	AutoDrive® SA 180° Robotic Gooseneck	923584928	
KP4379-1-B25	Sa Gas Diffuser 350A	923585253	**AccuLock S conversion diffuser for Lincoln Magnum 300/400 (small DS-A1-C, large D-A1-C); Centerfire equivalents DS-1T / D-1T** Part # DS-A1-C (small) or D-A1-C (large) **NE**
KP4380-1	AutoDrive® SA Gas Diffuser 550A	923584891	
KP4380-1-B25	AutoDrive® SA Gas Diffuser 550A 25/pack	923585202	
KP4388-1	.035-.040 Drive Roll Kit Hyperfill	923585489	
KP4388-2	.045 Drive Roll Kit Hyperfill	923585211	
KP4388-3	.045 Drive Roll Kit Hf Cored Wire	923585204	
KP4403-22	Magnum® PRO 22 Degree Water-Cooled Robotic Torch Gun Tube	923586152	
KP4403-22-6L	Ext. Length Wc Gooseneck 22 Deg.	925033408	
KP4403-45	Magnum® PRO 45 Degree Water-Cooled Robotic Torch Gun Tube	923585964	
KP4403-45-6L	Ext. Length Wc Gooseneck	923585011	
KP4403-60-6L	Ext. Length Wc Gooseneck 60 Deg.	925033400	
KP4403-180	Magnum® PRO180 Degree Water-Cooled Robotic Torch Gun Tube	923586223	
KP4403-180-6L	Ext. Length Wc Gooseneck 180 Deg.	923585167	
KP4413-035S	Ad Sa-Torch .035 V Stl Drive Roll Kit	923585788	
KP4413-040S	Ad Sa-Torch .040 V Stl Drive Roll Kit	923585641	
KP4413-045S	Ad Sa-Torch .045 V Stl Drive Roll Kit	923585825	
KP4415-1	Idler Roll	923585936	
KP4481-1	Gas Diffuser HyperFill®	923584844	
KP4481-1-B25	HyperFill® Diffuser - 25/pack	923584708	
KP4482-035	Hyperfill™ Contact Tip - .035 - 10/pack	922503570	
KP4482-035-B100	Hyperfill™ Contact Tip - .035 - 100/pack	923584845	
KP4482-040	Hyperfill™ Contact Tip - .040 - 10/pack	923584981	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4482-040-B100	Hyperfill™ Contact Tip - .040 - 100/pack	923586107	
KP4482-045	Hyperfill™ Contact Tip - .045 - 10/pack	923585019	
KP4482-045-B100	Hyperfill™ Contact Tip - .045 - 100/pack	923586036	
KP4482-047	Hyperfill Contact Tip W/C .047	923585215	
KP4482-047-B100	Hyperfill Contact Tip W/C .047	923586132	
KP4523-1-50F	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On Flush 1/2 in. ID	923589061	**Tregaskiss AccuLock R nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP4523-1-50F-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On Flush 1/2 in. ID - 25/pack	923585836	**Tregaskiss AccuLock R nozzle: 1/2 in bore, flush, thread-on** no part # **NE**
KP4523-1-50R	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Recess 1/2 in. ID	923589387	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4523-1-50R-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Recess 1/2 in. ID - 25/pack	923586314	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4523-1-50S	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Stickout 1/2 in. ID	923589342	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4523-1-50S-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Stickout 1/2 in. ID - 25/pack	923586050	**Tregaskiss AccuLock R nozzle: 1/2 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4523-1-62F	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On Flush 5/8 in. ID	923589323	**Tregaskiss AccuLock R nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP4523-1-62F-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On Flush 5/8 in. ID - 25/pack	923586309	**Tregaskiss AccuLock R nozzle: 5/8 in bore, flush, thread-on** no part # **NE**
KP4523-1-62R	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Recess 5/8 in. ID	923589205	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4523-1-62R-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Recess 5/8 in. ID - 25/pack	923586079	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4523-1-62S	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Stickout 5/8 in. ID	923589066	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4523-1-62S-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Stickout 5/8 in. ID - 25/pack	923585814	**Tregaskiss AccuLock R nozzle: 5/8 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4523-1-75F	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On Flush 3/4 in. ID	923589370	**Tregaskiss AccuLock R nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP4523-1-75F-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On Flush 3/4 in. ID - 25/pack	923586078	**Tregaskiss AccuLock R nozzle: 3/4 in bore, flush, thread-on** no part # **NE**
KP4523-1-75R	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Recess 3/4 in. ID	923589226	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4523-1-75R-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Recess 3/4 in. ID - 25/pack	923586233	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in recess, thread-on** no part # **NE**
KP4523-1-75S	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Stickout 3/4 in. ID	923588930	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4523-1-75S-B25	Magnum® PRO Water-Cooled Gas Nozzle - Thread-On 1/8 in. Stickout 3/4 in. ID - 25/pack	923585708	**Tregaskiss AccuLock R nozzle: 3/4 in bore, 1/8 in stickout, thread-on** no part # **NE**
KP4526-45	Magnum® PRO Water-Cooled 500A 45 Degree Gun Tube	923585510	
KP4526-45L3	Magnum Pro Wc 500A 45 Deg. Gun Tube Ext	923585563	
KP4526-60	Magnum® PRO Water-Cooled 500A 60 Degree Gun Tube	923585056	
KP4526-60L3	Magnum Pro Wc 500A 60 Deg. Gun Tube Ext	923585119	
KP4527-45	Magnum® PRO Water-Cooled 400A 45 Degree Gun Tube	923585402	
KP4527-60	Magnum® PRO Water-Cooled 400A 60 Degree Gun Tube	923584986	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4693-45	Magnum® PRO Curve™ HDE™ Gun Tube 45° 250A	923589351	
KP4693-60	Magnum® PRO Curve™ HDE™ Gun Tube 60° 250A	923589071	
KP4694-45	Magnum® PRO Curve™ HDE™ Gun Tube 45° 350A	923589364	
KP4694-60	Magnum® PRO Curve™ HDE™ Gun Tube 60° 350A	923589191	
KP4695-45	Magnum® PRO Curve™ HDE™ Gun Tube 45° 450A	923589005	
KP4695-60	Magnum® PRO Curve™ HDE™ Gun Tube 60° 450A	923588922	
KP4696-45	Magnum® PRO Curve™ HDE™ Gun Tube 45° 550A	923588897	
KP4696-45SN	Magnum® PRO Curve™ HDE™ Short Neck Gun Tube 45° 550A	923589202	
KP4696-60	Magnum® PRO Curve™ HDE™ Gun Tube 60° 550A	923589036	
KP4696-60SN	Magnum® PRO Curve™ HDE™ Short Neck Gun Tube 60° 550A	923589405	
KP4747-ST	9/20 Standard Insulator	923589155	
KP4747-ST-B10	9/20 Standard Insulator Bulk Pack	923589297	
KP4748-ST †	17/18/26 Standard Insulator	923589087	
KP4748-ST †	17/18/26 Standard Insulator	925372446	
KP4748-ST-B10	17/18/26 Standard Insulator Bulk Pack	923588935	
KP4766-1	Diffuser Thread-On 550A Copper	923586262	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP4766-1-B25	Diffuser Thread-On 550A Copper	923585697	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP4766-2	Diffuser Slip-On 550A Copper	923584713	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP4766-2-B25	Diffuser Slip-On 550A Copper	923584319	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP4781-1	Diffuser Thread-On 550A Ext. Reach	923585232	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP4781-1-B25	Diffuser Thread-On 550A Ext. Reach	923586059	**AccuLock R conversion diffuser for Lincoln Magnum PRO, thread-on nozzle** Part # D-ATTH-LMP **SM**
KP4800-15	Fixed Conduit-Liner 15Ft Magnum Pro	923585313	
KP4800-25	Fixed Conduit-Liner 25Ft Magnum Pro	923584520	
KP4800-35	Fixed Conduit-Liner 35Ft Magnum Pro	923585601	
KP4800-50	Fixed Conduit-Liner 50Ft Magnum Pro	923586080	
KP4985-1	Nozzle Extension, 5", Heavy Duty	925688053	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP4985-3	Nozzle Extension, 3", Heavy Duty	925688054	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP4985-9	Nozzle Extension, 9", Heavy Duty	925688055	**Bernard Centerfire nozzle: bore size not stated** no part # **NE**
KP5129-2	Magnum® PRO Diffuser - 550A, Slip-On	925688130	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5129-2-B25	Magnum® PRO Diffuser - 550A, Slip-On - 25/pack	925688161	**AccuLock R conversion diffuser for Lincoln Magnum PRO, slip-on nozzle** Part # D-ATSH-LMP **SM**
KP5130-2-50F	Magnum® PRO Nozzle - 550A, Slip-on, Flush, 1/2 in (12.7 mm) ID	925688044	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, slip-on** no part # **NE**
KP5130-2-50F-B25	Magnum® PRO Nozzle - 550A, Slip-on, Flush, 1/2 in (12.7 mm) ID - 25/pack	925688018	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, flush, slip-on** no part # **NE**
KP5130-2-50R	Magnum® PRO Nozzle - 550A, Slip-on, Recess, 1/2 in (12.7 mm) ID	925688045	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, slip-on** no part # **NE**
KP5130-2-50R-B25	Magnum® PRO Nozzle - 550A, Slip-on, Recess, 1/2 in (12.7 mm) ID - 25/pack	925688019	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in recess, slip-on** no part # **NE**
KP5130-2-50S	Magnum® PRO Nozzle - 550A, Slip-on, Stickout, 1/2 in (12.7 mm) ID	925688046	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP5130-2-50S-B25	Magnum® PRO Nozzle - 550A, Slip-on, Stickout, 1/2 in (12.7 mm) ID - 25/pack	925688020	**Tregaskiss TOUGH LOCK nozzle: 1/2 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP5130-2-62F	Magnum® PRO Nozzle - 550A, Slip-on, Flush, 5/8 in (15.9 mm) ID	925688047	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, slip-on** no part # **NE**
KP5130-2-62F-B25	Magnum® PRO Nozzle - 550A, Slip-on, Flush, 5/8 in (15.9 mm) ID - 25/pack	925688021	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, flush, slip-on** no part # **NE**
KP5130-2-62R	Magnum® PRO Nozzle - 550A, Slip-on, Recess, 5/8 in (15.9 mm) ID	925688048	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, slip-on** no part # **NE**
KP5130-2-62R-B25	Magnum® PRO Nozzle - 550A, Slip-on, Recess, 5/8 in (15.9 mm) ID - 25/pack	925688022	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in recess, slip-on** no part # **NE**
KP5130-2-62S	Magnum® PRO Nozzle - 550A, Slip-on, Stickout, 5/8 in (15.9 mm) ID	925688049	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP5130-2-62S-B25	Magnum® PRO Nozzle - 550A, Slip-on, Stickout, 5/8 in (15.9 mm) ID - 25/pack	925688023	**Tregaskiss TOUGH LOCK nozzle: 5/8 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP5130-2-75F	Magnum® PRO Nozzle - 550A, Slip-on, Flush, 3/4 in (19.1 mm) ID	925688050	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, slip-on** no part # **NE**
KP5130-2-75F-B25	Magnum® PRO Nozzle - 550A, Slip-on, Flush, 3/4 in (19.1 mm) ID - 25/pack	925688024	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, flush, slip-on** no part # **NE**
KP5130-2-75R	Magnum® PRO Nozzle - 550A, Slip-on, Recess, 3/4 in (19.1 mm) ID	925688051	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, slip-on** no part # **NE**
KP5130-2-75R-B25	Magnum® PRO Nozzle - 550A, Slip-on, Recess, 3/4 in (19.1 mm) ID - 25/pack	925688025	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in recess, slip-on** no part # **NE**
KP5130-2-75S	Magnum® PRO Nozzle - 550A, Slip-on, Stickout, 3/4 in (19.1 mm) ID	925688052	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP5130-2-75S-B25	Magnum® PRO Nozzle - 550A, Slip-on, Stickout, 3/4 in (19.1 mm) ID - 25/pack	925688026	**Tregaskiss TOUGH LOCK nozzle: 3/4 in bore, 1/8 in stickout, slip-on** no part # **NE**
KP5142-1	4000 Series Torch Handle	924684128	
KP5146-1	Magnum® PRO HDE Flexible Gun Tube Adapter	925688132	
KP5147-1	Magnum® PRO Gun Tube Extension - 3 in (76.2 mm)	925688133	
KP5148-1	Magnum® PRO Gun Tube Extension - 9 in (228.6 mm)	925688134	
KP5344-047	HyperFill® Cored Wire Contact Tip - .047" (1.2 mm) - 10/pack	925688140	
KP5344-052	HyperFill® Cored Wire Contact Tip - .052" (1.4 mm) - 10/pack	925688141	
KP5366-1	Magnum PRO WC HDT Diffuser	925688159	
KP5366-1-B25	Magnum PRO WC HDT Diffuser - 25/pack	925688162	
KP5367-1	HyperFill® Air-Cooled Gas Diffuser	925688160	
KP5368-035	HyperFill® RA Contact Tip, 0.035 in. (10/pack)	925688142	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5368-040	HyperFill® RA Contact Tip, 0.040 in. (10/pack)	925688143	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Filler Metals

MIG Wire and TIG Cut Lengths (470)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	.030" Dia. (33) SUPERARC® L-50® ER70S-3 Welding Wire Spool	91198955	**Hobart Quantum Arc 3 (same AWS class; no 0.030 in size)** no part # **NE**
—	1000LB Box .045" Diameter Mild Steel Copper Coated ER70S-6 SUPERARC® L-56® MIG Wire Priced Per LB	99298722	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
—	1000LB Box .052" Diameter Mild Steel Copper Coated ER70S-6 SUPERARC® L-59® MIG Wire Priced Per LB	99298723	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
—	SUPER ARC L-56 0.035	920116689	**Hobart HB-28 0.035 in** no part # **SM**
—	SUPER ARC L-56 .045 ER70S-6	920116691	**Hobart HB-28 0.045 in** no part # **SM**
—	SuperArc L-59 ER70S-6 0.45	920116693	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.450 in size)** no part # **NE**
—	0.045" Super Arc LA-90	920116695	**Hobart Quantum Arc D2 0.045 in** no part # **NE**
—	035" ER70S-6 SuperArc 44lb Steel Spool	920116700	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
—	035" ER70S-6 SuperArc L-59	920116706	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
73010140103	0.035" Lincoln L-S3 Welding Wire (33 lbs / 15 kg ABS Spool)	928263428	
73020100403	0.035" ER70S-6 Lincoln L-S6 Welding Wire (61 lbs / 28 kg Spool)	928263427	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
73020120105	0.045" ER70S-6 Welding Wire (33 lbs / 15 kg Spool)	928263429	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
73020140108	0.062" ER70S-6 Lincoln L-S6 Welding Wire (33 lbs / 15 kg Spool)	928263426	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED001378	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924512219	**Hobart Quantum Arc D2 0.045 in, 600 Lb Robo-Pak** Part # S307212-011 **NE**
ED011316	SuperArc® L-50® MIG (GMAW) Wire 1/16 in 600 lb Speed Feed® Drum	924511883	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED011650	1/16 Superarc L-50 1000Lb Reel	925688361	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED015790 †	SuperArc® L-56® MIG (GMAW) Wire 0.025 in 12.5 lb Spool	0816902	**Hobart HB-28 0.024 in, 10 Lb Spool** Part # S305401-022 **SM**
ED015790 †	SuperArc® L-56® MIG (GMAW) Wire 0.025 in 12.5 lb Spool	924511255	**Hobart HB-28 0.024 in, 10 Lb Spool** Part # S305401-022 **SM**
ED020526	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511285	**Hobart Quantum Arc 3 0.045 in, 600 Lb Robo-Pak** Part # S307312-011 **SM**
ED020527	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 500 lb Accu-Trak® Drum	924510894	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED020532 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	99298717	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED020532 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511274	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED020533	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 500 lb Accu-Trak® Drum	924512091	**Hobart Quantum Arc 6 0.052 in, 600 Lb Robo-Pak** Part # S307615-074 **SM**
ED021052	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511370	**Hobart Quantum Arc 3 0.035 in, 600 Lb Robo-Pak** Part # S307308-011 **SM**
ED021056	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511826	**Hobart Quantum Arc 6 0.035 in, 600 Lb Robo-Pak** Part # S307608-011 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED021268 †	.035" SUPERARC® L-50® (44) Fiber Spool	99840279	**Hobart Quantum Arc 3 0.035 in, 45 Lb Steel Reel** Part # S307308-045 **SM**
ED021268 †	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 44 lb Spool	924511525	**Hobart Quantum Arc 3 0.035 in, 45 Lb Steel Reel** Part # S307308-045 **SM**
ED021269	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 60 lb Spool	924511848	**Hobart Quantum Arc 3 0.035 in, 45 Lb Steel Reel** Part # S307308-045 **SM**
ED021270	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 44 lb Spool	924511625	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED021271	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 60 lb Spool	924511731	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED021273	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 60 lb Spool	924511885	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED021274 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 44 lb Fiber Spool	91093718	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED021274 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 44 lb Fiber Spool	924511835	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED021275	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 60 lb Spool	924510687	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED021276 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 44 lb Fiber Spool	99298720	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED021276 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 44 lb Fiber Spool	924510765	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED021277 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 60 lb Spool	99298721	**Hobart Quantum Arc 6 0.045 in, 60 Lb Fiber Spool** Part # S307612-028 **SM**
ED021277 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 60 lb Spool	924512480	**Hobart Quantum Arc 6 0.045 in, 60 Lb Fiber Spool** Part # S307612-028 **SM**
ED021278	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 44 lb Fiber Spool	924510675	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED021279	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 60 lb Spool	924511044	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED023334 †	0.030" ER70S-6 SuperArc Mild Steel, Copper Coated MIG Welding Wire (12.5) Spool	0864427	**Hobart HB-28 0.030 in** no part # **SM**
ED023334 †	Superarc® L-56® Welding Wire (Priced Per lb)	924512674	**Hobart HB-28 0.030 in** no part # **SM**
ED023334 †	SuperArc® L-56® MIG (GMAW) Wire 0.030 in 12.5 lb Spool	925374241	**Hobart HB-28 0.030 in** no part # **SM**
ED025945 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 44 lb Steel Spool	922838385	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED025945 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 44 lb Steel Spool	924512292	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED025946 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 44 lb Steel Spool	920302745	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED025946 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 44 lb Steel Spool	924511476	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED026627	SuperArc® LA-90 MIG (GMAW) Wire 0.052 in 500 lb Accu-Trak® Drum	924511356	**Hobart Quantum Arc D2 (same AWS class; no 0.052 in size)** no part # **NE**
ED027274	SuperArc® L-50® MIG (GMAW) Wire 1/16 in 60 lb Spool	924511980	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED027384	SuperArc® L-56® MIG (GMAW) Wire 0.040 in 44 lb Fiber Spool	924511943	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED028385 †	SuperGlaze® 5356 MIG (GMAW) Wire 0.035 in 16 lb Spool	924512224	**Hobart MaxalMIG 5356 0.035 in, 16 Lb Wire Basket** Part # 535603512 **SM**
ED028385 †	0.035" ER5356 AWS A5.10 ASME SFA 5.10 Solid Aluminum Alloy GMAW MIG Welding Wire (16 lb / 7.25 kg Spool)	928263433	**Hobart MaxalMIG 5356 0.035 in, 16 Lb Wire Basket** Part # 535603512 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED028395	SuperGlaze® 4043 MIG (GMAW) Wire 0.035 in 16 lb Spool	924512387	**Hobart MaxalMIG 4043 0.035 in, 16 Lb Wire Basket** Part # 404303512 **SM**
ED028621	SuperGlide® S3 MIG (GMAW) Wire 0.035 in 44 lb Spool	924511016	**Hobart Quantum Arc 3 0.035 in, 45 Lb Steel Reel** Part # S307308-045 **SM**
ED028622	SuperGlide® S3 MIG (GMAW) Wire 0.045 in 44 lb Spool	924511805	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED028635	SuperGlide® S6 MIG (GMAW) Wire 0.035 in 44 lb Spool	924511865	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED028636	SuperGlide® S6 MIG (GMAW) Wire 0.045 in 44 lb Spool	924511437	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED028676 †	0.035" ER70S-6 SuperArc Mild Steel, Copper Coated MIG Welding Wire (12) Spool	0864438	**Hobart HB-28 0.035 in** no part # **SM**
ED028676 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 12.5 lb Spool	924510928	**Hobart HB-28 0.035 in** no part # **SM**
ED028825	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 1000 lb Accu-Trak® Drum	924511194	**Hobart Quantum Arc 3 0.035 in, 950 Lb Robo-Pak** Part # S307308-070 **SM**
ED028826	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Trak® Drum	924511952	**Hobart Quantum Arc 3 0.045 in, 950 Lb Robo-Pak** Part # S307312-070 **SM**
ED028827 †	Wire Welding 300N C/T .035 1000Lb Drum	922001211	
ED028827 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 1000 lb Accu-Trak® Drum	924511186	
ED028828 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Trak® Drum	922693279	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED028828 †	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Trak® Drum	924511916	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED029042	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 12.5 lb Spool	924511527	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
ED029082	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Trak® Drum	924510800	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED029083	SuperArc® L-50® MIG (GMAW) Wire 1/16 in 1000 lb Accu-Trak® Drum	924511056	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED029084	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Trak® Drum	924510714	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
ED029085	SuperArc® L-56® MIG (GMAW) Wire 1/16 in 1000 lb Accu-Trak® Drum	924510878	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED029223	SuperArc® L-50® MIG (GMAW) Wire 0.030 in 500 lb Accu-Trak® Drum	924512602	**Hobart Quantum Arc 3 (same AWS class; no 0.030 in size)** no part # **NE**
ED029225	SuperArc® L-56® MIG (GMAW) Wire 1/16 in 500 lb Accu-Trak® Drum	924512662	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED029234	SuperGlaze® 4043 MIG (GMAW) Wire 3/64 in 20 lb Spool	924512035	**Hobart MaxalMIG 4043 3/64 in, 22 Lb Plastic Spool** Part # 404304712P22 **SM**
ED029546	SuperArc® LA-90 MIG (GMAW) Wire 0.035 in 44 lb Spool	924512094	**Hobart Quantum Arc D2 0.035 in, 45 Lb Steel Reel** Part # S307208-045 **NE**
ED029573	SuperGlaze® 5554 MIG (GMAW) Wire 3/64 in 16 lb Spool	924511543	**Hobart MaxalMIG 5554 3/64 in, 16 Lb Wire Basket** Part # 555404712 **SM**
ED029591	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 1000 lb Accu-Trak® Drum	924512164	**Hobart Quantum Arc D2 0.045 in, 600 Lb Robo-Pak** Part # S307212-011 **NE**
ED029914	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 250 lb Accu-Trak® Drum	924512044	**Hobart Quantum Arc 6 0.035 in, 300 Lb Robo-Pak** Part # S307608-073 **SM**
ED029915	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 250 lb Accu-Trak® Drum	924511547	**Hobart Quantum Arc 6 0.045 in, 300 Lb Robo-Pak** Part # S307612-073 **SM**
ED029916	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 250 lb Accu-Trak® Drum	924511839	**Hobart Quantum Arc 6 0.052 in, 600 Lb Robo-Pak** Part # S307615-074 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED030281	SuperGlaze® 4043 MIG (GMAW) Wire 1/16 in 20 lb Spool	924511305	**Hobart MaxalMIG 4043 1/16 in, 22 Lb Plastic Spool** Part # 404306212P22 **SM**
ED030282	SuperGlaze® 5356 MIG (GMAW) Wire 3/64 in 20 lb Spool	924511061	**Hobart MaxalMIG 5356 3/64 in, 22 Lb Plastic Spool** Part # 535604712P22 **SM**
ED030283	SuperGlaze® 5356 MIG (GMAW) Wire 1/16 in 20 lb Spool	924511215	**Hobart MaxalMIG 5356 1/16 in, 22 Lb Plastic Spool** Part # 535606212P22 **SM**
ED030307	SuperGlaze® 4043 MIG (GMAW) Wire 0.030 in (20) 1 lb Spool	924511220	**Hobart MaxalMIG 4043 (same AWS class; no 0.030 in size)** no part # **NE**
ED030308	SuperGlaze® 4043 MIG (GMAW) Wire 0.035 in (20) 1 lb Spool	924511122	**Hobart MaxalMIG 4043 0.035 in, 1 Lb Plastic Spool** Part # 404303504 **SM**
ED030310	SuperGlaze® 4043 MIG (GMAW) Wire 3/64 in (20) 1 lb Spool	924511005	**Hobart MaxalMIG 4043 3/64 in, 1 Lb Plastic Spool** Part # 404304704 **SM**
ED030312	SuperGlaze® 5356 MIG (GMAW) Wire 0.035 in (20) 1 lb Spool	924512601	**Hobart MaxalMIG 5356 0.035 in, 1 Lb Plastic Spool** Part # 535603504 **SM**
ED030314	SuperGlaze® 5356 0 3/64 (1.2) 20 CARTON (1 SPOOL) ["AWS A5.10: ER5356" "AWS A5.10: ER5356"]	924512623	**Hobart MaxalMIG 5356 3/64 in, 1 Lb Plastic Spool** Part # 535604704 **SM**
ED030560	.045 Superarc L-56 Sp65 500Lb Accu-Pak	925688369	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED030583 †	0.025" ER70S-6 SuperArc Mild Steel, Copper Coated MIG Welding Wire (2) Spool	0864465	**Hobart HB-28 0.024 in, 2 Lb Spool** Part # S305401-019 **SM**
ED030583 †	SuperArc® L-56® MIG (GMAW) Wire 0.025 in (5) 2 lb Plastic Spool	924511628	**Hobart HB-28 0.024 in, 2 Lb Spool** Part # S305401-019 **SM**
ED030631 †	0.030" ER70S-6 SuperArc Mild Steel, Copper Coated MIG Welding Wire (2) Spool	0864467	**Hobart HB-28 0.030 in, 2 Lb Spool** Part # S305406-019 **SM**
ED030631 †	SuperArc® L-56® MIG (GMAW) Wire 0.030 in (5) 2 lb Plastic Spool	924511733	**Hobart HB-28 0.030 in, 2 Lb Spool** Part # S305406-019 **SM**
ED030632 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in (5) 2 lb Plastic Spool	0864468	**Hobart HB-28 0.035 in, 2 Lb Spool** Part # S305408-019 **SM**
ED030632 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in (5) 2 lb Plastic Spool	924511265	**Hobart HB-28 0.035 in, 2 Lb Spool** Part # S305408-019 **SM**
ED030685	.035 Superarc L-56 Sp65 500Lb Accu-Pak	925688285	**Hobart Quantum Arc 6 0.035 in, 600 Lb Robo-Pak** Part # S307608-011 **SM**
ED030687	.045 Superarc L-56 Sp65 1000Lb Accu-Pak	925688343	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED030695	SuperGlide® S6 MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924510830	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED030771	SuperArc® L-56® MIG (GMAW) Wire 0.030 in 500 lb Accu-Trak® Drum	924511166	**Hobart HB-28 0.030 in, 33 Lb Spool** Part # S305406-033 **SM**
ED030772	Superglide® S3 Welding Wire (Priced Per lb)	924511144	**Hobart Quantum Arc 3 (same AWS class; size not given on the sheet row)** no part # **NE**
ED030773	SuperGlide® S3 MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924510835	**Hobart Quantum Arc 3 0.045 in, 600 Lb Robo-Pak** Part # S307312-011 **SM**
ED030904	Pipeliner® 70S-G Welding Wire (Priced Per lb)	924511373	
ED030905	Pipeliner® 70S-G Welding Wire (Priced Per lb)	924511364	
ED031032	SuperArc® L-56® MIG (GMAW) Wire 0.040 in 1000 lb Accu-Trak® Drum	924510957	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED031041	.045 Superarc L-54 500Lb Accu-Pak	925688340	
ED031108	SuperGlaze® 5356 TIG (GTAW) Rod 1/16 in 10 lb Carton	924510901	**Hobart MaxalTIG 5356 1/16 in, 10 Lb Carton** Part # 535606270 **SM**
ED031109	SuperGlaze® 5356 TIG (GTAW) Rod 3/32 in 10 lb Carton	924510958	**Hobart MaxalTIG 5356 3/32 in, 10 Lb Carton** Part # 535609470 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED031110	SuperGlaze® 5356 TIG (GTAW) Rod 1/8 in 10 lb Carton	924512346	**Hobart MaxalTIG 5356 1/8 in, 10 Lb Carton** Part # 535612570 **SM**
ED031111	SuperGlaze® 4043 TIG (GTAW) Rod 1/16 in 10 lb Carton	924512371	**Hobart MaxalTIG 4043 1/16 in, 10 Lb Carton** Part # 404306270 **SM**
ED031112	SuperGlaze® 4043 TIG (GTAW) Rod 3/32 in 10 lb Carton	924512533	**Hobart MaxalTIG 4043 3/32 in, 10 Lb Carton** Part # 404309470 **SM**
ED031113	SuperGlaze® 4043 TIG (GTAW) Rod 1/8 in 10 lb Carton	924512299	**Hobart MaxalTIG 4043 1/8 in, 10 Lb Carton** Part # 404312570 **SM**
ED031407	SuperArc® L-50® MIG (GMAW) Wire 0.030 in 33 lb Spool	924511434	**Hobart Quantum Arc 3 (same AWS class; no 0.030 in size)** no part # **NE**
ED031408	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 33 lb Spool	924511684	**Hobart Quantum Arc 3 0.035 in, 33 Lb Steel Reel** Part # S307308-033 **SM**
ED031409	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 33 lb Spool	924511923	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED031411 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 33 lb Steel Spool	922189494	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED031411 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 33 lb Steel Spool	924511281	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED031412	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 33 lb Steel Spool	924511602	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
ED031413	SuperArc® LA-90 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511239	**Hobart Quantum Arc D2 0.035 in, 33 Lb Steel Reel** Part # S307208-033 **NE**
ED031414	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511519	**Hobart Quantum Arc D2 0.045 in, 33 Lb Steel Reel** Part # S307212-033 **NE**
ED031415	SuperArc® LA-75 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511804	
ED031416	SuperArc® LA-75 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511728	
ED031417	SuperArc® LA-100 MIG (GMAW) Wire 0.045 in 33 lb Spool	924510693	
ED031445	SuperArc® LA-100 MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924512597	
ED031493	Pipeliner® 80S-G Welding Wire (Priced Per lb)	924510719	
ED031494	Pipeliner® 80S-G Welding Wire (Priced Per lb)	924511234	
ED031614	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 1000 lb Precise-Trak® Reel	924510892	**Hobart Quantum Arc 3 0.045 in, 950 Lb Robo-Pak** Part # S307312-070 **SM**
ED031615	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 1000 lb Precise-Trak® Reel	924512176	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED031616	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 1000 lb Precise-Trak® Reel	924512086	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED031617	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 1000 lb Precise-Trak® Reel	924511462	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
ED031914	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 44 lb Spool	924511632	**Hobart Quantum Arc 3 0.035 in, 45 Lb Steel Reel** Part # S307308-045 **SM**
ED031915	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 44 lb Spool	924511882	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED031916	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 44 lb Spool	924511538	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED031930	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 1000 lb Infinity-Pak	924511829	**Hobart Quantum Arc 3 0.045 in, 950 Lb Robo-Pak** Part # S307312-070 **SM**
ED031937	SuperArc® L-56® MIG (GMAW) Wire 0.040 in 500 lb Accu-Trak® Drum	924510749	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032285	.045 Superarc L-50 1000Lb Ad	925688348	**Hobart Quantum Arc 3 0.045 in, 950 Lb Robo-Pak** Part # S307312-070 **SM**
ED032366	SuperArc® L-59® MIG (GMAW) Wire 0.035 in 44 lb Spool	924511678	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED032367	SuperArc® L-59® MIG (GMAW) Wire 0.045 in 44 lb Spool	924511866	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED032368	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 44 lb Spool	924511817	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED032379	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 1000 lb Precise-Trak® Reel	924511716	**Hobart Quantum Arc 3 0.035 in, 950 Lb Robo-Pak** Part # S307308-070 **SM**
ED032380	Superarc® L-50® Welding Wire (Priced Per lb)	924511936	**Hobart Quantum Arc 3 (same AWS class; size not given on the sheet row)** no part # **NE**
ED032808	SuperArc® L-59® MIG (GMAW) Wire 0.045 in 1000 lb Precise-Trak® Reel	924510766	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED032809	Superarc® L-59® Welding Wire (Priced Per lb)	924510999	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED032814	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 60 lb Spool	924510997	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED032842	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 900 lb Accu-Pak® Box	924510988	**Hobart Quantum Arc 3 0.035 in, 950 Lb Robo-Pak** Part # S307308-070 **SM**
ED032844	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Pak® Box	924512268	**Hobart Quantum Arc 3 0.045 in, 950 Lb Robo-Pak** Part # S307312-070 **SM**
ED032845	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Pak® Box	924512577	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED032846	SuperArc® L-50® MIG (GMAW) Wire 1/16 in 1000 lb Accu-Pak® Box	924512280	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED032847	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 900 lb Accu-Pak® Box	924512498	**Hobart Quantum Arc 6 0.035 in, 950 Lb Robo-Pak** Part # S307608-070 **SM**
ED032849	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Pak® Box	924512625	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED032850	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Pak® Box	924512374	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
ED032851	SuperArc® L-56® MIG (GMAW) Wire 1/16 in 1000 lb Accu-Pak® Box	924512048	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED032861	SuperArc® L-59® MIG (GMAW) Wire 0.035 in 900 lb Accu-Pak® Box	924512309	**Hobart Quantum Arc 6 0.035 in, 950 Lb Robo-Pak** Part # S307608-070 **SM**
ED032863	SuperArc® L-59® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Pak® Box	924512544	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED032864	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Pak® Box	924512213	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
ED032865	SuperArc® L-59® MIG (GMAW) Wire 1/16 in 1000 lb Accu-Pak® Box	924512118	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED032867	.040 Superarc L-58 1000Lb Accu-Pak	925688334	
ED032868	.045 Superarc L-58 1000Lb Accu-Pak	925688335	
ED032869	.052 Superarc L-58 1000Lb Accu-Pak	925688345	
ED032894	SuperArc® L-59® MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	924512009	**Hobart Quantum Arc 6 0.035 in, 600 Lb Robo-Pak** Part # S307608-011 **SM**
ED032895	SuperArc® L-59® MIG (GMAW) Wire 0.040 in 500 lb Accu-Pak® Box	924511439	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED032896	SuperArc® L-59® MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924511667	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED032897	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 500 lb Accu-Pak® Box	924511958	**Hobart Quantum Arc 6 0.052 in, 600 Lb Robo-Pak** Part # S307615-074 **SM**
ED032899	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	924512011	**Hobart Quantum Arc 3 0.035 in, 600 Lb Robo-Pak** Part # S307308-011 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032901	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924511932	**Hobart Quantum Arc 3 0.045 in, 600 Lb Robo-Pak** Part # S307312-011 **SM**
ED032902	SuperArc® L-50® MIG (GMAW) Wire 0.052 in 500 lb Accu-Pak® Box	924511009	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED032903	SuperArc® L-50® MIG (GMAW) Wire 1/16 in 500 lb Accu-Pak® Box	924512672	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED032904	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	924512648	**Hobart Quantum Arc 6 0.035 in, 600 Lb Robo-Pak** Part # S307608-011 **SM**
ED032906	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924512690	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED032907	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 500 lb Accu-Pak® Box	924510683	**Hobart Quantum Arc 6 0.052 in, 600 Lb Robo-Pak** Part # S307615-074 **SM**
ED032919	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924511096	**Hobart Quantum Arc D2 0.045 in, 600 Lb Robo-Pak** Part # S307212-011 **NE**
ED032920	SuperArc® LA-90 MIG (GMAW) Wire 0.052 in 500 lb Accu-Pak® Box	924510793	**Hobart Quantum Arc D2 (same AWS class; no 0.052 in size)** no part # **NE**
ED032923	SuperArc® L-50® MIG (GMAW) Wire 0.030 in 33 lb Spool	924510788	**Hobart Quantum Arc 3 (same AWS class; no 0.030 in size)** no part # **NE**
ED032924 †	.030" Dia. (33) SUPERARC® L-50® ER70S-3 Welding Wire Spool	91198956	**Hobart Quantum Arc 3 (same AWS class; no 0.030 in size)** no part # **NE**
ED032924 †	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 33 lb Spool	924510797	**Hobart Quantum Arc 3 (same AWS class; no 0.030 in size)** no part # **NE**
ED032925	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 33 lb Spool	924511068	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED032926	SuperArc® L-56® MIG (GMAW) Wire 0.030 in 33 lb Plastic Spool	924510744	**Hobart HB-28 0.030 in, 33 Lb Spool** Part # S305406-033 **SM**
ED032927 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 33 lb Plastic Spool	91086210	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED032927 †	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 33 lb Plastic Spool	924511067	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED032928	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 33 lb Plastic Spool	924512297	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
ED032968	SuperArc® L-59® MIG (GMAW) Wire 1/16 in 44 lb Spool	924512129	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED033033	SuperArc® L-59® MIG (GMAW) Wire 0.035 in 44 lb Spool	924511671	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED033119	Pipeliner® 80Ni1 MIG (GMAW) Wire 0.040 in 33 lb Spool	924511966	
ED033120	Pipeliner® 80Ni1 MIG (GMAW) Wire 0.047 in 33 lb Spool	924512004	
ED033121	Pipeliner® 80Ni1 1 (.040) 10 SPOOL AWS A5.28: ER80S-G	924511531	
ED033122	Pipeliner® 80Ni1 MIG (GMAW) Wire 0.047 in 10 lb Spool	924511596	
ED033199	3/32 Superglaze 5556 16Lb Sp	925688226	**Hobart MaxalMIG 5556 (same AWS class; no 3/32 in size)** no part # **NE**
ED033215	SuperArc® L-59® MIG (GMAW) Wire 0.045 in 1000 lb Infinity-Pak	924512627	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED033270	SuperArc® L-50® MIG (GMAW) Wire 1/16 in 1000 lb Precise-Trak® Reel	924510670	**Hobart Quantum Arc 3 (same AWS class; no 1/16 in size)** no part # **NE**
ED033271	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 1000 lb Precise-Trak® Reel	924512699	**Hobart Quantum Arc 6 0.035 in, 950 Lb Robo-Pak** Part # S307608-070 **SM**
ED033292	SuperArc® L-50® MIG (GMAW) Wire 0.040 in 1000 lb Accu-Pak® Box	924512543	**Hobart Quantum Arc 3 (same AWS class; no 0.040 in size)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033328	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 44 lb Spool Tested	924511432	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED033702	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Pak® Box	924512444	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
ED033703	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 44 lb Spool	924512616	**Hobart HB-28 0.045 in, 45 Lb Spool** Part # S305412-045 **SM**
ED033704	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 44 lb Spool	924512407	**Hobart HB-28 0.035 in, 45 Lb Spool** Part # S305408-045 **SM**
ED033705	SuperArc® L-56® MIG (GMAW) Wire 0.052 in 44 lb Spool	924512578	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED033706	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 1000 lb Accu-Pak® Box	924510724	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED033707	SuperArc® L-56® MIG (GMAW) Wire 1/16 in 500 lb Accu-Pak® Box	924511862	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED033840	SuperArc® Orbital L-56® N TIG (GTAW) Wire 0.035 in (4) 2 lb Plastic Spool	924511992	
ED033841	SuperArc® Orbital L-56® N TIG (GTAW) Wire 0.035 in 10 lb Spool	924512065	
ED033842	SuperArc® L-56® N MIG (GMAW) Wire 0.035 in 33 lb Spool	924511673	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED033843	Superarc® L-56 N Welding Wire (Priced Per lb)	924512656	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED033908 †	.052 500 LB Accur Trac Drum	920116692	
ED033916	3/64 Superglaze 5356 16Lb Ssp	925688224	**Hobart MaxalMIG 5356 3/64 in, 16 Lb Wire Basket** Part # 535604712 **SM**
ED033947	SuperArc® Orbital L-52™ N TIG (GTAW) Wire 0.035 in (4) 2 lb Plastic Spool	924511686	
ED033948	SuperArc® Orbital L-52™ N TIG (GTAW) Wire 0.035 in 10 lb Spool	924511661	
ED033949	SuperArc® LA-75 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511954	
ED033952	Lincoln® ER70S-2 TIG (GTAW) Rod 1/16 in 10 lb Carton	924510747	
ED033953	Lincoln® ER70S-2 TIG (GTAW) Rod 3/32 in 10 lb Carton	924510691	
ED033954	Lincoln® ER70S-2 TIG (GTAW) Rod 1/8 in 10 lb Carton	924510681	
ED033975	.040 Superarc L-56 1000Lb Ap	925688338	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED034064	Superglaze® 5356 Tm™ Welding Wire (Priced Per lb)	924511214	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034065	Superglaze® 5356 Tm™ Welding Wire (Priced Per lb)	924511426	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034066	Superglaze® 5356 Tm™ Welding Wire (Priced Per lb)	924511493	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034067	SuperGlaze® 5356 TM .035 (0.9) 16 SPOOL/CAGE AWS A5.10: ER5356	924511779	**Hobart MaxalMIG 5356 0.035 in** no part # **SM**
ED034068	SuperGlaze® 5356 TM 0 3/64 (1.2) 16 SPOOL/CAGE AWS A5.10: ER5356	924512112	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED034070	SuperGlaze® 5356 TM 0 3/64 (1.2) 20 SPOOL AWS A5.10: ER5356	924511558	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED034071	SuperGlaze® 5356 TM 0 1/16 (1.6) 20 SPOOL AWS A5.10: ER5356	924511147	**Hobart MaxalMIG 5356 1/16 in** no part # **SM**
ED034097	Lincoln® ER100S-1 TIG (GTAW) Rod 3/32 in 10 lb Carton	924511692	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034098	Lincoln® ER100S-1 TIG (GTAW) Rod 1/8 in 10 lb Carton	924511286	
ED034176	SuperGlaze® 5556 TIG (GTAW) Rod 1/16 in 10 lb Carton	925034287	
ED034177	SuperGlaze® 5556 TIG (GTAW) Rod 3/32 in 10 lb Carton	925034354	
ED034178	SuperGlaze® 5556 TIG (GTAW) Rod 1/8 in 10 lb Carton	925034374	
ED034179	SuperGlaze® 5556 TIG (GTAW) Rod 5/32 in 10 lb Carton	925034335	
ED034180	SuperGlaze® 5556 TIG (GTAW) Rod 3/16 in 10 lb Carton	925034383	
ED034190	SuperGlaze® 5183 MIG (GMAW) Wire 0.035 in 16 lb Spool	925034293	**Hobart MaxalMIG 5183 (same AWS class; no 0.035 in size)** no part # **NE**
ED034191	3/64 Superglaze 5183 16Lb Ssp	925688223	**Hobart MaxalMIG 5183 3/64 in, 16 Lb Wire Basket** Part # 518304712 **SM**
ED034193	SuperGlaze® 5183 TIG (GTAW) Rod 3/32 in 10 lb Carton	925034309	
ED034194	SuperGlaze® 5183 TIG (GTAW) Rod 1/8 in 10 lb Carton	925034362	
ED034219	Lincoln® ER80S-D2 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512278	
ED034220	Lincoln® ER80S-D2 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510708	
ED034221	Lincoln® ER80S-D2 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512651	
ED034248	Superarc® L-56® Welding Wire (Priced Per lb)	924512526	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034270	SuperArc® L-59® MIG (GMAW) Wire 0.035 in 33 lb Spool	924512442	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED034271	SuperArc® L-59® MIG (GMAW) Wire 0.045 in 33 lb Spool	924511674	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
ED034272	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 33 lb Spool	924512357	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED034325	Lincoln® ER70S-2 TIG (GTAW) Rod 1/16 in (4) 5 lb Tube	924511430	
ED034326	Lincoln® ER70S-2 TIG (GTAW) Rod 3/32 in (4) 5 lb Tube	924511511	
ED034327	Lincoln® ER70S-2 TIG (GTAW) Rod 1/8 in (4) 5 lb Tube	924511524	
ED034328	Lincoln® ER70S-2 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512054	
ED034329	Lincoln® ER70S-2 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512700	
ED034330	Lincoln® ER70S-2 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512693	
ED034331	Lincoln® ER70S-2 TIG (GTAW) Rod 1/16 in 50 lb Carton	924510664	
ED034332	Lincoln® ER70S-2 TIG (GTAW) Rod 3/32 in 50 lb Carton	924512671	
ED034333	Lincoln® ER70S-2 TIG (GTAW) Rod 1/8 in 50 lb Carton	924510876	
ED034334	Lincoln® ER70S-6 TIG (GTAW) Rod 1/16 in (4) 5 lb Tube	924510986	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034335	Lincoln® ER70S-6 TIG (GTAW) Rod 3/32 in (4) 5 lb Tube	924511130	
ED034336	Lincoln® ER70S-6 TIG (GTAW) Rod 1/8 in (4) 5 lb Tube	924511163	
ED034337	Lincoln® ER70S-6 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510736	
ED034338	Lincoln® ER70S-6 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510888	
ED034339	Lincoln® ER70S-6 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512378	
ED034340	Lincoln® ER70S-6 TIG (GTAW) Rod 1/16 in 50 lb Carton	924512416	
ED034341	Lincoln® ER70S-6 TIG (GTAW) Rod 3/32 in 50 lb Carton	924512663	
ED034342	Lincoln® ER70S-6 TIG (GTAW) Rod 1/8 in 50 lb Carton	924512441	
ED034343	Lincoln® ER80S-B2 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512294	
ED034344	Lincoln® ER80S-B2 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510690	
ED034345	Lincoln® ER80S-B2 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510645	
ED034346	Lincoln® ER80S-Ni1 0 1/16 (1.6) 30 CARTON (10 TUBE) AWS A5.28: ER80S-Ni1	924512481	
ED034347	Lincoln® ER80S-Ni1 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512090	
ED034348	Lincoln® ER80S-Ni1 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512336	
ED034349	Lincoln® LA-84 GTAW TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512454	
ED034350	Lincoln® LA-84 GTAW TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512313	
ED034356	SuperArc® L-59® MIG (GMAW) Wire 1/16 in 33 lb Spool	924511279	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED034357	Lincoln® ER90S-B3 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511418	
ED034358	Lincoln® ER90S-B3 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511371	
ED034359	Lincoln® ER90S-B3 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511594	
ED034394	SuperArc® L-56®	924511340	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034402	SuperArc® L-59® MIG (GMAW) Wire 0.035 in 500 lb Infinity-Pak®	924511342	**Hobart Quantum Arc 6 0.035 in, 600 Lb Robo-Pak** Part # S307608-011 **SM**
ED034428	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 44 lb Spool	924510646	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED034429	SuperArc® L-56® MIG (GMAW) Wire 0.035 in 900 lb Accu-Pak® Box	924512637	**Hobart Quantum Arc 6 0.035 in, 950 Lb Robo-Pak** Part # S307608-070 **SM**
ED034430	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 44 lb Spool	924512607	**Hobart Quantum Arc 6 0.052 in, 60 Lb Fiber Spool** Part # S307615-028 **SM**
ED034431	SuperArc® L-59® MIG (GMAW) Wire 0.052 in 1000 lb Accu-Pak® Box	924510783	**Hobart Quantum Arc 6 0.052 in, 950 Lb Robo-Pak** Part # S307615-070 **SM**
ED034432	SuperArc® LA-75 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511042	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034436	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 1000 lb Accu-Pak® Box	924510772	**Hobart Quantum Arc D2 0.045 in, 600 Lb Robo-Pak** Part # S307212-011 **NE**
ED034465	SuperArc® Orbital TIG ER80S-B2 TIG (GTAW) Wire 0.035 in (4) 2 lb Plastic Spool	924512173	
ED034466	SuperArc® Orbital TIG ER80S-B2 TIG (GTAW) Wire 0.045 in (4) 2 lb Plastic Spool	924512369	
ED034468	SuperArc® Orbital TIG ER90S-B3 TIG (GTAW) Wire 0.045 in (4) 2 lb Plastic Spool	924511942	
ED034469	SuperArc® Orbital TIG ER80S-B2 TIG (GTAW) Wire 0.035 in 10 lb Spool	924511507	
ED034470	SuperArc® Orbital TIG ER80S-B2 TIG (GTAW) Wire 0.045 in 10 lb Spool	924511606	
ED034471	SuperArc® Orbital TIG ER90S-B3 .035 (0.9) 10 SPOOL AWS A5.28: ER90S-B3 AWS A5.28M: ER62S-B3 ASME SF	924511295	
ED034535	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 500 lb Infinity-Pak®	924511776	**Hobart Quantum Arc 3 0.045 in, 600 Lb Robo-Pak** Part # S307312-011 **SM**
ED034550	SuperGlaze® 5356 MIG (GMAW) Wire 3/64 in 300 lb Gem-Pak™ Box	924511488	**Hobart MaxalMIG 5356 3/64 in, 300 Lb Drum** Part # 535604723 **SM**
ED034551	SuperGlaze® 5356 MIG (GMAW) Wire 1/16 in 300 lb Gem-Pak™ Box	924512089	**Hobart MaxalMIG 5356 1/16 in, 300 Lb Drum** Part # 535606223 **SM**
ED034560	Superglide® S6 Welding Wire (Priced Per lb)	924512137	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034561	SuperGlide® S6 MIG (GMAW) Wire 0.045 in 900 lb Accu-Trak® Drum	924511412	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED034722	SuperGlaze® 5356 MIG (GMAW) Wire 0.035 in 300 lb Gem-Pak™ Box	924511711	**Hobart MaxalMIG 5356 0.035 in, 16 Lb Wire Basket** Part # 535603512 **SM**
ED034723	Superglaze® 5356 Tm™ Welding Wire (Priced Per lb)	924511541	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034724	SuperGlaze® 5356 TM 0 3/64 (1.2) 300 GEM-PAK® AWS A5.10: ER5356	924511254	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED034725	SuperGlaze® 5554 MIG (GMAW) Wire 3/64 in 300 lb Gem-Pak™ Box	924511513	**Hobart MaxalMIG 5554 3/64 in, 300 Lb Drum** Part # 555404723 **SM**
ED034729	SuperGlaze® 5356 TM 0 1/16 (1.6) 300 GEM-PAK® AWS A5.10: ER5356	924511710	**Hobart MaxalMIG 5356 1/16 in** no part # **SM**
ED034730	SuperGlaze® 5554 0 1/16 (1.6) 300 GEM-PAK® AWS A5.10: ER5554	924511557	**Hobart MaxalMIG 5554 1/16 in** no part # **SM**
ED034731	Superglaze® 5556 Welding Wire (Priced Per lb)	924511358	**Hobart MaxalMIG 5556 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034760	Superglaze® 4047 Welding Wire (Priced Per lb)	924511424	**Hobart MaxalMIG 4047 (same AWS class; size not given on the sheet row)** no part # **NE**
ED034767	SuperGlaze® 5556 MIG (GMAW) Wire 3/64 in 300 lb Gem-Pak™ Box	924511929	**Hobart MaxalMIG 5556 3/64 in, 16 Lb Plastic Spool** Part # 555604712P **SM**
ED034781	Lincoln® ER70S-6 TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924511944	
ED034789	SuperGlaze® 5183 MIG (GMAW) Wire 0.035 in 300 lb Gem-Pak™ Box	924511664	**Hobart MaxalMIG 5183 (same AWS class; no 0.035 in size)** no part # **NE**
ED034791	SuperGlaze® 5183 MIG (GMAW) Wire 3/64 in 300 lb Gem-Pak™ Box	924512014	**Hobart MaxalMIG 5183 3/64 in, 22 Lb Plastic Spool** Part # 518304712P22 **SM**
ED034792	SuperGlaze® 5183 MIG (GMAW) Wire 1/16 in 300 lb Gem-Pak™ Box	924510696	**Hobart MaxalMIG 5183 (same AWS class; no 1/16 in size)** no part # **NE**
ED034810	Lincoln® ER70S-2 TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924512682	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034836	.045 Superarc L-50 1500Ptr	925688342	**Hobart Quantum Arc 3 0.045 in** no part # **SM**
ED034894	SuperArc® AK-10® MIG (GMAW) Wire 0.035 in 33 lb Spool	924511271	
ED034895	SuperArc® AK-10™	924510845	
ED034896	SuperArc® AK-10® MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511953	
ED034897	SuperArc® AK-10® MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511350	
ED034898	Lincoln® AK-10® TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512133	
ED034899	Lincoln® AK-10® TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511685	
ED034900	Lincoln® AK-10® TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512136	
ED034955	SuperArc® LA-90 MIG (GMAW) Wire 0.052 in 1000 lb Infinity-Pak	924510698	**Hobart Quantum Arc D2 (same AWS class; no 0.052 in size)** no part # **NE**
ED035231	Lincoln® ER320LR TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511341	
ED035232	Lincoln® ER320LR TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511256	
ED035233	Lincoln® ER320LR TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510907	
ED035240	Lincoln® ER385 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511969	
ED035241	Lincoln® ER385 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511582	
ED035242	Lincoln® ER409Nb TIG (GTAW) Cut Lengths	924511831	
ED035243	Lincoln® ER409Nb TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511800	
ED035321	.040 Superarc L-50 1500 Precise-Trak Re	925688337	**Hobart Quantum Arc 3 (same AWS class; no 0.040 in size)** no part # **NE**
ED035372	SuperArc® Orbital TIG AK-10® .035 (0.9) 10 SPOOL AWS A5.28: ER100S-G	924512653	
ED035373	SuperArc® Orbital TIG AK-10® .035 (0.9) 33 SPOOL AWS A5.28: ER100S-G	924512187	
ED035374	SuperArc® Orbital TIG AK-10® .045 (1.1) 10 SPOOL AWS A5.28: ER100S-G	924512321	
ED035375	SuperArc® Orbital AK-10™ TIG (GTAW) Wire 0.045 in 33 lb Spool	924512583	
ED035407	5/32X36 Superglaze 4043 10Lb Ct	925688231	**Hobart MaxalMIG 4043 (same AWS class; no 5/32 in size)** no part # **NE**
ED035464	Lincoln® ER330 0 3/32 (2.4) 30 CARTON (10 TUBE)	924511592	
ED035674	SuperGlaze® HD 5356 0 3/64 (1.2) 16 SPOOL/CAGE AWS A5.10: ER5356	924511041	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED035675	SuperGlaze® HD 5356 0 3/64 (1.2) 20 SPOOL AWS A5.10: ER5356	924511497	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED035676	SuperGlaze® HD 5356 0 1/16 (1.6) 16 SPOOL/CAGE AWS A5.10: ER5356	924511346	**Hobart MaxalMIG 5356 1/16 in, 16 Lb Wire Basket** Part # 535606212 **SM**
ED035677	SuperGlaze® HD 5356 0 1/16 (1.6) 20 SPOOL AWS A5.10: ER5356	924511780	**Hobart MaxalMIG 5356 1/16 in** no part # **SM**
ED035680	SuperGlaze® HD 5556 0 3/64 (1.2) 16 SPOOL/CAGE AWS A5.10: ER5556	924511788	**Hobart MaxalMIG 5556 3/64 in, 16 Lb Plastic Spool** Part # 555604712P **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035692	SuperGlaze® HD 5183 0 3/64 (1.2) 16 STEEL SPOOL AWS A5.10: ER5183	924511455	**Hobart MaxalMIG 5183 3/64 in** no part # **SM**
ED035693	SuperGlaze® HD 5183 0 3/64 (1.2) 20 SPOOL AWS A5.10: ER5183	924511732	**Hobart MaxalMIG 5183 3/64 in** no part # **SM**
ED035694	SuperGlaze® HD 5183 0 1/16 (1.6) 16 STEEL SPOOL AWS A5.10: ER5183	924511599	**Hobart MaxalMIG 5183 (same AWS class; no 1/16 in size)** no part # **NE**
ED035695	SuperGlaze® HD 5183 0 1/16 (1.6) 20 SPOOL AWS A5.10: ER5183	924512073	**Hobart MaxalMIG 5183 (same AWS class; no 1/16 in size)** no part # **NE**
ED035698	SuperGlaze® HD 5356TM 0 3/64 (1.2) 16 SPOOL AWS A5.10: ER5356	924511960	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED035699	SuperGlaze® HD 5356TM 0 3/64 (1.2) 20 SPOOL AWS A5.10: ER5356	924510676	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED035700	SuperGlaze® HD 5356TM 0 1/16 (1.6) 16 SPOOL AWS A5.10: ER5356	924510713	**Hobart MaxalMIG 5356 1/16 in, 16 Lb Wire Basket** Part # 535606212 **SM**
ED035701	SuperGlaze® HD 5356TM 0 1/16 (1.6) 20 SPOOL AWS A5.10: ER5356	924510893	**Hobart MaxalMIG 5356 1/16 in** no part # **SM**
ED035910	SuperGlaze® 5754 1.2 (0.047) 136 GEM-PAK® ER5754	925034343	
ED036219	Superarc® L-56® Welding Wire (Priced Per lb)	924511818	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036220	SuperArc® L-59® MIG (GMAW) Wire 1/16 in 44 lb Spool	924512061	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED036248	.040 Superarc L-59 33Sp	925688362	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED036297	1/16 Superarc L-56 1500Lb Ptr	925688347	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED036335	Superglaze® Hd 5356 Welding Wire (Priced Per lb)	924510944	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036336	Superglaze® Hd 5356 Welding Wire (Priced Per lb)	924510975	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036337	Superglaze® Hd 5356 Welding Wire (Priced Per lb)	924512456	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036338	Superglaze® Hd 5356 Tm™ Welding Wire (Priced Per lb)	924512582	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036339	Superglaze® Hd 5356 Tm™ Welding Wire (Priced Per lb)	924512504	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036340	Superglaze® Hd 5356 Tm™ Welding Wire (Priced Per lb)	924512675	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036341	SuperGlaze® HD 5183 .035 (0.9) 300 GEM-PAK® AWS A5.10: ER5183	924512681	**Hobart MaxalMIG 5183 (same AWS class; no 0.035 in size)** no part # **NE**
ED036342	Superglaze® Hd 5183 Welding Wire (Priced Per lb)	924512687	**Hobart MaxalMIG 5183 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036343	Superglaze® Hd 5183 Welding Wire (Priced Per lb)	924512001	**Hobart MaxalMIG 5183 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036351	.035 Superarc L-56 1500Lb Ptr	925688346	**Hobart Quantum Arc 6 0.035 in, 950 Lb Robo-Pak** Part # S307608-070 **SM**
ED036352	.045 Superarc L-56 1500Lb Ptr	925688339	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED036380	SuperGlaze® HD 5556 .035 (0.9) 300 GEM-PAK® AWS A5.10: ER5556	924510834	**Hobart MaxalMIG 5556 (same AWS class; no 0.035 in size)** no part # **NE**
ED036381	Superglaze® Hd 5556 Welding Wire (Priced Per lb)	924512220	**Hobart MaxalMIG 5556 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036382	Superglaze® Hd 5556 Welding Wire (Priced Per lb)	924511786	**Hobart MaxalMIG 5556 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036509	SuperArc® LA-75 MIG (GMAW) Wire 0.052 in 44 lb Spool	924510842	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036531	Pipeliner® 70S-6 MIG (GMAW) Wire 0.040 in 10 lb Spool	925034280	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED036532	Pipeliner® 70S-6 MIG (GMAW) Wire 0.040 in 33 lb Spool	924512572	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 0.040 in size)** no part # **NE**
ED036535	Pipeliner® 70S-6 MIG (GMAW) Wire 0.047 in 33 lb Spool	924512206	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
ED036592	SuperGlaze® 4043 0 3/64 (1.2) 60 DRUM AWS A5.10: ER4043	924511224	**Hobart MaxalMIG 4043 3/64 in** no part # **SM**
ED036593	SuperGlaze® 5356 0 3/64 (1.2) 60 DRUM AWS A5.10: ER5356	924511022	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED036594	Superglaze® 5356 Tm™ Welding Wire (Priced Per lb)	924511400	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036595	SuperGlaze® HD 5356 0 3/64 (1.2) 60 DRUM AWS A5.10: ER5356	924511816	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED036596	SuperGlaze® HD 5356TM 0 3/64 (1.2) 60 DRUM AWS A5.10: ER5356	924511101	**Hobart MaxalMIG 5356 3/64 in** no part # **SM**
ED036608	SuperArc® LA-100 MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924511642	
ED036609	SuperGlaze® 4043 MIG (GMAW) Wire 0.035 in 300 lb Gem-Pak™ Box	924511552	**Hobart MaxalMIG 4043 0.035 in, 16 Lb Wire Basket** Part # 404303512 **SM**
ED036610	SuperGlaze® 4043 MIG (GMAW) Wire 3/64 in 300 lb Gem-Pak™ Box	924511366	**Hobart MaxalMIG 4043 3/64 in, 300 Lb Drum** Part # 404304723 **SM**
ED036611	SuperGlaze® 4043 MIG (GMAW) Wire 1/16 in 300 lb Gem-Pak™ Box	924511017	**Hobart MaxalMIG 4043 1/16 in, 300 Lb Drum** Part # 404306223 **SM**
ED036612	SuperGlaze® 4047 MIG (GMAW) Wire 1/16 in 300 lb Gem-Pak™ Box	925034378	**Hobart MaxalMIG 4047 (same AWS class; no 1/16 in size)** no part # **NE**
ED036613	SuperGlaze® 4047 MIG (GMAW) Wire 3/64 in 300 lb Gem-Pak™ Box	925034272	**Hobart MaxalMIG 4047 3/64 in, 300 Lb Drum** Part # 404704723 **SM**
ED036624	SuperArc® L-50® MIG (GMAW) Wire 0.035 in 44 lb Spool	924511276	**Hobart Quantum Arc 3 0.035 in, 45 Lb Steel Reel** Part # S307308-045 **SM**
ED036632	Superarc® L-56® Welding Wire (Priced Per lb)	924511536	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036633	SuperArc® L-56® MIG (GMAW) Wire 0.045 in 1000 lb Infinity-Pak	924511613	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED036656	.040 Superarc L-50 44Ssp	925688363	**Hobart Quantum Arc 3 (same AWS class; no 0.040 in size)** no part # **NE**
ED036672	.052 Superarc L-50 1500Lb Ptr	925688344	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
ED036718	SuperGlaze® 4043 .035 (0.9) 60 DRUM AWS A5.10: ER4043	924511070	**Hobart MaxalMIG 4043 0.035 in** no part # **SM**
ED036719	Superglaze® 4043 Mig Welding Wire (Priced Per lb)	924511395	**Hobart MaxalMIG 4043 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036720	Superglaze® 5356 Mig Welding Wire (Priced Per lb)	924511393	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036721	Superglaze® 5356 Mig Welding Wire (Priced Per lb)	924511357	**Hobart MaxalMIG 5356 (same AWS class; size not given on the sheet row)** no part # **NE**
ED036730	SuperArc® L-56® .045 (1.1) 60 SPOOL	924511275	**Hobart HB-28 0.045 in** no part # **SM**
ED036802	SuperGlaze® SiBR MIG (GMAW) Wire 0.035 in 500 lb Gem-Pak® Box	924512077	
ED036803	SuperGlaze® SiBR MIG (GMAW) Wire 0.040 in 500 lb Gem-Pak® Box	924511585	
ED036804	SuperGlaze® SiBR MIG (GMAW) Wire 0.045 in 500 lb Gem-Pak® Box	924511251	
ED036805	SuperGlaze® SiBR MIG (GMAW) Wire 0.035 in 33 lb Spool	924511520	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036806	SuperGlaze® SiBR MIG (GMAW) Wire 0.040 in 33 lb Spool	924512275	
ED036807	SuperGlaze® SiBR MIG (GMAW) Wire 0.045 in 33 lb Spool	924511850	
ED036879	SuperArc® L-50® MIG (GMAW) Wire 0.045 in 33 lb Spool	924511427	**Hobart Quantum Arc 3 0.045 in, 45 Lb Steel Reel** Part # S307312-045 **SM**
ED037003	SuperArc® L-52 MIG (GMAW) Wire 0.035 in 33 lb Spool	924512197	
ED037004	SuperArc® L-52 MIG (GMAW) Wire 0.035 in 44 lb Spool	924512195	
ED037005	SuperArc® L-52 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512071	
ED037006	SuperArc® L-52 MIG (GMAW) Wire 0.045 in 44 lb Spool	924511939	
ED037131	SuperArc® G4Si1 MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	925034313	**Hobart Quantum Arc 6 0.045 in, 600 Lb Robo-Pak** Part # S307612-011 **SM**
ED037154	.040 Superglaze 4043 300Lb Gem-Pak Welding Wire (Priced Per lb)	924510990	**Hobart MaxalMIG 4043 (same AWS class; no 0.040 in size)** no part # **NE**
ED037156	SuperArc® G4Si1 MIG (GMAW) Wire 0.045 in 1000 lb Accu-Pak® Box	925034310	**Hobart Quantum Arc 6 0.045 in, 950 Lb Robo-Pak** Part # S307612-070 **SM**
ED037194	3/32 Superglaze 5356 60 Lb Reel	925688230	**Hobart MaxalMIG 5356 (same AWS class; no 3/32 in size)** no part # **NE**
ED037356	SuperArc® L-56® MIG (GMAW) Wire 1/16 in 60 lb Fiber Spool	924512385	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED037357	SuperArc® L-56® MIG (GMAW) Wire 1/16 in 60 lb Spool	924512524	**Hobart HB-28 / Quantum Arc 6 (same AWS class; no 1/16 in size)** no part # **NE**
ED037358	SuperArc® LA-100 MIG (GMAW) Wire 1/16 in 60 lb Spool	924512420	
ED037360	SuperArc® LA-100 MIG (GMAW) Wire 0.045 in 60 lb Spool	925034375	
ED037362	SuperArc® LA-90 MIG (GMAW) Wire 1/16 in 60 lb Spool	924510906	**Hobart Quantum Arc D2 (same AWS class; no 1/16 in size)** no part # **NE**
ED037505	Pipeliner® 70S-6 MIG (GMAW) Wire 0.047 in 10 lb Spool	925034268	**Hobart Quantum Arc 6 0.045 in, 33 Lb Steel Reel** Part # S307612-033 **SM**
ED037555	SuperArc® XLS MIG (GMAW) Wire 0.047 in 1000 lb Accu-Pak® Box	925034239	
ED037556	SuperArc® XLS MIG (GMAW) Wire 0.047 in 44 lb Spool	925034368	
ED037697	.045 Superarc Xls 1000Lbap Box	925688341	
ED037698	SuperArc® XLS MIG (GMAW) Wire 0.045 in 44 lb Spool	925034329	
ED037798	Pipeliner® 70S-6 MIG (GMAW) Wire 0.035 in 10 lb Spool	925034235	**Hobart HB-28 0.035 in, 10 Lb Spool** Part # S305408-022 **SM**
ED037799	Pipeliner® 70S-6 MIG (GMAW) Wire 0.035 in 33 lb Spool	925034363	**Hobart Quantum Arc 6 0.035 in, 33 Lb Steel Reel** Part # S307608-033 **SM**
ED037828	SuperArc® XLS MIG (GMAW) Wire 0.040 in 1000 lb Accu-Pak® Box	925034323	
ED037829	SuperArc® XLS MIG (GMAW) Wire 0.040 in 44 lb Spool	925034271	
ED037830	SuperArc® XLS MIG (GMAW) Wire 0.035 in 900 lb Accu-Pak® Box	925034321	
ED037831	SuperArc® XLS MIG (GMAW) Wire 0.035 in 44 lb Spool	925034346	
ED037978	SuperGlaze® 1100 MIG (GMAW) Wire 1/16 in 300 lb Gem-Pak™ Box	925034344	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED038018	SuperGlaze® 1100 MIG (GMAW) Wire 1/16 in 20 lb Spool	925034369	
ED038141	3/64 Superglaze 5356 Plus 20Lb Sp	925688222	**Hobart MaxalMIG 5356 3/64 in, 22 Lb Plastic Spool** Part # 535604712P22 **SM**
ED038143	SuperGlaze® 5356 Plus MIG (GMAW) Wire 3/64 in 16 lb Spool	925540735	**Hobart MaxalMIG 5356 3/64 in, 16 Lb Wire Basket** Part # 535604712 **SM**
ED038144	SuperGlaze® 5356 Plus MIG (GMAW) Wire 1/16 in 20 lb Spool	925540736	**Hobart MaxalMIG 5356 1/16 in, 22 Lb Plastic Spool** Part # 535606212P22 **SM**
ED038147	SuperGlaze® 5183 Plus MIG (GMAW) Wire 3/64 in 16 lb Spool	925540734	**Hobart MaxalMIG 5183 3/64 in, 16 Lb Wire Basket** Part # 518304712 **SM**
EDM23346173	Murematic® S4+ .035 (0.9) 1000 ACCU-TRAK® DRUM ER70S-4	924511832	
EDM23346313	Murematic® S4+ .035 (0.9) 60 SPOOL ER70S-4	924511073	
EDM23346315	Murematic® S4+ .045 (1.1) 60 SPOOL ER70S-4	924511404	
EDM23346353	Murematic® S4+ .035 (0.9) 30 SPOOL ER70S-4	924511250	
EDM23346355	Murematic® S4+ MIG (GMAW) Wire 0.045 in 30 lb Spool	924511431	
EDM23346383	Murematic® S4+ .035 (0.9) 500 ACCU-TRAK® DRUM ER70S-4	924511890	
EDM23346385	Murematic® S4+ .045 (1.1) 500 ACCU-TRAK® DRUM ER70S-4	924511401	
EDM23346393	Murematic® S4+ .035 (0.9) 44 SPOOL ER70S-4	924511973	
EDM23346395	Murematic® S4+ .045 (1.1) 44 SPOOL ER70S-4	924512038	
EDM23346573	Murematic® S3 .035 (0.9) 1000 ACCU-TRAK® DRUM ER70S-3	924511739	**Hobart Quantum Arc 3 0.035 in** no part # **SM**
EDM23346575	Murematic® S3 .045 (1.1) 1000 ACCU-TRAK® DRUM ER70S-3	924510984	**Hobart Quantum Arc 3 0.045 in** no part # **SM**
EDM23346576	Murematic® S3 .052 (1.3) 1000 ACCU-TRAK® DRUM ER70S-3	924512701	**Hobart Quantum Arc 3 (same AWS class; no 0.052 in size)** no part # **NE**
EDM23346593	Murematic® S3 .035 (0.9) 44 SPOOL ER70S-3	924510838	**Hobart Quantum Arc 3 0.035 in** no part # **SM**
EDM23346595	Murematic® S3 .045 (1.1) 44 SPOOL ER70S-3	924510932	**Hobart Quantum Arc 3 0.045 in** no part # **SM**
EDM23346673	Murematic® S6 .035 (0.9) 1000 ACCU-TRAK® DRUM ER70S-6	924510728	**Hobart HB-28 0.035 in** no part # **SM**
EDM23346675	Murematic® S6 .045 (1.1) 1000 ACCU-TRAK® DRUM ER70S-6	924510746	**Hobart HB-28 0.045 in** no part # **SM**
EDM23346676	Murematic® S6 .052 (1.3) 1000 ACCU-TRAK® DRUM ER70S-6	924511351	**Hobart Quantum Arc 6 0.052 in** no part # **SM**
EDM23346713	Murematic® S3 .035 (0.9) 60 SPOOL ER70S-3	924510865	**Hobart Quantum Arc 3 0.035 in** no part # **SM**
EDM23346715	Murematic® S3 .045 (1.1) 60 SPOOL ER70S-3	924510689	**Hobart Quantum Arc 3 0.045 in** no part # **SM**
EDM23346783	Murematic® S3 .035 (0.9) 500 ACCU-TRAK® DRUM ER70S-3	924511008	**Hobart Quantum Arc 3 0.035 in** no part # **SM**
EDM23346785	Murematic® S3 .045 (1.1) 500 ACCU-TRAK® DRUM ER70S-3	924510885	**Hobart Quantum Arc 3 0.045 in** no part # **SM**
EDM23346852	Murematic® S6 .030 (0.8) 30 SPOOL ER70S-6	924511100	**Hobart HB-28 0.030 in** no part # **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EDM23346853	Murematic® S6 .035 (0.9) 30 SPOOL ER70S-6	924512282	**Hobart HB-28 0.035 in** no part # **SM**
EDM23346855	Murematic® S6 .045 (1.1) 30 SPOOL ER70S-6	924512556	**Hobart HB-28 0.045 in** no part # **SM**
EDM23346883	Murematic® S6 .035 (0.9) 500 ACCU-TRAK® DRUM ER70S-6	924512478	**Hobart HB-28 0.035 in** no part # **SM**
EDM23346885	Murematic® S6 .045 (1.1) 500 ACCU-TRAK® DRUM ER70S-6	924512428	**Hobart HB-28 0.045 in** no part # **SM**
EDM23346886	Murematic® S6 .052 (1.3) 500 ACCU-TRAK® DRUM ER70S-6	924512537	**Hobart Quantum Arc 6 0.052 in** no part # **SM**
EDM23346893	Murematic® S6 .035 (0.9) 44 SPOOL ER70S-6	924511601	**Hobart HB-28 0.035 in** no part # **SM**
EDM23346895	Murematic® S6 .045 (1.1) 44 SPOOL ER70S-6	924511792	**Hobart HB-28 0.045 in** no part # **SM**
EDM23347343	Murematic® S4+ .035 (0.9) 44 SPOOL ER70S-4	924512512	
EDM23347543	Murematic® S3 .035 (0.9) 44 SPOOL ER70S-3	924512265	**Hobart Quantum Arc 3 0.035 in** no part # **SM**
EDM23347545	Murematic® S3 .045 (1.1) 44 SPOOL ER70S-3	924510841	**Hobart Quantum Arc 3 0.045 in** no part # **SM**
EDM23347815	Murematic® S6 .045 (1.1) 60 SPOOL ER70S-6	924511162	**Hobart HB-28 0.045 in** no part # **SM**
EDM23347843	Murematic® S6 .035 (0.9) 44 SPOOL ER70S-6	924510801	**Hobart HB-28 0.035 in** no part # **SM**
EDM23347845	Murematic® S6 .045 (1.1) 44 SPOOL ER70S-6	924512128	**Hobart HB-28 0.045 in** no part # **SM**
EDS01162	SuperArc® LA-100 MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511693	
EDS01372	SuperArc® LA-90 MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511769	**Hobart Quantum Arc D2 0.035 in, 600 Lb Robo-Pak** Part # S307208-011 **NE**
EDS01380	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 60 lb Spool	924512208	**Hobart Quantum Arc D2 0.045 in, 60 Lb Fiber Spool** Part # S307212-028 **NE**
EDS28415	SuperGlaze® 4047 .035 (0.9) 16 SPOOL AWS A5.10: ER4047	924512360	**Hobart MaxalMIG 4047 0.035 in, 16 Lb Wire Basket** Part # 404703512 **SM**
EDS28417	SuperGlaze® 4047 MIG (GMAW) Wire 3/64 in 16 lb Spool	924512462	**Hobart MaxalMIG 4047 3/64 in, 16 Lb Wire Basket** Part # 404704712 **SM**
EDS28418	SuperGlaze® 4047 0 1/16 (1.6) 16 SPOOL AWS A5.10: ER4047	924512694	**Hobart MaxalMIG 4047 (same AWS class; no 1/16 in size)** no part # **NE**
EDS28437	SuperGlaze® 5183 MIG (GMAW) Wire 3/64 in 16 lb Spool	924512518	**Hobart MaxalMIG 5183 3/64 in, 16 Lb Wire Basket** Part # 518304712 **SM**
EDS28438	SuperGlaze® 5183 MIG (GMAW) Wire 1/16 in 16 lb Spool	924511967	**Hobart MaxalMIG 5183 (same AWS class; no 1/16 in size)** no part # **NE**
EDS29581	SuperGlaze® 5556 MIG (GMAW) Wire 3/64 in 16 lb Spool	924511789	**Hobart MaxalMIG 5556 3/64 in, 16 Lb Plastic Spool** Part # 555604712P **SM**
EDS29582	SuperGlaze® 5556 MIG (GMAW) Wire 1/16 in 16 lb Spool	924512283	**Hobart MaxalMIG 5556 (same AWS class; no 1/16 in size)** no part # **NE**
EDS29590	SuperArc® LA-90 MIG (GMAW) Wire 0.035 in 1000 lb Accu-Trak® Drum	924511968	**Hobart Quantum Arc D2 0.035 in, 600 Lb Robo-Pak** Part # S307208-011 **NE**
EDS29592	SuperArc® LA-90 MIG (GMAW) Wire 0.052 in 1000 lb Accu-Trak® Drum	924512403	**Hobart Quantum Arc D2 (same AWS class; no 0.052 in size)** no part # **NE**
EDS30322	SuperGlaze® 5183 MIG (GMAW) Wire 0.035 in (20) 1 lb Spool	924511761	**Hobart MaxalMIG 5183 (same AWS class; no 0.035 in size)** no part # **NE**
EDS30329	SuperGlaze® 5556 MIG (GMAW) Wire 3/64 in (20) 1 lb Spool	924510902	**Hobart MaxalMIG 5556 3/64 in, 16 Lb Plastic Spool** Part # 555604712P **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EDS30775	SuperArc® LA-90 MIG (GMAW) Wire 0.035 in 44 lb Spool	924511104	**Hobart Quantum Arc D2 0.035 in, 45 Lb Steel Reel** Part # S307208-045 **NE**
EDS30776	SuperArc® LA-90 MIG (GMAW) Wire 0.045 in 44 lb Spool	924511409	**Hobart Quantum Arc D2 0.045 in, 45 Lb Steel Reel** Part # S307212-045 **NE**
EDS30777	SuperArc® LA-90 MIG (GMAW) Wire 0.052 in 44 lb Spool	924511479	**Hobart Quantum Arc D2 (same AWS class; no 0.052 in size)** no part # **NE**
EDS30778 †	SuperArc® LA-100 MIG (GMAW) Wire 0.035 in 44 lb Spool	921184008	
EDS30778 †	SuperArc® LA-100 MIG (GMAW) Wire 0.035 in 44 lb Spool	924510866	
EDS30779	SuperArc® LA-100 MIG (GMAW) Wire 0.045 in 44 lb Spool	924512121	
RF5609015S6-M	0.9 mm Red Force RF 56 ER70S-6 Welding Wire (33 lbs / 15 kg Spool)	928263430	**Hobart HB-28 / Quantum Arc 6 (same AWS class; size not given on the sheet row)** no part # **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Stick Electrodes (351)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	3/32" E7010-A1 Can 50Lb	921184005	
503609-2	Conarc 48 0 2 (5/64) Aws A5.1: E7018-1 H4R	925034251	**Hobart 418 / Hobart 7018 XLM (same AWS class; no 5/64 in size)** no part # **NE**
E9018D1-25	E9018-D1 Welding Rod (Priced Per lb)	924511053	
E9018D1-32	E9018-D1 Welding Rod (Priced Per lb)	924510750	
E9018D1-40	E9018-D1 Welding Rod (Priced Per lb)	924511259	
E9018D1-50	E9018-D1 Welding Rod (Priced Per lb)	924510791	
ED03259	3/32" Excalibur (10) 7018-1 MR Stick Electrode	91196867	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED010105 †	1/8" x 14" (50) 6011 Mild Steel Cellulosic Fleetweld® 180 EO CAN Welding Rod	0864389	**Hobart 335A 1/8 in, 50 Lb Carton** Part # S112244-031 **SM**
ED010105 †	Fleetweld® 180 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512463	**Hobart 335A 1/8 in, 50 Lb Carton** Part # S112244-031 **SM**
ED010110 †	Fleetweld® 180 Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	0864390	**Hobart 335A 3/32 in, 50 Lb Carton** Part # S112232-031 **SM**
ED010110 †	Fleetweld® 180 Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	924512340	**Hobart 335A 3/32 in, 50 Lb Carton** Part # S112232-031 **SM**
ED010114 †	5/32" x 14" (50) 6011 Mild Steel Cellulosic Fleetweld® 180 EO CAN Welding Rod	0864391	**Hobart 335A 5/32 in, 50 Lb Carton** Part # S112251-031 **SM**
ED010114 †	Fleetweld® 180 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924510700	**Hobart 335A 5/32 in, 50 Lb Carton** Part # S112251-031 **SM**
ED010153 †	Fleetweld® 37 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	0864392	**Hobart 447A 1/8 in, 50 Lb Carton** Part # S113844-031 **SM**
ED010153 †	Fleetweld® 37 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512539	**Hobart 447A 1/8 in, 50 Lb Carton** Part # S113844-031 **SM**
ED010156	Fleetweld® 37 Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924512644	**Hobart 447A (same AWS class; no 3/16 in size)** no part # **NE**
ED010161 †	Fleetweld® 37 Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	0864393	**Hobart 447A 3/32 in, 50 Lb Carton** Part # S113832-031 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED010161 †	Fleetweld® 37 Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	924512521	**Hobart 447A 3/32 in, 50 Lb Carton** Part # S113832-031 **SM**
ED010165 †	Fleetweld® 37 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864394	**Hobart 447A 5/32 in, 50 Lb Carton** Part # S113851-031 **SM**
ED010165 †	Fleetweld® 37 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512508	**Hobart 447A 5/32 in, 50 Lb Carton** Part # S113851-031 **SM**
ED010170	Fleetweld® 37 0 5/64 (2) 50 CARTON AWS A5.1: E6013	924512576	**Hobart 447A (same AWS class; no 5/64 in size)** no part # **NE**
ED010183 †	1/8" x 14" (50) 7014 Mild Steel Fleetweld® 47 Welding Rod	0864395	**Hobart 14A 1/8 in, 50 Lb Carton** Part # S114244-031 **SM**
ED010183 †	Fleetweld® 47 Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	924512391	**Hobart 14A 1/8 in, 50 Lb Carton** Part # S114244-031 **SM**
ED010186	Fleetweld® 47 Stick (SMAW) Electrode 3/16x14 in 50 lb Carton	924510659	**Hobart 14A 3/16 in, 50 Lb Carton** Part # S114258-031 **SM**
ED010189 †	3/32" x 14" (50) 7014 Mild Steel Fleetweld® 47 Welding Rod	0864396	**Hobart 14A 3/32 in, 50 Lb Carton** Part # S114232-031 **SM**
ED010189 †	Fleetweld® 47 Stick (SMAW) Electrode 3/32x14 in 50 lb Carton	924510712	**Hobart 14A 3/32 in, 50 Lb Carton** Part # S114232-031 **SM**
ED010193 †	Fleetweld® 47 Stick (SMAW) Electrode 5/32x14 in 50 lb Carton	0864397	**Hobart 14A 5/32 in, 50 Lb Carton** Part # S114251-031 **SM**
ED010193 †	Fleetweld® 47 Stick (SMAW) Electrode 5/32x14 in 50 lb Carton	924512317	**Hobart 14A 5/32 in, 50 Lb Carton** Part # S114251-031 **SM**
ED010203 †	Fleetweld® 5P® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	91136811	**Hobart 610 1/8 in, 50 Lb Can** Part # S129444-035 **SM**
ED010203 †	Fleetweld® 5P® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512574	**Hobart 610 1/8 in, 50 Lb Can** Part # S129444-035 **SM**
ED010207 †	3/16" (50) E6010 Fleetweld® 5P Stick Electrode	921805967	**Hobart 610 (same AWS class; no 3/16 in size)** no part # **NE**
ED010207 †	Fleetweld® 5P® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924512475	**Hobart 610 (same AWS class; no 3/16 in size)** no part # **NE**
ED010211 †	Fleetweld® 5P® Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	91136806	**Hobart 610 3/32 in, 50 Lb Can** Part # S129432-035 **SM**
ED010211 †	Fleetweld® 5P® Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	924512018	**Hobart 610 3/32 in, 50 Lb Can** Part # S129432-035 **SM**
ED010216 †	5/32" (50) E6010 Fleetweld® 5P Stick Electrode	921805968	**Hobart 610 5/32 in** no part # **SM**
ED010216 †	Fleetweld® 5P® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511634	**Hobart 610 5/32 in** no part # **SM**
ED010219	Fleetweld® 5P® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511471	**Hobart 610 (same AWS class; no 7/32 in size)** no part # **NE**
ED010278 †	Fleetweld® 5P+® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	99865594	**Hobart 610 1/8 in, 50 Lb Can** Part # S129444-035 **SM**
ED010278 †	Fleetweld® 5P+® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511165	**Hobart 610 1/8 in, 50 Lb Can** Part # S129444-035 **SM**
ED010281 †	Fleetweld® 5P+® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	0864398	**Hobart 610 (same AWS class; no 3/16 in size)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED010281 †	Fleetweld® 5P+® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511300	**Hobart 610 (same AWS class; no 3/16 in size)** no part # **NE**
ED010283	Fleetweld® 5P+® Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	924511657	**Hobart 610 3/32 in, 50 Lb Can** Part # S129432-035 **SM**
ED010285 †	Fleetweld® 5P+® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	921805969	**Hobart 610 5/32 in, 50 Lb Can** Part # S129451-035 **SM**
ED010285 †	Fleetweld® 5P+® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511282	**Hobart 610 5/32 in, 50 Lb Can** Part # S129451-035 **SM**
ED010360	Jetweld® 1 Stick (SMAW) Electrode 1/4x18 in 50 lb Carton	924511200	**Hobart 24 1/4 in, 50 Lb Carton** Part # S114881-031 **SM**
ED010362	Jetweld® 1 Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	924511362	**Hobart 24 1/8 in, 50 Lb Carton** Part # S114844-031 **SM**
ED010366	Jetweld® 1 Stick (SMAW) Electrode 3/16x18 in 50 lb Carton	924511442	**Hobart 24 3/16 in, 50 Lb Carton** Part # S114859-031 **SM**
ED010372	Jetweld® 1 Stick (SMAW) Electrode 5/32x14 in 50 lb Carton	924512148	**Hobart 24 5/32 in, 50 Lb Carton** Part # S114851-031 **SM**
ED010375 †	Jetweld® 1 Stick (SMAW) Electrode 7/32x18 in 50 lb Carton	0864399	**Hobart 24 7/32 in, 50 Lb Carton** Part # S114870-031 **SM**
ED010375 †	Jetweld® 1 Stick (SMAW) Electrode 7/32x18 in 50 lb Carton	924511498	**Hobart 24 7/32 in, 50 Lb Carton** Part # S114870-031 **SM**
ED010558	Jetweld® Lh-70 Welding Rod (Priced Per lb)	924511576	**Hobart 418 (same AWS class; size not given on the sheet row)** no part # **NE**
ED010564	Jetweld® Lh-70 Welding Rod (Priced Per lb)	924511451	**Hobart 418 (same AWS class; size not given on the sheet row)** no part # **NE**
ED010568 †	3/32" Jetweld® LH-70 Electrode (50) Priced per LB	91016815	**Hobart 418 3/32 in** no part # **SM**
ED010568 †	Jetweld® Lh-70 Welding Rod (Priced Per lb)	924511284	**Hobart 418 3/32 in** no part # **SM**
ED010575	Jetweld® Lh-70 Welding Rod (Priced Per lb)	924511568	**Hobart 418 (same AWS class; size not given on the sheet row)** no part # **NE**
ED010577	Jetweld® Lh-70 Welding Rod (Priced Per lb)	924511198	**Hobart 418 (same AWS class; size not given on the sheet row)** no part # **NE**
ED012841	Shield-Arc® 70+ 0 1/8 (3.2) 50 CAN AWS A5.5: E8010-P1 AWS A5.5: E8010-G	924510996	
ED012845	Shield-Arc® 70+ 0 3/16 (4.8) 50 CAN AWS A5.5: E8010-P1 AWS A5.5: E8010-G	924510768	
ED012849	Shield-Arc® 70+ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924510680	
ED012885	Shield-Arc® 85 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924510943	
ED012889	Shield-Arc® 85 Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511064	
ED012893	Shield-Arc® 85 Stick (SMAW) Electrode 3/32x12 in 50 lb Easy Open Can	924511273	
ED012896	Shield-Arc® 85 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512328	
ED015186	3/16"x14" (50) Mild Steel Lo Hydrogen Jet-LH 78 MR 50EOC Welding Rod	0864410	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED021895	Fleetweld® 22 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512679	**Hobart Deckmaster 1139 5/32 in, 50 Lb Carton** Part # S113251-031 **SM**
ED021896	Fleetweld® 22 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511222	**Hobart Deckmaster 1139 (same AWS class; no 1/8 in size)** no part # **NE**
ED022003 †	Lincoln Rod 10Lbs	921040458	
ED028152	Fleetweld® 35 Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924510812	**Hobart 335A 3/32 in, 50 Lb Carton** Part # S112232-031 **SM**
ED028153 †	Fleetweld® 35 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	91136810	**Hobart 335A 1/8 in, 50 Lb Carton** Part # S112244-031 **SM**
ED028153 †	Fleetweld® 35 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924510935	**Hobart 335A 1/8 in, 50 Lb Carton** Part # S112244-031 **SM**
ED028154 †	Fleetweld® 35 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864436	**Hobart 335A 5/32 in, 50 Lb Carton** Part # S112251-031 **SM**
ED028154 †	Fleetweld® 35 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511006	**Hobart 335A 5/32 in, 50 Lb Carton** Part # S112251-031 **SM**
ED028155 †	3/16" x 14" (50) Mild Steel Cellulosic Fleetweld® 35 Welding Rod	0864437	**Hobart 335A 3/16 in, 50 Lb Carton** Part # S112258-031 **SM**
ED028155 †	Fleetweld® 35 Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924510786	**Hobart 335A 3/16 in, 50 Lb Carton** Part # S112258-031 **SM**
ED028157	Fleetweld® 35 Stick (SMAW) Electrode 1/4x18 in 50 lb Easy Open Can	924511151	**Hobart 335A (same AWS class; no 1/4 in size)** no part # **NE**
ED028280 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	99868208	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED028280 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924512429	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED028281 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	99861179	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED028281 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924510644	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED028282 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	91137762	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED028282 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512396	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED028283 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	91137763	**Hobart 418 3/16 in, 50 Lb Can** Part # S119958-035 **SM**
ED028283 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924512686	**Hobart 418 3/16 in, 50 Lb Can** Part # S119958-035 **SM**
ED028700 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	91003104	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED028700 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924512205	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED028702 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	91137764	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED028702 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512201	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED028704 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864439	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED028704 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512253	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED028706 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	0864440	**Hobart 418 3/16 in, 50 Lb Can** Part # S119958-035 **SM**
ED028706 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511767	**Hobart 418 3/16 in, 50 Lb Can** Part # S119958-035 **SM**
ED028917 †	7/32" x 18" (50) Mild Steel Lo Hydrogen Excalibur® 7018 MR Welding Rod	0864441	**Hobart 418 (same AWS class; no 7/32 in size)** no part # **NE**
ED028917 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511957	**Hobart 418 (same AWS class; no 7/32 in size)** no part # **NE**
ED028918	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/4x18 in 50 lb Easy Open Can	924511443	**Hobart 418 1/4 in, 50 Lb Can** Part # S119981-035 **SM**
ED028919 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	0864442	**Hobart 418 / Hobart 7018 XLM (same AWS class; no 7/32 in size)** no part # **NE**
ED028919 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511553	**Hobart 418 / Hobart 7018 XLM (same AWS class; no 7/32 in size)** no part # **NE**
ED028920 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 1/4x18 in 50 lb Easy Open Can	0864443	**Hobart 418 1/4 in, 50 Lb Can** Part # S119981-035 **SM**
ED028920 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 1/4x18 in 50 lb Easy Open Can	924511860	**Hobart 418 1/4 in, 50 Lb Can** Part # S119981-035 **SM**
ED029509	Shield-Arc® HYP+ Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511069	
ED029511 †	Shield-Arc Hyp+ 1/8" E7010-P1 Can 50Lb	921184002	
ED029511 †	Shield-Arc® HYP+ Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511134	
ED029513 †	Sheild-Arc Hyp+ 5/32" E7010-P1 Can 50Lb	921184001	
ED029513 †	Shield-Arc® HYP+ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924510855	
ED030826	Pipeliner® 8P+ Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511249	
ED030827	Pipeliner® 8P+ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511354	
ED030828	Pipeliner® 8P+ Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511332	
ED030848	Pipeliner® 6P+ Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512324	**Hobart 610 1/8 in, 50 Lb Can** Part # S129444-035 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED030849	Pipeliner® 6P+ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512273	**Hobart 610 5/32 in, 50 Lb Can** Part # S129451-035 **SM**
ED030868	Excalibur® 9018M MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924512435	**Hobart Hoballoy 9018M 3/32 in, 50 Lb Can** Part # S125632-035 **SM**
ED030869	Excalibur® 9018M MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512123	**Hobart Hoballoy 9018M (same AWS class; no 1/8 in size)** no part # **NE**
ED030870	Excalibur® 9018M MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511859	**Hobart Hoballoy 9018M (same AWS class; no 5/32 in size)** no part # **NE**
ED030871	Excalibur® 9018M MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924510874	**Hobart Hoballoy 9018M (same AWS class; no 3/16 in size)** no part # **NE**
ED030876	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924511385	**Hobart Hoballoy 8018C1 3/32 in, 50 Lb Can** Part # S125132-035 **SM**
ED030877	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924510936	**Hobart Hoballoy 8018C1 (same AWS class; no 1/8 in size)** no part # **NE**
ED030878	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511019	**Hobart Hoballoy 8018C1 (same AWS class; no 5/32 in size)** no part # **NE**
ED030879	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511121	**Hobart Hoballoy 8018C1 (same AWS class; no 3/16 in size)** no part # **NE**
ED030880	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 1/4x18 in 50 lb Easy Open Can	924512134	**Hobart Hoballoy 8018C1 (same AWS class; no 1/4 in size)** no part # **NE**
ED030892 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	0864473	**Hobart Hoballoy 8018C3 3/32 in, 50 Lb Can** Part # S125332-035 **SM**
ED030892 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924511833	**Hobart Hoballoy 8018C3 3/32 in, 50 Lb Can** Part # S125332-035 **SM**
ED030893 †	1/8" E8018-Cs H4R Can 50Lb Stick Weld Rod	921184006	
ED030893 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511365	
ED030894	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511631	**Hobart Hoballoy 8018C3 5/32 in, 50 Lb Can** Part # S125351-035 **SM**
ED030895 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	0864474	**Hobart Hoballoy 8018C3 3/16 in, 50 Lb Can** Part # S125358-035 **SM**
ED030895 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924512146	**Hobart Hoballoy 8018C3 3/16 in, 50 Lb Can** Part # S125358-035 **SM**
ED030897 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	0864476	**Hobart Hoballoy 8018C3 (same AWS class; no 7/32 in size)** no part # **NE**
ED030897 †	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511460	**Hobart Hoballoy 8018C3 (same AWS class; no 7/32 in size)** no part # **NE**
ED030916	Pipeliner® 16P Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924511930	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED030917	Pipeliner® 16P Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511644	
ED030918	Pipeliner® 16P Stick (SMAW) Electrode 5/32x18 in 50 lb Easy Open Can	924511744	
ED031468	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924510694	**Hobart 418 1/8 in, 5 Lb Plastic Pak** Part # S119944-045 **SM**
ED031542	Ferroweld™ Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924510740	
ED031611 †	Pipeliner® 7P+ Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	0864490	
ED031611 †	Pipeliner® 7P+ Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511529	
ED031612 †	Pipeliner® 7P+ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864491	
ED031612 †	Pipeliner® 7P+ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924510868	
ED031613 †	Pipeliner® 7P+ Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	0864492	
ED031613 †	Pipeliner® 7P+ Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511087	
ED031732 †	Lincoln® 7018 AC 0 3/32 (2.4) 50 CAN AWS A5.1: E7018-H8	0864506	**Hobart 18AC 3/32 in, 50 Lb Can** Part # S119832-035 **SM**
ED031732 †	Lincoln® 7018 AC 0 3/32 (2.4) 50 CAN AWS A5.1: E7018-H8	924510824	**Hobart 18AC 3/32 in** no part # **SM**
ED031734 †	Lincoln® 7018 AC 0 1/8 (3.2) 50 CAN AWS A5.1: E7018-H8	0864507	**Hobart 18AC 1/8 in, 50 Lb Can** Part # S119844-035 **SM**
ED031734 †	Lincoln® 7018 AC 0 1/8 (3.2) 50 CAN AWS A5.1: E7018-H8	924510951	**Hobart 18AC 1/8 in** no part # **SM**
ED031738 †	Lincoln® 7018 AC-RSP Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864508	**Hobart 18AC 5/32 in, 50 Lb Can** Part # S119851-035 **SM**
ED031738 †	Lincoln® 7018 AC-RSP Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924510820	**Hobart 18AC 5/32 in, 50 Lb Can** Part # S119851-035 **SM**
ED031975 †	Excalibur® 11018M MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	0864518	**Hobart Hoballoy 11018M 3/32 in, 50 Lb Can** Part # S126032-035 **SM**
ED031975 †	Excalibur® 11018M MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924510769	**Hobart Hoballoy 11018M 3/32 in, 50 Lb Can** Part # S126032-035 **SM**
ED031976	Excalibur® 11018M MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511032	**Hobart Hoballoy 11018M 1/8 in, 50 Lb Can** Part # S126044-035 **SM**
ED031977 †	Excalibur® 11018M MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864519	**Hobart Hoballoy 11018M 5/32 in, 50 Lb Can** Part # S126051-035 **SM**
ED031977 †	Excalibur® 11018M MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924510667	**Hobart Hoballoy 11018M 5/32 in, 50 Lb Can** Part # S126051-035 **SM**
ED031978 †	Excalibur® 11018M MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	0864520	**Hobart Hoballoy 11018M 3/16 in, 50 Lb Can** Part # S126058-035 **SM**
ED031978 †	Excalibur® 11018M MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511126	**Hobart Hoballoy 11018M 3/16 in, 50 Lb Can** Part # S126058-035 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032086	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/32x14 in (6) 1 lb Tube	924512042	**Hobart 418 3/32 in, 5 Lb Plastic Pak** Part # S119932-045 **SM**
ED032301	Fleetweld® 35 Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511218	**Hobart 335A (same AWS class; no 7/32 in size)** no part # **NE**
ED032561	Fleetweld® 5P® Stick (SMAW) Electrode 3/32x12 in (3) 10 lb Easy Open Can	924512085	**Hobart 610 3/32 in, 10 Lb Can** Part # S129432-033 **SM**
ED032562	Fleetweld® 5P® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512049	**Hobart 610 1/8 in, 10 Lb Can** Part # S129444-033 **SM**
ED032564 †	Fleetweld® 5P+® Stick (SMAW) Electrode 3/32x12 in (3) 10 lb Easy Open Can	91018977	**Hobart 610 3/32 in, 10 Lb Can** Part # S129432-033 **SM**
ED032564 †	Fleetweld® 5P+® Stick (SMAW) Electrode 3/32x12 in (3) 10 lb Easy Open Can	924512565	**Hobart 610 3/32 in, 10 Lb Can** Part # S129432-033 **SM**
ED032565 †	Fleetweld® 5P+® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	91018978	**Hobart 610 1/8 in, 10 Lb Can** Part # S129444-033 **SM**
ED032565 †	Fleetweld® 5P+® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512506	**Hobart 610 1/8 in, 10 Lb Can** Part # S129444-033 **SM**
ED032566 †	5/32" 5P+ FleetWeld Stick Electrode - 10/lb	920302500	
ED032566 †	Fleetweld® 5P+® Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512684	
ED032567	Fleetweld® 35 0 3/32 (2.4) 30 CARTON (10 CAN)	924510896	**Hobart 335A 3/32 in** no part # **SM**
ED032574	1/8x14 FLEETWELD 37 30LB CT(10EO) Welding Rod	925688332	**Hobart 447A 1/8 in, 50 Lb Carton** Part # S113844-031 **SM**
ED032575	5/32x14 FLEETWELD 37 30LB CT(10EO) Welding Rod	925688330	**Hobart 447A 5/32 in, 50 Lb Carton** Part # S113851-031 **SM**
ED032588 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	99559010	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED032588 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924510886	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED032589 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	99559008	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**
ED032589 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512683	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**
ED032590 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	99559009	**Hobart 418 5/32 in, 10 Lb Can** Part # S119951-033 **SM**
ED032590 †	Excalibur® 7018 MR® Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924510638	**Hobart 418 5/32 in, 10 Lb Can** Part # S119951-033 **SM**
ED032591	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924511141	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED032592 †	1/8" Excalibur (10) 7018-1 MR Stick Electrode	91196866	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032592 †	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511252	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**
ED032596	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924511135	**Hobart Hoballoy 8018C1 3/32 in, 50 Lb Can** Part # S125132-035 **SM**
ED032597	Excalibur® 8018-C1 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512615	**Hobart Hoballoy 8018C1 (same AWS class; no 1/8 in size)** no part # **NE**
ED032599	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924512306	**Hobart Hoballoy 8018C3 3/32 in, 10 Lb Can** Part # S125332-033 **SM**
ED032600	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512459	**Hobart Hoballoy 8018C3 1/8 in, 10 Lb Can** Part # S125344-033 **SM**
ED032602	Excalibur® 9018M MR® Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924512344	**Hobart Hoballoy 9018M 3/32 in, 50 Lb Can** Part # S125632-035 **SM**
ED032603	Excalibur® 9018M MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512632	**Hobart Hoballoy 9018M (same AWS class; no 1/8 in size)** no part # **NE**
ED032607	Excalibur® 11018M MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512389	**Hobart Hoballoy 11018M 1/8 in, 10 Lb Can** Part # S126044-033 **SM**
ED032608	Excalibur® 11018M MR® Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924510666	**Hobart Hoballoy 11018M 5/32 in, 10 Lb Can** Part # S126051-033 **SM**
ED032609	Pipeliner® 6P+ Stick (SMAW) Electrode 3/32x12 in (3) 10 lb Easy Open Can	924511970	**Hobart 610 3/32 in, 10 Lb Can** Part # S129432-033 **SM**
ED032610	Pipeliner® 6P+ Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512160	**Hobart 610 1/8 in, 10 Lb Can** Part # S129444-033 **SM**
ED032611	Pipeliner® 6P+ Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512404	**Hobart 610 5/32 in, 10 Lb Can** Part # S129451-033 **SM**
ED032612	Pipeliner® 7P+ Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512050	
ED032613	Pipeliner® 7P+ Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512193	
ED032614	Pipeliner® 7P+ Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924510850	
ED032615	Pipeliner® 8P+ Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924510994	
ED032616	Pipeliner® 8P+ Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511037	
ED032617	Pipeliner® 8P+ Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512106	
ED032620	Pipeliner® 18P Welding Rod (Priced Per lb)	924511324	
ED032621	Pipeliner® 18P Welding Rod (Priced Per lb)	924512179	
ED032622	Pipeliner® 19P Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512008	
ED032623	Pipeliner® 19P Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511501	
ED032626	Pipeliner® LH-D80 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	925034286	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032627	Pipeliner® LH-D80 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511514	
ED032628	Pipeliner® LH-D80 Stick (SMAW) Electrode 11/64x14 in (3) 10 lb Easy Open Can	924511248	
ED032629	Pipeliner® LH-D90 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511414	
ED032630	Pipeliner® LH-D90 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511763	
ED032631	Pipeliner® LH-D90 Stick (SMAW) Electrode 11/64x14 in (3) 10 lb Easy Open Can	924511217	
ED032632	Pipeliner® LH-D100 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	925034332	
ED032633	Pipeliner® LH-D100 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511475	
ED032634	Pipeliner® LH-D100 Stick (SMAW) Electrode 11/64x14 in (3) 10 lb Easy Open Can	924511317	
ED032636	Excalibur® 7028 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511610	
ED032638	Excalibur® 7028 0 7/32 (5.6) 50 CAN AWS A5.1: E7028-H8	924511806	
ED032790	Excalibur® 7028 Stick (SMAW) Electrode 3/16x18 in 50 lb Easy Open Can	924512439	
ED032873	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511025	**Hobart Hoballoy 7018A1 1/8 in, 50 Lb Can** Part # S125044-035 **SM**
ED032875	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 3/32x12 in 25 lb Easy Open Can	924510860	**Hobart Hoballoy 7018A1 3/32 in, 50 Lb Can** Part # S125032-035 **SM**
ED032876 †	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	922213740	**Hobart Hoballoy 7018A1 1/8 in, 50 Lb Can** Part # S125044-035 **SM**
ED032876 †	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511195	**Hobart Hoballoy 7018A1 1/8 in, 50 Lb Can** Part # S125044-035 **SM**
ED032877 †	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	0864527	**Hobart Hoballoy 7018A1 5/32 in, 50 Lb Can** Part # S125051-035 **SM**
ED032877 †	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511914	**Hobart Hoballoy 7018A1 5/32 in, 50 Lb Can** Part # S125051-035 **SM**
ED032878	Excalibur® 8018-B2 MR® Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511540	**Hobart Hoballoy 8018B2 3/32 in, 50 Lb Can** Part # S125432-035 **SM**
ED032879	Excalibur® 8018-B2 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512211	**Hobart Hoballoy 8018B2 1/8 in, 50 Lb Can** Part # S125444-035 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032881	Excalibur® 8018-B2 MR® Stick (SMAW) Electrode 3/32x12 in 25 lb Easy Open Can	924512132	**Hobart Hoballoy 8018B2 3/32 in, 50 Lb Can** Part # S125432-035 **SM**
ED032882 †	1/8" E8018-B2 H4R Can 50Lb Stick Weld Rod	921184017	**Hobart Hoballoy 8018B2 1/8 in, 50 Lb Can** Part # S125444-035 **SM**
ED032882 †	Excalibur® 8018-B2 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511219	**Hobart Hoballoy 8018B2 1/8 in, 50 Lb Can** Part # S125444-035 **SM**
ED032883	Excalibur® 8018-B2 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511722	**Hobart Hoballoy 8018B2 5/32 in, 50 Lb Can** Part # S125451-035 **SM**
ED032884	Excalibur® 9018-B3 MR® Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512104	**Hobart Hoballoy 9018B3 3/32 in, 50 Lb Can** Part # S125532-035 **SM**
ED032885	Excalibur® 9018-B3 MR® Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512231	**Hobart Hoballoy 9018B3 (same AWS class; no 1/8 in size)** no part # **NE**
ED032887	Excalibur® 9018-B3 MR® Stick (SMAW) Electrode 3/32x12 in 25 lb Easy Open Can	924511378	**Hobart Hoballoy 9018B3 3/32 in, 50 Lb Can** Part # S125532-035 **SM**
ED032888	Excalibur® 9018-B3 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511138	**Hobart Hoballoy 9018B3 (same AWS class; no 1/8 in size)** no part # **NE**
ED032889	Excalibur® 9018-B3 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511691	**Hobart Hoballoy 9018B3 (same AWS class; no 5/32 in size)** no part # **NE**
ED032893	Excalibur® 7018-A1 MR® Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511765	**Hobart Hoballoy 7018A1 3/32 in, 50 Lb Can** Part # S125032-035 **SM**
ED033162	Excalibur® 10018-D2 MR® Stick (SMAW) Electrode 3/32x12 in 25 lb Easy Open Can	924510846	**Hobart Hoballoy 10018D2 3/32 in, 50 Lb Can** Part # S125732-035 **SM**
ED033163	Excalibur® 10018-D2 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512614	**Hobart Hoballoy 10018D2 (same AWS class; no 1/8 in size)** no part # **NE**
ED033164	Excalibur® 10018-D2 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512500	**Hobart Hoballoy 10018D2 (same AWS class; no 5/32 in size)** no part # **NE**
ED033179	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512483	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED033330	Excalibur® 10018-D2 Mr®	924511751	**Hobart Hoballoy 10018D2 (same AWS class; size not given on the sheet row)** no part # **NE**
ED033494	Fleetweld® 180-RSP Stick (SMAW) Electrode 3/32x12 in (6) 1 lb Tube	924512122	**Hobart 335A 3/32 in, 5 Lb Plastic Pak** Part # S112232-045 **SM**
ED033495	Fleetweld® 180-RSP Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924511459	**Hobart 335A 1/8 in, 5 Lb Plastic Pak** Part # S112244-045 **SM**
ED033496	Fleetweld® 180-RSP Stick (SMAW) Electrode 3/32x12 in (4) 5 lb Tube	924511518	**Hobart 335A 3/32 in, 5 Lb Plastic Pak** Part # S112232-045 **SM**
ED033497	Fleetweld® 180-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	924511036	**Hobart 335A 1/8 in, 5 Lb Plastic Pak** Part # S112244-045 **SM**
ED033498	Fleetweld® 180-RSP 0 5/32 (4) 20 CARTON (5 TUBE)	924511413	**Hobart 335A 5/32 in** no part # **SM**
ED033499	Fleetweld® 37-RSP Stick (SMAW) Electrode 3/32x12 in (6) 1 lb Tube	924511246	**Hobart 447A 3/32 in, 5 Lb Plastic Pak** Part # S113832-045 **SM**
ED033500	Fleetweld® 37-RSP Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924511244	**Hobart 447A 1/8 in, 5 Lb Plastic Pak** Part # S113844-045 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033501	Fleetweld® 37-RSP Stick (SMAW) Electrode 3/32x12 in (4) 5 lb Tube	924511544	**Hobart 447A 3/32 in, 5 Lb Plastic Pak** Part # S113832-045 **SM**
ED033502	Fleetweld® 37-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	924511376	**Hobart 447A 1/8 in, 5 Lb Plastic Pak** Part # S113844-045 **SM**
ED033503	Fleetweld® 37-RSP Stick (SMAW) Electrode 5/32x14 in (4) 5 lb Tube	924511843	**Hobart 447A 5/32 in, 10 Lb Plastic Pak** Part # S113851-089 **SM**
ED033504	Fleetweld® 47-RSP Stick (SMAW) Electrode 3/32x14 in (6) 1 lb Tube	924511975	**Hobart 14A 3/32 in, 10 Lb Plastic Pak** Part # S114232-089 **SM**
ED033505	Fleetweld® 47-RSP Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924511627	**Hobart 14A 1/8 in, 5 Lb Plastic Pak** Part # S114244-045 **SM**
ED033506	Fleetweld® 47-RSP Stick (SMAW) Electrode 3/32x14 in (4) 5 lb Tube	924511699	**Hobart 14A 3/32 in, 10 Lb Plastic Pak** Part # S114232-089 **SM**
ED033507	Fleetweld® 47-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	924512643	**Hobart 14A 1/8 in, 5 Lb Plastic Pak** Part # S114244-045 **SM**
ED033508	Fleetweld® 47-RSP Stick (SMAW) Electrode 5/32x14 in (4) 5 lb Tube	924510734	**Hobart 14A 5/32 in, 5 Lb Plastic Pak** Part # S114251-045 **SM**
ED033509 †	3/32" (5) E6010 Fleetweld® 5P Stick Electrode	91136807	**Hobart 610 3/32 in** no part # **SM**
ED033509 †	Fleetweld® 5P®-RSP Stick (SMAW) Electrode 3/32x12 in (4) 5 lb Tube	924512523	**Hobart 610 3/32 in** no part # **SM**
ED033510 †	Fleetweld® 5P®-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	0804010	**Hobart 610 1/8 in, 5 Lb Plastic Pak** Part # S129444-045 **SM**
ED033510 †	Fleetweld® 5P®-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	924510955	**Hobart 610 1/8 in, 5 Lb Plastic Pak** Part # S129444-045 **SM**
ED033511	Fleetweld® 5P®-RSP Stick (SMAW) Electrode 5/32x14 in (4) 5 lb Tube	924510641	**Hobart 610 5/32 in, 5 Lb Plastic Pak** Part # S129451-045 **SM**
ED033512	Lincoln® 7018 AC-RSP Stick (SMAW) Electrode 3/32x14 in (6) 1 lb Tube	924510972	**Hobart 18AC 3/32 in, 5 Lb Plastic Pak** Part # S119832-045 **SM**
ED033513	Lincoln® 7018 AC-RSP Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924511020	**Hobart 18AC 1/8 in, 5 Lb Plastic Pak** Part # S119844-045 **SM**
ED033514	Lincoln® 7018 AC-RSP Stick (SMAW) Electrode 3/32x14 in (4) 5 lb Tube	924510703	**Hobart 18AC 3/32 in, 5 Lb Plastic Pak** Part # S119832-045 **SM**
ED033515	Lincoln® 7018 AC-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	924511325	**Hobart 18AC 1/8 in, 5 Lb Plastic Pak** Part # S119844-045 **SM**
ED033516	Lincoln® AK-10® Stick (SMAW) Electrode 5/32x14 in (4) 5 lb Tube	924511027	
ED033517	JET-LH® 78 MR®-RSP Stick (SMAW) Electrode 3/32x14 in (4) 5 lb Tube	924512528	**Hobart 418 3/32 in, 5 Lb Plastic Pak** Part # S119932-045 **SM**
ED033518	JET-LH® 78 MR®-RSP Stick (SMAW) Electrode 1/8x14 in (4) 5 lb Tube	924512414	**Hobart 418 1/8 in, 5 Lb Plastic Pak** Part # S119944-045 **SM**
ED033519	JET-LH® 78 MR®-RSP Stick (SMAW) Electrode 5/32x14 in (4) 5 lb Tube	924512487	**Hobart 418 5/32 in, 5 Lb Plastic Pak** Part # S119951-045 **SM**
ED033692	3/32X14 LINCOLN 7018 5LBTB (20CT) Welding Rod	925688329	**Hobart 418 3/32 in** no part # **SM**
ED033693	1/8X14 LINCOLN 7018 5LBTB (20CT) Welding Rod	925688303	**Hobart 418 1/8 in** no part # **SM**
ED033694	5/32X14 LINCOLN 7018 5LBTB (20CT) Welding Rod	925688352	**Hobart 418 5/32 in** no part # **SM**
ED033835	Pipeliner® 16P Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924511734	
ED033836	Pipeliner® 16P Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511477	
ED033837	Pipeliner® 16P 0 4 (5/32) 36 CARTON (12 CAN) AWS A5.1: E7016-H4 AWS A5.1: E7016-1 H4	924511696	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033838	Excalibur® 7018 MR® N Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512028	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**
ED033839	Excalibur® 7018 MR® N Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511855	**Hobart 418 5/32 in, 10 Lb Can** Part # S119951-033 **SM**
ED033868	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924512452	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED033869	Excalibur® 7018 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512377	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED033870	Excalibur® 7018 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512666	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED033871	Excalibur® 7018 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924512536	**Hobart 418 3/16 in, 50 Lb Can** Part # S119958-035 **SM**
ED033882	Ferroweld™ Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511748	
ED033940	Excalibur® 7018 MR® N Stick (SMAW) Electrode 3/32x14 in (3) 8 lb Easy Open Can	924511694	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED034039	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924512474	**Hobart Hoballoy 8018C3 3/32 in, 50 Lb Can** Part # S125332-035 **SM**
ED034040	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512079	**Hobart Hoballoy 8018C3 1/8 in, 50 Lb Can** Part # S125344-035 **SM**
ED034041	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512264	**Hobart Hoballoy 8018C3 5/32 in, 50 Lb Can** Part # S125351-035 **SM**
ED034042	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511897	**Hobart Hoballoy 8018C3 3/16 in, 50 Lb Can** Part # S125358-035 **SM**
ED034307	Excalibur® 7018 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924512143	**Hobart 418 (same AWS class; no 7/32 in size)** no part # **NE**
ED034308	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924511669	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED034309	Excalibur® 7018-1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512174	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED034312	Excalibur® 7028 0 5/32 (4) 50 CAN AWS A5.1: E7028-H8	924511407	
ED034313	Excalibur® 7028 0 3/16 (4.8) 50 CAN AWS A5.1: E7028-H8	924511307	
ED034314	Excalibur® 7028 Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511369	
ED034315	Excalibur® 8018-C3 MR® Stick (SMAW) Electrode 7/32x18 in 50 lb Easy Open Can	924511629	**Hobart Hoballoy 8018C3 (same AWS class; no 7/32 in size)** no part # **NE**
ED034319	Fleetweld® 35 0 1/8 (3.2) 30 CARTON (10 CAN)	924511335	**Hobart 335A 1/8 in** no part # **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034320	Fleetweld® 35 0 5/32 (4) 30 CARTON (10 CAN)	924511775	**Hobart 335A 5/32 in** no part # **SM**
ED034456	Pipeliner® Arc 80 Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924512411	
ED034457	Pipeliner® Arc 80 Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924512630	
ED034458	Pipeliner® Arc 80 Stick (SMAW) Electrode 3/16x14 in 50 lb Easy Open Can	924511881	
ED034999	Excalibur® 320LR-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924510939	
ED035000	Excalibur® 320LR-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924510821	
ED035001	Excalibur® 320LR-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511473	
ED035003	Excalibur® 330-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924510931	
ED035004	Excalibur® 330-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511456	
ED035005	Excalibur® 330-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511229	
ED035010	Excalibur® 385-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511499	
ED035011	Excalibur® 385-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511226	
ED035012	Excalibur® 410-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924510956	
ED035013	Excalibur® 410-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511535	
ED035014	Excalibur® 410-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511486	
ED035015	Excalibur® 410NiMo-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511573	
ED035016	Excalibur® 410NiMo-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511516	
ED035018	Excalibur® 410NiMo-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511444	
ED035314	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924510869	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED035456	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924511203	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035457	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924511852	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED036325	Millennium Arc® 7018-1 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511293	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**
ED036326	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924510785	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED036327	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924511088	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED036502	Excalibur® 385-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511175	
ED036757	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924512221	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED036758	Millennium Arc® 7018-1 Welding Rod (Priced Per lb)	924512594	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED037050	Jetweld® Lh-70 Welding Rod (Priced Per lb)	924511746	**Hobart 418 (same AWS class; size not given on the sheet row)** no part # **NE**
ED037422	Excalibur® 7018 XMR™ Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	924511910	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED037423	Excalibur® 7018 XMR™ Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924512157	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED037424	Excalibur® 7018 XMR™ Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	924511329	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED037425	Excalibur® 7018 XMR™ Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924511136	**Hobart 418 3/32 in, 10 Lb Can** Part # S119932-033 **SM**
ED037426	Excalibur® 7018 XMR™ Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511361	**Hobart 418 1/8 in, 10 Lb Can** Part # S119944-033 **SM**
ED037427	Excalibur® 7018 XMR™ Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511360	**Hobart 418 5/32 in, 10 Lb Can** Part # S119951-033 **SM**
ED037582	Pipeliner® Arc 80 Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	924511091	
ED038097	Fleetweld® 47 - 3/32 x 12 in (2.4 x 300 mm) - 8CPL (32CT)	925540748	**Hobart 14A 3/32 in** no part # **SM**
ED038108	Fleetweld® 37+ - 5/32 x 14 in (4.0 x 350 mm) - 8CPL (32CT)	925540747	**Hobart 447A 5/32 in** no part # **SM**
ED038110	Lincoln® 7018 AC Stick Electrode 1/8 x 14 in (4) 10 lb Carton	925540750	**Hobart 18AC 1/8 in, 10 Lb Plastic Pak** Part # S119844-089 **SM**
ED040000	IronArc™ 7018 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	925034262	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED040001	IronArc™ 7018 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	925034315	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED040001-1	1/8x14 IRONARC 7018 MR 30LB CT (10EO) Welding Rod	925688328	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED040002	IronArc™ 7018 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	925034338	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED040003	IronArc™ 7018 MR® Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	925034246	**Hobart 418 3/16 in, 50 Lb Can** Part # S119958-035 **SM**
ED040100	IronArc™ 7018-1 MR® Stick (SMAW) Electrode 3/32x14 in 50 lb Easy Open Can	925034322	**Hobart 418 3/32 in, 50 Lb Can** Part # S119932-035 **SM**
ED040101	IronArc™ 7018-1 MR® Stick (SMAW) Electrode 1/8x14 in 50 lb Easy Open Can	925034288	**Hobart 418 1/8 in, 50 Lb Can** Part # S119944-035 **SM**
ED040101-1	IronArc™ 7018-1 MR®	925540749	**Hobart 418 / Hobart 7018 XLM (same AWS class; size not given on the sheet row)** no part # **NE**
ED040102	IronArc™ 7018-1 MR® Stick (SMAW) Electrode 5/32x14 in 50 lb Easy Open Can	925034267	**Hobart 418 5/32 in, 50 Lb Can** Part # S119951-035 **SM**
ED040103	IronArc™ 7018-1 MR® Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	925034331	**Hobart 7018 XLM 3/16 in, 10 Lb Can** Part # S422058-033 **SM**
ED231015	EASYARC 528 MR 4.8(3/16x18) 10kg/20kg	925688302	**Hobart 418 3/16 in** no part # **SM**
EDM13181214	Murex® 7024 Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	924512051	**Hobart 24 1/8 in, 50 Lb Carton** Part # S114844-031 **SM**
EDM13181215	Murex® 7024 Stick (SMAW) Electrode 5/32x14 in 50 lb Carton	924512039	**Hobart 24 5/32 in, 50 Lb Carton** Part # S114851-031 **SM**
EDM13181216	Murex® 7024 Stick (SMAW) Electrode 3/16x18 in 50 lb Carton	924512311	**Hobart 24 3/16 in, 50 Lb Carton** Part # S114859-031 **SM**
EDM13181217	Murex® 7024 Stick (SMAW) Electrode 7/32x18 in 50 lb Carton	924511922	**Hobart 24 7/32 in, 50 Lb Carton** Part # S114870-031 **SM**
EDM13181218	Murex® 7024 Stick (SMAW) Electrode 1/4x18 in 50 lb Carton	924511347	**Hobart 24 1/4 in, 50 Lb Carton** Part # S114881-031 **SM**
EDM13181403	Murex® 7014 Stick (SMAW) Electrode 3/32x12 in 50 lb Carton	924510805	**Hobart 14A 3/32 in, 50 Lb Carton** Part # S114232-031 **SM**
EDM13181414	Murex® 7014 Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	924510794	**Hobart 14A 1/8 in, 50 Lb Carton** Part # S114244-031 **SM**
EDM13181415	Murex® 7014 0 5/32 (4) 50 CARTON AWS A5.1: E7014	924511781	**Hobart 14A 5/32 in** no part # **SM**
EDM13181416	Murex® 7014 Stick (SMAW) Electrode 3/16x14 in 50 lb Carton	924511154	**Hobart 14A 3/16 in, 50 Lb Carton** Part # S114258-031 **SM**
EDM13182304 †	Murex® 6011C Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	91019988	**Hobart 335A 1/8 in, 50 Lb Carton** Part # S112244-031 **SM**
EDM13182304 †	Murex® 6011C Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	924510857	**Hobart 335A 1/8 in, 50 Lb Carton** Part # S112244-031 **SM**
EDM13182305	Murex® 6011C Stick (SMAW) Electrode 5/32x14 in 50 lb Carton	924512074	**Hobart 335A 5/32 in, 50 Lb Carton** Part # S112251-031 **SM**
EDM13182306	Murex® 6011C Stick (SMAW) Electrode 3/16x14 in 50 lb Carton	924511129	**Hobart 335A 3/16 in, 50 Lb Carton** Part # S112258-031 **SM**
EDM13182343	Murex® 6011C Stick (SMAW) Electrode 3/32x12 in 50 lb Carton	924512287	**Hobart 335A 3/32 in, 50 Lb Carton** Part # S112232-031 **SM**
EDM13182454	Murex® 6013D Stick (SMAW) Electrode 1/8x14 in 50 lb Carton	924512232	**Hobart 447A 1/8 in, 50 Lb Carton** Part # S113844-031 **SM**
EDM13182455	Murex® 6013D 0 5/32 (4) 50 CARTON AWS A5.1: E6013	924511609	**Hobart 447A 5/32 in** no part # **SM**
EDM13182463	Murex® 6013D Stick (SMAW) Electrode 3/32x12 in 50 lb Carton	924511869	**Hobart 447A 3/32 in, 50 Lb Carton** Part # S113832-031 **SM**
EDS01693	Shield-Arc® 90 0 3.2 (1/8) 50 CAN E9010-G	924511399	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EDS01694	Shield-Arc® 90 0 4 (5/32) 50 CAN E9010-G	924511297	
EDS01695	Shield-Arc® 90 0 5 (13/64) 50 CAN E9010-G	924511846	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Gas-Shielded Flux-Cored (359)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	1/16" Outershield 71 Elite (600) AD	921179567	**Hobart FabCO 711M 1/16 in** no part # **NE**
COLC71CE61-1	1.6 mm Lincoln 71C Flux Cored FCAW Welding Wire (33 lbs / 15 kg Spool)	928263424	
ED012782	Outershield® 70 Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	925034285	
ED012784	Outershield® 70 Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	925034244	
ED012785	Outershield® 70 Flux-Cored (FCAW-G) Wire 5/64 in 50 lb Coil	925034314	
ED014120	Outershield® 70 Flux-Cored (FCAW-G) Wire 3/32 in 600 lb Speed Feed® Reel	925034247	
ED014588	Outershield® 70 Flux-Cored (FCAW-G) Wire 1/16 in 600 lb Speed Feed® Reel	925034269	
ED020836	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	924511167	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED020844	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 50 lb Coil	924511612	**Hobart MEGAFIL 713R 0.045 in, 35 Lb Spool** Part # 71315B **SM**
ED020845	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.052 in 50 lb Coil	924511985	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED020846 †	50LB Coil 1/16" Diameter Mild Steel, All Position Gas-Shielded Flux-Cored Wire Priced Per LB	99298718	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED020846 †	Outershield® 71M Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	924512184	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED020851	Outershield® 71M Welding Wire (Priced Per lb)	924511264	**Hobart FabCO 711M / FabCO 712C / FabCO 712M / MEGAFIL 713R (same AWS class; size not given on the sheet row)** no part # **NE**
ED022659 †	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 25 lb Spool	91137966	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED022659 †	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 25 lb Spool	924511803	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED022660	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.052 in 25 lb Spool	924511621	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED022661	Outershield® 71M Flux-Cored (FCAW-G) Wire 1/16 in 25 lb Spool	924511213	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED026804	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.035 in 10 lb Spool	924511668	**Hobart FabCO 711M / FabCO 712C / FabCO 712M / MEGAFIL 713R (same AWS class; no 0.035 in size)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED026805	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.035 in 25 lb Spool	924511463	**Hobart FabCO 711M / FabCO 712C / FabCO 712M / MEGAFIL 713R (same AWS class; no 0.035 in size)** no part # **NE**
ED027364	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 500 lb Accu-Trak® Drum	924511778	**Hobart MEGAFIL 713R 0.045 in, 35 Lb Spool** Part # 71315B **SM**
ED028450	Metalshield® MC-710XL® Metal-Cored (GMAW-C) Wire 1/16 in 600 lb Accu-Trak® Drum	924512229	**Hobart MEGAFIL 710M 1/16 in, 550 Lb Drum** Part # 71034B **NE**
ED028526	Metalshield® MC-710XL® Metal-Cored (GMAW-C) Wire 0.045 in 60 lb Coil	924512021	**Hobart FabCOR 86R 0.045 in, 50 Lb Spool** Part # S249412-027 **NE**
ED028527	Metalshield® MC-710XL® Metal-Cored (GMAW-C) Wire 0.052 in 60 lb Coil	924510862	**Hobart FabCOR 86R 0.052 in, 60 Lb Coil** Part # S249415-002 **NE**
ED028528	Metalshield® MC-710XL® Metal-Cored (GMAW-C) Wire 1/16 in 60 lb Coil	924510823	**Hobart FabCOR 86R 1/16 in, 60 Lb Coil** Part # S249419-002 **NE**
ED029201 †	.045 Os71 Elite 33# Steel Spool	920300044	
ED029201 †	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511331	
ED029202	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 0.045 in 60 lb Coil	924511296	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED029204	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511125	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED029205	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 0.052 in 60 lb Coil	924512479	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED029206	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512228	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED029207	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 1/16 in 60 lb Coil	924512466	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED029387	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 1/16 in 600 lb Accu-Trak® Drum	924512293	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED029418	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924512410	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED029419	Outershield® 71 Elite Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924512349	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED029778	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924511363	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED029779	Outershield® 71M Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924511861	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED030007 †	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	91137967	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED030007 †	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924510804	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED030008	Outershield® 71M Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512589	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED030009	Outershield® 71M Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512476	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED030236	Outershield® XLH70 Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	924511247	**Hobart FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED030262	Outershield® 70 Flux-Cored (FCAW-G) Wire 3/32 in 600 lb Speed Feed® Drum	925034384	
ED030360	Outershield® XLH70 Flux-Cored (FCAW-G) Wire 3/32 in 500 lb Speed Feed® Drum	924512517	**Hobart FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED030392	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924510658	**Hobart FabCOR 86R 0.045 in, 33 Lb Spool** Part # S249412-029 **NE**
ED030393	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	924512315	**Hobart FabCOR 86R 0.052 in, 33 Lb Spool** Part # S249415-029 **NE**
ED030394	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924511887	**Hobart FabCOR 86R 1/16 in, 33 Lb Spool** Part # S249419-029 **NE**
ED030549	Metalshield® Mc-6® Welding Wire (Priced Per lb)	924512380	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED030550	Metalshield® Mc-6® Welding Wire (Priced Per lb)	924510839	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED030554	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.045 in 50 lb Spool	924511315	**Hobart FabCOR 86R 0.045 in, 50 Lb Spool** Part # S249412-027 **NE**
ED030555	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 1/16 in 50 lb Spool	924510917	**Hobart FabCOR Edge XP 1/16 in, 50 Lb Spool** Part # S250619-027 **NE**
ED030556	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.052 in 50 lb Spool	924511841	**Hobart FabCOR 86R 0.052 in, 50 Lb Spool** Part # S249415-027 **NE**
ED030577	Metalshield® Mc-6® Welding Wire (Priced Per lb)	924511309	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED030592	Metalshield® MC-710XL® Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924511261	**Hobart FabCOR 86R 0.045 in, 33 Lb Spool** Part # S249412-029 **NE**
ED030946	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.052 in 500 lb Accu-Trak® Drum	924512046	**Hobart FabCOR 86R 0.052 in, 500 Lb Exacto-Pak** Part # S249415-050 **NE**
ED030947	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 1/16 in 500 lb Accu-Trak® Drum	924510828	**Hobart MEGAFIL 710M 1/16 in, 550 Lb Drum** Part # 71034B **NE**
ED030975	Outershield® 91K2-H Flux-Cored (FCAW-G) Wire 0.045 in 25 lb Spool	924510751	
ED030976	Outershield® 91K2-H Flux-Cored (FCAW-G) Wire 0.052 in 25 lb Spool	924510729	
ED030977	Outershield® 91K2-H Flux-Cored (FCAW-G) Wire 1/16 in 25 lb Spool	924510851	
ED031011	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	924511018	**Hobart FabCOR 86R 0.045 in, 500 Lb Exacto-Pak** Part # S249412-050 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED031583	Metalshield® MC®-706 .045 (1.1) 33 STEEL SPOOL E70C-6M H4 E70C-6M-H8 E70T15-M20A4-CS1-H4	924510912	**Hobart FabCOR 86R 0.045 in** no part # **SM**
ED031584	Metalshield® MC®-706 .052 (1.3) 33 STEEL SPOOL E70C-6M H4 E70C-6M-H8 E70T15-M20A4-CS1-H4	924511319	**Hobart FabCOR 86R 0.052 in** no part # **SM**
ED031585	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924512392	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031586	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924512368	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031587	Metalshield® MC®-706 .052 (1.3) 50 FIBER SPOOL E70C-6M H4 E70C-6M-H8 E70T15-M20A4-CS1-H4	924512330	**Hobart FabCOR 86R 0.052 in** no part # **SM**
ED031588	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924510655	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031589	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924512458	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031590	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924512373	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031591	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924511726	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031592	Metalshield® Mc®-706 Welding Wire (Priced Per lb)	924511948	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031593	Metalshield® MC®-706 .052 (1.3) 500 ACCU-TRAK® DRUM E70C-6M H4 E70C-6M-H8 E70T15-M20A4-CS1-H4	924512499	**Hobart FabCOR 86R 0.052 in** no part # **SM**
ED031594	Metalshield® MC®-706 0 1/16 (1.6) 500 ACCU-TRAK® DRUM E70C-6M H4 E70C-6M-H8 E70T15-M20A4-CS1-H4	924512455	**Hobart FabCOR 86R 1/16 in** no part # **SM**
ED031663 †	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	921072958	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031663 †	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512198	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031664 †	E71T Gas Shielded Mild Steel Flux-Cored Wire 0.052" 33lb Fiber Spool	921072959	
ED031664 †	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512163	
ED031665	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512045	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED031666	Ultracore® 71C Welding Wire (Priced Per lb)	924511500	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031667	Ultracore® 71C Welding Wire (Priced Per lb)	924511586	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED031668	Ultracore® 71C Welding Wire (Priced Per lb)	924511755	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031669	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511933	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031670	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511873	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031671	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511812	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED031672	UltraCore® 712C Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511311	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031673	UltraCore® 712C Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511811	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031674	UltraCore® 712C Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512019	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED031675	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511614	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031676	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512665	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031677	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510779	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED031678	UltraCore® 712A80-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	925034275	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031681	UltraCore® 712C Flux-Cored (FCAW-G) Wire 0.045 in 500 lb Accu-Trak® Drum	924512563	**Hobart MEGAFIL 713R 0.045 in, 35 Lb Spool** Part # 71315B **NE**
ED031799	UltraCore® 712C Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924510965	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED031818	Ultracore® 71C Welding Wire (Priced Per lb)	924510778	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031819	Ultracore® 71C Welding Wire (Priced Per lb)	924511389	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031820	Ultracore® 71C Welding Wire (Priced Per lb)	924511155	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031822	Ultracore® 71C Welding Wire (Priced Per lb)	924510921	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031823	Ultracore® 71C Welding Wire (Priced Per lb)	924512434	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031824	Ultracore® 71C Welding Wire (Priced Per lb)	924512634	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031840	UltraCore® 712C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924512291	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED031844	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.045 in 50 lb Spool	924512661	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031845	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.052 in 50 lb Spool	924512631	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED031846	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924512460	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED031847	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in 50 lb Spool	924512412	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031848	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.052 in 50 lb Spool	924512076	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031849	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924512248	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED031850	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 0.045 in 50 lb Spool	924512246	**Hobart MEGAFIL 713R 0.045 in, 35 Lb Spool** Part # 71315B **NE**
ED031851	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 0.052 in 50 lb Spool	924512149	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031852	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924511054	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED031876	Ultracore® 71C Welding Wire (Priced Per lb)	924511078	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031877	Ultracore® 71C Welding Wire (Priced Per lb)	924511868	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031878	Ultracore® 71C Welding Wire (Priced Per lb)	924511682	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031882	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924511445	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031883	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924511702	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031884	Ultracore® 71A75 Dual Welding Wire (Priced Per lb)	924511161	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED031885	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924511301	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED031886	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924511622	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031887	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 1/16 in (4) 15 lb Plastic Spool	924511907	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED031890	Ultracore® 712A80 Welding Wire (Priced Per lb)	924511481	**Hobart FabCO 711M / FabCO 712M / MEGAFIL 713R (same AWS class; size not given on the sheet row)** no part # **NE**
ED031895	UltraCore® 712C Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924511986	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED031896	UltraCore® 712C 0 1/16 (1.6) 60 CARTON (15 SPOOL) AWS A5.20: E71T-12C-JH8 AWS A5.36: E71T1-C1A4-CS2	924511595	**Hobart FabCO 711M 1/16 in** no part # **NE**
ED031926	5/64 Outershield 75C 500Lb Drum	925688360	
ED031931	Pipeliner® G90M Flux-Cored (FCAW-G) Wire 0.047 in 15 kg (33 lb) Plastic Spool	924510840	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032044	UltraCore® 71A75 Dual .045 (1.1) 500 ACCU-TRAK® DRUM AWS A5.20: E71T-9C-H8 AWS A5.20: E71T-9M-H8 AWS	924511080	**Hobart FabCO 711M 0.045 in** no part # **NE**
ED032045	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924511278	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED032046	UltraCore® 71A75 Dual Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924512339	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED032047	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in 500 lb Accu-Trak® Drum	924512405	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED032048	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924512570	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED032049	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924512386	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED032050	UltraCore® 712A80 .045 (1.1) 500 ACCU-TRAK® DRUM AWS A5.20: E71T-12M-JH8 AWS A5.36: E71T1-M21A4-CS	924512492	**Hobart FabCO 711M 0.045 in** no part # **NE**
ED032051	UltraCore® 712A80 .052 (1.3) 500 ACCU-TRAK® DRUM AWS A5.20: E71T-12M-JH8 AWS A5.36: E71T1-M21A4-CS	924512445	**Hobart FabCO 711M 0.052 in** no part # **NE**
ED032052	UltraCore® 712A80 0 1/16 (1.6) 500 ACCU-TRAK® DRUM AWS A5.20: E71T-12M-JH8 AWS A5.36: E71T1-M21A4-CS	924512020	**Hobart FabCO 711M 1/16 in** no part # **NE**
ED032204	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511142	**Hobart FabCO 811N1 0.045 in, 33 Lb Spool** Part # S283612-029 **SM**
ED032205	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510816	**Hobart FabCO 811N1 1/16 in, 33 Lb Spool** Part # S283619-029 **SM**
ED032206	UltraCore® 81Ni1A75-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511292	**Hobart FabCO 811N1 0.045 in, 33 Lb Spool** Part # S283612-029 **SM**
ED032207	UltraCore® 81Ni1A75-H Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511886	**Hobart FabCO 811N1 1/16 in, 33 Lb Spool** Part # S283619-029 **SM**
ED032214	UltraCore® 81Ni2C-H Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511072	**Hobart FabCO 803 1/16 in, 33 Lb Spool** Part # S283719-029 **SM**
ED032215	UltraCore® 81Ni2C-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924510870	**Hobart FabCO 803 0.045 in, 33 Lb Spool** Part # S283712-029 **SM**
ED032216	UltraCore® 81Ni2A75-H Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511626	**Hobart FabCO 803 1/16 in, 33 Lb Spool** Part # S283719-029 **SM**
ED032217	UltraCore® 81Ni2A75-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511934	**Hobart FabCO 803 0.045 in, 33 Lb Spool** Part # S283712-029 **SM**
ED032278	UltraCore® 81Ni2C-H Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511160	**Hobart FabCO 803 0.052 in, 33 Lb Spool** Part # S283715-029 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032279	UltraCore® 81Ni1A75-H Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512263	**Hobart FabCO 811N1 / FabCO 812-Ni1M / MEGAFIL 819R (same AWS class; no 0.052 in size)** no part # **NE**
ED032280	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511468	**Hobart FabCO 811N1 (same AWS class; no 0.052 in size)** no part # **NE**
ED032383	.045 Ultracore 71A85 (M4)33Lbsp(Vfb)	925688355	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED032385	.045 Ultracore 81K2A75-H 33Lbsp (Vfb)	925688356	
ED032745	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924511821	**Hobart FabCO 811N1 1/16 in, 50 Lb Spool** Part # S283619-027 **SM**
ED032940	UltraCore® 75C Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	924512461	
ED032941	UltraCore® 70C Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	924510685	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED032974	UltraCore® 75C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	924512060	
ED032975	UltraCore® 75C Flux-Cored (FCAW-G) Wire 5/64 in 50 lb Coil	924511118	
ED032977	UltraCore® 70C Flux-Cored (FCAW-G) Wire 5/64 in 50 lb Coil	924511197	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 5/64 in size)** no part # **NE**
ED032978	UltraCore® 70C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	924512218	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED033064	UltraCore® 70C Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924511417	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED033065	UltraCore® 70C Flux-Cored (FCAW-G) Wire 5/64 in 500 lb Speed Feed® Drum	924511707	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 5/64 in size)** no part # **NE**
ED033066	UltraCore® 70C Flux-Cored (FCAW-G) Wire 3/32 in 500 lb Speed Feed® Drum	924511918	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED033320	Pipeliner® 81M Flux-Cored (FCAW-G) Wire 0.047 in 10 lb Spool	924511591	
ED033321	Pipeliner® 81M Flux-Cored (FCAW-G) Wire 0.047 in 25 lb Spool	924510818	
ED033632	1/16 ULTRACORE 81Ni1A75-H 50LB Fiber Spool	925688358	**Hobart FabCO 811N1 1/16 in, 50 Lb Spool** Part # S283619-027 **SM**
ED033745	Pipeliner® 111M Flux-Cored (FCAW-G) Wire 0.047 in 10 lb Spool	924512103	
ED033746	Pipeliner® 111M Flux-Cored (FCAW-G) Wire 0.047 in 25 lb Spool	924510872	
ED033755	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924510803	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED033756	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924511113	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED033757	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.045 in 50 lb Spool	924512113	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033758	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511853	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED033759	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924510899	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED033760	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.052 in 50 lb Spool	924511905	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED033761	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511318	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED033762	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in (4) 15 lb Plastic Spool	924512066	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED033763	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924512249	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED033765	1/16 Ultracore 71A85 33Lbsp (Vfb)	925688354	**Hobart FabCO 711M 1/16 in** no part # **NE**
ED033785	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924511799	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED033807	Pipeliner® 101M Flux-Cored (FCAW-G) Wire 0.047 in 10 lb Spool	924511945	**Hobart FabCO 101 0.045 in, 10 Lb Spool** Part # S241012-032 **SM**
ED033808	Pipeliner® 101M Flux-Cored (FCAW-G) Wire 0.047 in 25 lb Spool	924511528	**Hobart FabCO 101 0.045 in, 33 Lb Vacuum Packaged Spool** Part # S241012-053 **SM**
ED033826	1/16 Ultracore Hd-C 33Lbfs, 2376Lb Pallet	925688357	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED033872	Ultracore® 71C Welding Wire (Priced Per lb)	924512532	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED033873	Ultracore® 71C Welding Wire (Priced Per lb)	924512655	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED033874	Ultracore® 71C Welding Wire (Priced Per lb)	924511995	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED033904	Metalshield® MC®-90 Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924511290	**Hobart FabCOR 90 0.045 in, 33 Lb Spool** Part # S281612-029 **NE**
ED033905	Metalshield® MC®-90 Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	924511830	**Hobart FabCOR 90 (same AWS class; no 0.052 in size)** no part # **NE**
ED033906	Metalshield® Mc®-90 Welding Wire (Priced Per lb)	924511974	**Hobart FabCOR 90 (same AWS class; size not given on the sheet row)** no part # **NE**
ED033908 †	Metalshield® MC®-90 Metal-Cored (GMAW-C) Wire 0.052 in 500 lb Accu-Trak® Drum	924511652	
ED033909	Metalshield® Mc®-90 Welding Wire (Priced Per lb)	924511170	**Hobart FabCOR 90 (same AWS class; size not given on the sheet row)** no part # **NE**
ED033910	Metalshield® MC®-110 Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924511753	**Hobart FabCOR 1100 0.045 in, 33 Lb Spool** Part # S280212-029 **NE**
ED033911	Metalshield® MC®-110 Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	924511717	**Hobart FabCOR 1100 0.052 in, 33 Lb Spool** Part # S280215-029 **NE**
ED033912	Metalshield® MC®-110 Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924511334	**Hobart FabCOR 1100 1/16 in, 33 Lb Spool** Part # S280219-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033913	Metalshield® MC®-110 Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	924511436	**Hobart FabCOR 1100 0.045 in, 1000 Lb Recyclable Exacto-Pak** Part # S280212-058 **NE**
ED033914	Metalshield® MC®-110 Metal-Cored (GMAW-C) Wire 0.052 in 500 lb Accu-Trak® Drum	924510764	**Hobart FabCOR 1100 0.052 in, 500 Lb Exacto-Pak** Part # S280215-050 **NE**
ED033915	Metalshield® MC®-110 Metal-Cored (GMAW-C) Wire 1/16 in 500 lb Accu-Trak® Drum	924511158	**Hobart FabCOR 1100 1/16 in, 1000 Lb Recyclable Exacto-Pak** Part # S280219-058 **NE**
ED033950	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool Nuclear	924511972	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED033986	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924510983	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED033987	Ultracore® Hd-M Welding Wire (Priced Per lb)	924511467	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED033988	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 1/16 in (4) 15 lb Plastic Spool	924511047	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED033989	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512188	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED033990	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512591	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED033991	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512190	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED033992	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 0.045 in 50 lb Spool	924512639	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED033993	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 0.052 in 50 lb Spool	924512507	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED033994	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924512426	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED034116N	Outershield® 91K2-HSR Flux-Cored (FCAW-G) Wire 0.047 in 16 kg (35.3 lb) Spool	925034372	
ED034208	Primalloy™ T-409Ti Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924510947	
ED034209 †	Primalloy™ T-409Ti Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	924512562	
ED034209 †	Primalloy™ T-409Ti Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	925034340	
ED034210N	Outershield® 101Ni1-HSR Flux-Cored (FCAW-G) Wire 0.047 in 16 kg (35.3 lb) Spool	924512237	
ED034214	.052 Metalshield® MC-80Ni1 33LB SP (VFB)	925688284	
ED034274	UltraCore® HD-12C Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512465	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034275	UltraCore® HD-12C Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512388	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED034276	UltraCore® HD-12C Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510914	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED034277	UltraCore® HD-12M Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511738	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED034278	UltraCore® HD-12M Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511098	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED034279	UltraCore® HD-12M Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511107	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED034293	Primalloy™ T-439Ti Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924511216	
ED034294 †	Primalloy™ T-439Ti Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	924511819	
ED034294 †	Primalloy™ T-439Ti Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	925034233	
ED034376	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924511962	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED034410	Ultracore® 71C Welding Wire (Priced Per lb)	924512172	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED034411	UltraCore® 81Ni1A75-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512203	**Hobart FabCO 811N1 0.045 in, 33 Lb Spool** Part # S283612-029 **SM**
ED034412	UltraCore® 81Ni1A75-H Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924511782	**Hobart FabCO 811N1 / FabCO 812-Ni1M / MEGAFIL 819R (same AWS class; no 0.052 in size)** no part # **NE**
ED034413	UltraCore® 81Ni1A75-H Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511474	**Hobart FabCO 811N1 1/16 in, 33 Lb Spool** Part # S283619-029 **SM**
ED034414	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511143	**Hobart FabCO 811N1 0.045 in, 33 Lb Spool** Part # S283612-029 **SM**
ED034415	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511491	**Hobart FabCO 811N1 (same AWS class; no 0.052 in size)** no part # **NE**
ED034416	UltraCore® 81Ni1C-H Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924511849	**Hobart FabCO 811N1 1/16 in, 50 Lb Spool** Part # S283619-027 **SM**
ED034418	UltraCore® 712C .052 (1.3) 33 SPOOL AWS A5.20: E71T-12C-JH8 AWS A5.36: E71T1-C1A4-CS2	924511283	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED034419	UltraCore® 712C Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511924	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED034420	UltraCore® 712C .052 (1.3) 50 SPOOL AWS A5.20: E71T-12C-JH8 AWS A5.36: E71T1-C1A4-CS2	924511752	**Hobart FabCO 711M 0.052 in** no part # **NE**
ED034421	UltraCore® 712C 0 1/16 (1.6) 50 SPOOL AWS A5.20: E71T-12C-JH8 AWS A5.36: E71T1-C1A4-CS2	924511772	**Hobart FabCO 711M 1/16 in** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034845	UltraCore® 712A80-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511119	**Hobart FabCO 712M 0.045 in, 33 Lb Vacuum Packaged Spool** Part # S237512-053 **NE**
ED034846	UltraCore® 712A80-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924510891	**Hobart FabCO 712M 0.052 in, 33 Lb Vacuum Packaged Spool** Part # S237515-053 **NE**
ED034847	UltraCore® 712A80-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511153	**Hobart FabCO 712M 1/16 in, 33 Lb Vacuum Packaged Spool** Part # S237519-053 **NE**
ED034848	UltraCore® 712C-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511076	**Hobart FabCO 712C 0.052 in, 33 Lb Vacuum Packaged Spool** Part # S292815-053 **NE**
ED034849	UltraCore® 712C-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924510723	**Hobart FabCO 712C (same AWS class; no 0.045 in size)** no part # **NE**
ED034850	UltraCore® 712C-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510695	**Hobart FabCO 712C (same AWS class; no 1/16 in size)** no part # **NE**
ED034855	UltraCore® 81Ni1M-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511123	**Hobart FabCO 811N1 0.045 in, 33 Lb Spool** Part # S283612-029 **SM**
ED034856	UltraCore® 81Ni1M-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512443	**Hobart FabCO 811N1 / FabCO 812-Ni1M / MEGAFIL 819R (same AWS class; no 0.052 in size)** no part # **NE**
ED034857	UltraCore® 81Ni1M-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512600	**Hobart FabCO 811N1 1/16 in, 33 Lb Spool** Part # S283619-029 **SM**
ED034858	UltraCore® 81Ni1C-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512422	**Hobart FabCO 811N1 0.045 in, 33 Lb Spool** Part # S283612-029 **SM**
ED034859	UltraCore® 81Ni1C-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512550	**Hobart FabCO 811N1 (same AWS class; no 0.052 in size)** no part # **NE**
ED034860	UltraCore® 81Ni1C-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510647	**Hobart FabCO 811N1 1/16 in, 33 Lb Spool** Part # S283619-029 **SM**
ED034861	UltraCore® 81K2M-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511876	
ED034862	UltraCore® 81K2M-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511888	
ED034863	UltraCore® 81K2M-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512142	
ED034864	UltraCore® 81K2C-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512314	**Hobart FabCO 81K2-C 0.045 in, 33 Lb Vacuum Packaged Spool** Part # S288112-053 **NE**
ED034865	UltraCore® 81K2C-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512244	**Hobart FabCO 81K2-C 0.052 in, 500 Lb Exacto-Pak** Part # S288115-050 **NE**
ED034866	UltraCore® 81K2C-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511110	**Hobart FabCO 81K2-C 1/16 in, 33 Lb Spool** Part # S288119-029 **NE**
ED035378	UltraCore® 91K2M-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512489	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035379	UltraCore® 91K2M-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512363	
ED035380	UltraCore® 91K2M-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511979	
ED035381	UltraCore® 91K2C-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512063	
ED035382	UltraCore® 91K2C-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512167	
ED035383	UltraCore® 91K2C-H Plus Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512365	
ED035405	Ultracore® 712A80 Welding Wire (Priced Per lb)	924511028	**Hobart FabCO 711M / FabCO 712M / MEGAFIL 713R (same AWS class; size not given on the sheet row)** no part # **NE**
ED035413	UltraCore® 101K3M-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511735	
ED035414	UltraCore® 101K3M-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511205	
ED035417	UltraCore® 111K3M-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511991	**Hobart FabCO 750M 0.045 in, 33 Lb Vacuum Packaged Spool** Part # S289812-053 **SM**
ED035418	UltraCore® 111K3M-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511245	**Hobart FabCO 750M (same AWS class; no 0.052 in size)** no part # **NE**
ED035419	UltraCore® 111K3C-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511774	**Hobart FabCO 111-V (same AWS class; no 0.045 in size)** no part # **NE**
ED035420	UltraCore® 111K3C-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511666	**Hobart FabCO 111-V (same AWS class; no 0.052 in size)** no part # **NE**
ED035423	UltraCore® 121K3M-H Plus Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511057	
ED035424	UltraCore® 121K3M-H Plus Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511874	
ED035515	Metalshield® Z Metal-Cored (GMAW-C) Wire 0.040 in 33 lb Spool	924511291	**Hobart FabCOR F6 (same AWS class; no 0.040 in size)** no part # **NE**
ED035516	Metalshield® Z Metal-Cored (GMAW-C) Wire 0.040 in 500 lb Accu-Trak® Drum	924511539	**Hobart FabCOR F6 (same AWS class; no 0.040 in size)** no part # **NE**
ED035590	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511646	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED035591	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512015	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED035592	UltraCore® 71A85 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511038	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035631	UltraCore® HD-12C Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924512419	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED035632	UltraCore® HD-12C Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924512608	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED035743	UltraCore® HD Marine Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924512511	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED035766	UltraCore® 80Ni1C Flux-Cored (FCAW-G) Wire 5/64 in 50 lb Coil	924512469	
ED035767	UltraCore® 80Ni1C Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	924512618	
ED035770	UltraCore® 80Ni1M Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	924512548	
ED035847	Ultracore® 70M Welding Wire (Priced Per lb)	924512338	
ED035849	Ultracore® 70M Welding Wire (Priced Per lb)	924512115	
ED036180	UltraCore® HD-12M Flux-Cored (FCAW-G) Wire 0.045 in (4) 15 lb Plastic Spool	924511548	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED036181	UltraCore® HD-12M Flux-Cored (FCAW-G) Wire 0.052 in (4) 15 lb Plastic Spool	924511820	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED036252	Ultracore® Clarity™ M71 Le Welding Wire (Priced Per lb)	924512006	
ED036253	Ultracore® Clarity™ M71 Le Welding Wire (Priced Per lb)	924511578	
ED036254	Ultracore® Clarity™ C71 Le Welding Wire (Priced Per lb)	924511658	
ED036255	Ultracore® Clarity™ C71 Le Welding Wire (Priced Per lb)	924511911	
ED036258	Metalshield® Z Metal-Cored (GMAW-C) Wire 0.035 in 33 lb Spool	924510770	**Hobart FabCOR F6 (same AWS class; no 0.035 in size)** no part # **NE**
ED036259	Metalshield® Z Metal-Cored (GMAW-C) Wire 0.035 in 500 lb Accu-Trak® Drum	924510686	**Hobart FabCOR F6 (same AWS class; no 0.035 in size)** no part # **NE**
ED036294	UltraCore® HD-12M Flux-Cored (FCAW-G) Wire 1/16 in (4) 15 lb Plastic Spool	924512436	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED036295	UltraCore® HD-12C Flux-Cored (FCAW-G) Wire 1/16 in (4) 15 lb Plastic Spool	924511083	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED036323	UltraCore® HD Marine Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924511109	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED036324	UltraCore® HD Marine Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510704	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED036357	Metalshield® Mc®-706 Buy America Welding Wire (Priced Per lb)	924512110	**Hobart FabCOR 86R / FabCOR Edge XP / FabCOR Element XP / FabCOR Elevate / FabCOR Hercules / MEGAFIL 710M (same AWS class; size not given on the sheet row)** no part # **NE**
ED036358	Metalshield® MC®-706 Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	924512401	**Hobart FabCOR 86R 0.052 in, 33 Lb Spool** Part # S249415-029 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036359	Metalshield® MC®-706 Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924511176	**Hobart FabCOR 86R 1/16 in, 33 Lb Spool** Part # S249419-029 **SM**
ED036371	Metalshield® Clarity® Mc®-707 Welding Wire (Priced Per lb)	924511415	
ED036415	UltraCore® 712A80 Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511959	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED036427	UltraCore® XP70 Flux-Cored (FCAW-G) Wire 3/32 in 50 lb Coil	924512296	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED036430	UltraCore® XP70 Flux-Cored (FCAW-G) Wire 5/64 in 50 lb Coil	924511450	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 5/64 in size)** no part # **NE**
ED036431	UltraCore® XP70 Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	924511306	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED036442	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924510995	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED036480	Metalshield® MC®-120 Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	925034253	
ED036515	UltraCore® XP70 Flux-Cored (FCAW-G) Wire 3/32 in 500 lb Speed Feed® Drum	924511002	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED036529	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	924510913	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED036547	UltraCore® XP70 Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924512470	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED036582	Metalshield® MC®-706 Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	924512191	**Hobart FabCOR 86R 0.045 in, 500 Lb Exacto-Pak** Part # S249412-050 **SM**
ED036583	Metalshield® MC®-706 Metal-Cored (GMAW-C) Wire 0.052 in 500 lb Accu-Trak® Drum	924512159	**Hobart FabCOR 86R 0.052 in, 500 Lb Exacto-Pak** Part # S249415-050 **SM**
ED036584	Metalshield® MC®-706 Metal-Cored (GMAW-C) Wire 1/16 in 500 lb Accu-Trak® Drum	924512161	**Hobart MEGAFIL 710M 1/16 in, 550 Lb Drum** Part # 71034B **SM**
ED036597	UltraCore® 71A85	924511537	**Hobart FabCO 711M (same AWS class; size not given on the sheet row)** no part # **NE**
ED036602	1/16 Ultracore 712A80-H Plus 500Ad 23In	925688336	**Hobart FabCO 712M 1/16 in** no part # **NE**
ED036619	UltraCore® HD-M Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511082	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED036620	UltraCore® 80Ni1M Flux-Cored (FCAW-G) Wire 3/32 in 500 lb Speed Feed® Drum	924511233	
ED036636	UltraCore® 70M 0 3/32 (2.4) 500 SPEED-FEED® DRUM E70T-9M-H8 E70T1-M21A2-CS1-H8	924511447	**Hobart FabCO 712M / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED036637	Ultracore® 70M Welding Wire (Priced Per lb)	924511793	
ED036638	Ultracore® 70M Welding Wire (Priced Per lb)	924512067	
ED036639	UltraCore® 80Ni1C Flux-Cored (FCAW-G) Wire 3/32 in 500 lb Speed Feed® Drum	924512058	
ED036640	Ultracore® 80Ni1C Welding Wire (Priced Per lb)	924511074	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036642	UltraCore® XP70 Flux-Cored (FCAW-G) Wire 5/64 in 500 lb Speed Feed® Drum	924512547	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 5/64 in size)** no part # **NE**
ED036668	Metalshield® MC-6® Metal-Cored (GMAW-C) Wire 0.045 in 60 lb Coil	924511015	**Hobart FabCOR 86R 0.045 in, 50 Lb Spool** Part # S249412-027 **NE**
ED036815	Metalshield® Z Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	925034265	**Hobart FabCOR F6 0.045 in, 33 Lb Spool** Part # S278312-029 **SM**
ED036816	Metalshield® Z Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	925034312	**Hobart FabCOR F6 0.045 in, 500 Lb Exacto-Pak** Part # S278312-050 **SM**
ED036827	UltraCore® HD Marine 0 1/16 (1.6) 50 SPOOL	924511718	**Hobart FabCO 711M 1/16 in** no part # **NE**
ED037034	UltraCore® 712C-H Plus	924511179	**Hobart FabCO 712C (same AWS class; size not given on the sheet row)** no part # **NE**
ED037036	UltraCore® 81Ni1C-H Plus 0 1/16 (1.6) 33 SPOOL	924511235	**Hobart FabCO 811N1 1/16 in** no part # **SM**
ED037060	MetalShield® HDT™ Metal-Cored (GMAW-C) Wire 1/16 in 600 lb Accu-Trak® Drum	925034277	
ED037105	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924511581	**Hobart FabCOR 86R 0.045 in, 33 Lb Spool** Part # S249412-029 **SM**
ED037106	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	924511257	**Hobart FabCOR 86R 0.052 in, 33 Lb Spool** Part # S249415-029 **SM**
ED037107	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924510929	**Hobart FabCOR 86R 1/16 in, 33 Lb Spool** Part # S249419-029 **SM**
ED037108	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924511367	**Hobart FabCOR Edge Ni1 0.045 in, 33 Lb Spool** Part # S279512-029 **NE**
ED037109	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 0.052 in 33 lb Spool	924511624	**Hobart FabCOR Edge Ni1 0.052 in, 33 Lb Spool** Part # S279515-029 **NE**
ED037110	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924511688	**Hobart FabCOR Edge Ni1 1/16 in, 33 Lb Spool** Part # S279519-029 **NE**
ED037281	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 0.045 in 750 lb Accu-Trak® Drum	924511878	**Hobart MEGAFIL 710M 0.045 in, 660 Lb Drum** Part # 71016B **SM**
ED037282	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 0.052 in 750 lb Accu-Trak® Drum	924512025	**Hobart FabCOR 86R 0.052 in, 1000 Lb Exacto-Pak** Part # S249415-058 **SM**
ED037283	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 1/16 in 750 lb Accu-Trak® Drum	924511522	**Hobart FabCOR 86R 1/16 in, 1000 Lb Exacto-Pak** Part # S249419-058 **SM**
ED037284	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 0.045 in 750 lb Accu-Trak® Drum	924511990	**Hobart FabCOR Edge Ni1 0.045 in, 1000 Lb Recyclable Exacto-Pak** Part # S279512-058 **NE**
ED037285	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 0.052 in 750 lb Accu-Trak® Drum	924511570	**Hobart FabCOR Edge Ni1 0.052 in, 1000 Lb Recyclable Exacto-Pak** Part # S279515-058 **NE**
ED037286	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 1/16 in 750 lb Accu-Trak® Drum	924511983	**Hobart FabCOR Edge Ni1 1/16 in, 33 Lb Spool** Part # S279519-029 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED037359	.045 Metalshield Mc-70 Xls 500Lbad (20")	925688234	**Hobart FabCOR 86R 0.045 in** no part # **SM**
ED037368	3/32 Ultracore Xp70 800Lb Reel	925688359	**Hobart FabCO 711M / FabCO 712C / MEGAFIL 713R (same AWS class; no 3/32 in size)** no part # **NE**
ED037378	UltraCore® 71A75 Dual .045 (1.1) 33 SPOOL	924511132	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED037379	UltraCore® 71A75 Dual 0 1/16 (1.6) 33 SPOOL	924511048	**Hobart FabCO 711M 1/16 in** no part # **NE**
ED037416	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 0.045 in 50 lb Spool	924511706	**Hobart FabCOR 86R 0.045 in, 50 Lb Spool** Part # S249412-027 **SM**
ED037417	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 0.052 in 50 lb Spool	924511253	**Hobart FabCOR 86R 0.052 in, 50 Lb Spool** Part # S249415-027 **SM**
ED037418	Metalshield® MC-70 XLS™ Metal-Cored (GMAW-C) Wire 1/16 in 50 lb Spool	924512047	**Hobart FabCOR Edge XP 1/16 in, 50 Lb Spool** Part # S250619-027 **SM**
ED037478	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 0.045 in 50 lb Spool	924511828	**Hobart FabCOR Edge Ni1 0.045 in, 50 Lb Spool** Part # S279512-027 **NE**
ED037479	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 0.052 in 50 lb Spool	924511896	**Hobart FabCOR Edge Ni1 0.052 in, 33 Lb Spool** Part # S279515-029 **NE**
ED037480	Metalshield® MC-80 XLS™ Metal-Cored (GMAW-C) Wire 1/16 in 50 lb Spool	924512036	**Hobart FabCOR Edge Ni1 1/16 in, 33 Lb Spool** Part # S279519-029 **NE**
ED037485	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511920	**Hobart FabCO 711M 0.045 in, 33 Lb Spool** Part # S248812-029 **NE**
ED037486	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	924512027	**Hobart FabCO 711M 0.052 in, 33 Lb Spool** Part # S248815-029 **NE**
ED037487	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510710	**Hobart FabCO 711M 1/16 in, 33 Lb Spool** Part # S248819-029 **NE**
ED037488	UltraCore® HD-C Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Spool	924510653	**Hobart FabCO 711M 1/16 in, 60 Lb Coil** Part # S248819-002 **NE**
ED037490	MetalShield® HDT™ Metal-Cored (GMAW-C) Wire 1/16 in 60 lb Spool	925034307	
ED037608	.045 Metalshield Mc-70 Xls 750 Fib Drum	925688239	**Hobart FabCOR 86R 0.045 in** no part # **SM**
ED037717	1/16 Metalshield Mc-70 Xls 750 Fib Drum	925688227	**Hobart FabCOR 86R 1/16 in** no part # **SM**
ED037897	.052 Metalshield Mc-80Ni 1 50Fs (Vfb)	925688228	
ED0379936	1.2MM PIPELINER 91M 11SP(VFB) 33LB Spool	925688237	
ED0900408	1.4 Outershield Mc715-H S300 33Lbsp(Vfb)	925688220	
ED0900429	1.2 Outershield Mc715-H S300 33Lbsp(Vfb)	925688238	
W000403768	UltraCore® 360® M71 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	925034311	**Hobart FabCO 712M 0.045 in, 33 Lb Vacuum Packaged Spool** Part # S237512-053 **NE**
W000403769	UltraCore® 360® M71 Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	925034353	**Hobart FabCO 712M 0.052 in, 33 Lb Vacuum Packaged Spool** Part # S237515-053 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
W000403770	UltraCore® 360® M71 Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	925034317	**Hobart FabCO 712M 1/16 in, 33 Lb Vacuum Packaged Spool** Part # S237519-053 **NE**
W000403771	UltraCore® 360® C71 Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	925034264	**Hobart FabCO 712C (same AWS class; no 0.045 in size)** no part # **NE**
W000403772	UltraCore® 360® C71 Flux-Cored (FCAW-G) Wire 0.052 in 33 lb Spool	925034242	**Hobart FabCO 712C 0.052 in, 33 Lb Vacuum Packaged Spool** Part # S292815-053 **SM**
W000403773	UltraCore® 360® C71 Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	925034334	**Hobart FabCO 712C (same AWS class; no 1/16 in size)** no part # **NE**
W001403768	UltraCore® 360® M71	925034305	**Hobart FabCO 712M / MEGAFIL 713R (same AWS class; size not given on the sheet row)** no part # **NE**
W001403769	UltraCore® 360® M71	925034229	**Hobart FabCO 712M / MEGAFIL 713R (same AWS class; size not given on the sheet row)** no part # **NE**
W001403770	UltraCore® 360® M71	925034352	**Hobart FabCO 712M / MEGAFIL 713R (same AWS class; size not given on the sheet row)** no part # **NE**
W001403771	UltraCore® 360® C71	925034231	**Hobart FabCO 712C (same AWS class; size not given on the sheet row)** no part # **NE**
W001403772	UltraCore® 360® C71	925034238	**Hobart FabCO 712C (same AWS class; size not given on the sheet row)** no part # **NE**
W001403773	UltraCore® 360® C71	925034370	**Hobart FabCO 712C (same AWS class; size not given on the sheet row)** no part # **NE**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Self-Shielded Flux-Cored (95)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	3/32 Innershield NS-3M (600) Drum	921179568	**Hobart Fabshield 4 3/32 in, 600 Lb Drum** Part # S224529-008 **SM**
ED012163	Innershield® NR®-131 Flux-Cored (FCAW-S) Wire 3/32 in 600 lb Speed Feed® Reel	924512312	
ED012186	Innershield® NR®-152 Flux-Cored (FCAW-S) Wire 0.068 in 50 lb Coil	924512319	**Hobart Fabshield 23 (same AWS class; no 0.068 in size)** no part # **NE**
ED012438	Innershield® NR®-207 Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924510811	**Hobart Fabshield 71K6 5/64 in, 15 Lb Vacuum Spool** Part # S228625-V83 **SM**
ED012506	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.068 in (4) 14 lb Coil	924511051	**Hobart Fabshield 21B (same AWS class; no 0.068 in size)** no part # **NE**
ED012507	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.068 in 50 lb Coil	924511423	**Hobart Fabshield 21B (same AWS class; no 0.068 in size)** no part # **NE**
ED012508	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511379	**Hobart Fabshield 21B 5/64 in, 33 Lb Spool** Part # S222125-029 **SM**
ED012509	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924512178	**Hobart Fabshield 21B 5/64 in, 33 Lb Spool** Part # S222125-029 **SM**
ED012518 †	.068" Dia. INNERSHIELD® NR®-232 (13.5) Priced per LB	91016813	**Hobart Fabshield XLR-8 (same AWS class; no 0.068 in size)** no part # **NE**
ED012518 †	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.068 in (4) 13.5 lb Coil	924511615	**Hobart Fabshield XLR-8 (same AWS class; no 0.068 in size)** no part # **NE**
ED012519	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.068 in 50 lb Coil	924512185	**Hobart Fabshield XLR-8 (same AWS class; no 0.068 in size)** no part # **NE**
ED012522	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.072 in (4) 13.5 lb Coil	924511523	**Hobart Fabshield XLR-8 0.072 in, 15 Lb VCI Spool** Part # S225724-083 **SM**
ED012523	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.072 in 50 lb Coil	924511263	**Hobart Fabshield XLR-8 0.072 in, 50 Lb VCI Coil** Part # S225724-V14 **SM**
ED012525	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 5/64 in (4) 13.5 lb Coil	924511854	**Hobart Fabshield XLR-8 5/64 in, 20 Lb VCI Spool** Part # S225725-082 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED012526	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924511446	**Hobart Fabshield XLR-8 5/64 in, 33 Lb VCI Spool** Part # S225725-043 **SM**
ED012593	Innershield® NR®-305 Flux-Cored (FCAW-S) Wire 3/32 in 50 lb Coil	924511858	**Hobart Fabshield XLNT-6 3/32 in, 50 Lb Coil** Part # S225629-V14 **SM**
ED012628	Innershield® NR®-311 Flux-Cored (FCAW-S) Wire 3/32 in 600 lb Speed Feed® Drum	924511787	**Hobart Fabshield 7027 3/32 in, 50 Lb Coil** Part # S222729-V14 **SM**
ED012629	Innershield® NR®-311 Flux-Cored (FCAW-S) Wire 3/32 in 50 lb Coil	924511560	**Hobart Fabshield 7027 3/32 in, 50 Lb Coil** Part # S222729-V14 **SM**
ED012632	Innershield® NR®-311 Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511940	**Hobart Fabshield 7027 (same AWS class; no 7/64 in size)** no part # **NE**
ED012633	Innershield® Nr®-311 Welding Wire (Priced Per lb)	924511512	**Hobart Fabshield 7027 (same AWS class; size not given on the sheet row)** no part # **NE**
ED012699	Innershield® NR®-5 Flux-Cored (FCAW-S) Wire 3/32 in 600 lb Speed Feed® Drum	924511352	
ED012731	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 0.120 in 600 lb Speed Feed® Drum	924511785	**Hobart Fabshield 4 (same AWS class; no 0.120 in size)** no part # **NE**
ED012732	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 0.120 in 50 lb Coil	924512070	**Hobart Fabshield 4 (same AWS class; no 0.120 in size)** no part # **NE**
ED012735	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 3/32 in 600 lb Speed Feed® Drum	924510725	**Hobart Fabshield 4 3/32 in, 600 Lb Drum** Part # S224529-008 **SM**
ED012736	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 3/32 in 50 lb Coil	924512560	**Hobart Fabshield 4 3/32 in, 50 Lb Coil** Part # S224529-V14 **SM**
ED012739	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511035	**Hobart Fabshield 4 5/64 in, 33 Lb Spool** Part # S224525-029 **SM**
ED012740	Innershield® NS-3M Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924512678	**Hobart Fabshield 4 5/64 in, 50 Lb Coil** Part # S224525-V14 **SM**
ED013869	Innershield® NR®-211-MP 0 3/32 (2.4) 50 COIL AWS A5.20: E71T-11 AWS A5.36: E71T11-AZ-CS3	924512383	**Hobart Fabshield 21B (same AWS class; no 3/32 in size)** no part # **NE**
ED014459	Innershield® NR®-311 Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924512519	**Hobart Fabshield 7027 (same AWS class; no 5/64 in size)** no part # **NE**
ED014464	Innershield® NR®-311 Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924512301	**Hobart Fabshield 7027 (same AWS class; no 5/64 in size)** no part # **NE**
ED016312	Innershield® NR®-207 Flux-Cored (FCAW-S) Wire 0.068 in (4) 14 lb Coil	924512166	**Hobart Fabshield 71K6 (same AWS class; no 0.068 in size)** no part # **NE**
ED016354 †	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.035 in 10 lb Spool	0864412	**Hobart Fabshield 21B 0.035 in, 10 Lb Spool** Part # S222108-022 **SM**
ED016354 †	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.035 in 10 lb Spool	924511976	**Hobart Fabshield 21B 0.035 in, 10 Lb Spool** Part # S222108-022 **SM**
ED016363 †	0.045" E71T-11 Innershield® Mild Steel MIG Welding Wire (10) Spool	0864413	**Hobart Fabshield 21B 0.045 in, 10 Lb Spool** Part # S222112-022 **SM**
ED016363 †	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.045 in 10 lb Spool	924511797	**Hobart Fabshield 21B 0.045 in, 10 Lb Spool** Part # S222112-022 **SM**
ED017822	Innershield® NR®-311 Ni Flux-Cored (FCAW-S) Wire 3/32 in 50 lb Coil	924511795	
ED017824	Innershield® NR®-311 Ni Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511372	
ED021604	Innershield® NR®-203MP Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924510832	**Hobart Fabshield XLR-8 5/64 in, 20 Lb VCI Spool** Part # S225725-082 **SM**
ED023366	Innershield® NR®-208-H Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924510715	
ED026090 †	0.045" E71T-11 Innershield® Mild Steel MIG Welding Wire (10) Spool	0864432	**Hobart Fabshield 21B 0.045 in, 10 Lb Spool** Part # S222112-022 **SM**
ED026090 †	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 0.045 in 10 lb Spool	924511802	**Hobart Fabshield 21B 0.045 in, 10 Lb Spool** Part # S222112-022 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED026858	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924510908	
ED027794	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511870	
ED027803	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 0.068 in (4) 14 lb Coil	924511719	
ED028123	Innershield® NR®-152 Flux-Cored (FCAW-S) Wire 0.045 in 500 lb Accu-Trak® Drum	924511117	**Hobart Fabshield 23 0.045 in, 600 Lb Exacto-Pak** Part # S222312-056 **SM**
ED029028	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.045 in 500 lb Accu-Trak® Drum	924512082	**Hobart Fabshield 21B 0.045 in, 33 Lb Spool** Part # S222112-029 **SM**
ED029066	Innershield® NR®-152 Flux-Cored (FCAW-S) Wire 1/16 in 500 lb Accu-Trak® Drum	924512629	**Hobart Fabshield 23 1/16 in, 600 Lb Exacto-Pak** Part # S222319-056 **SM**
ED029838	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.035 in 500 lb Accu-Trak® Drum	924511405	**Hobart Fabshield 21B 0.035 in, 500 Lb Reel** Part # S222108-015 **SM**
ED030005	Innershield® NR®-305 Flux-Cored (FCAW-S) Wire 3/32 in 50 lb Coil	924512081	**Hobart Fabshield XLNT-6 3/32 in, 50 Lb Coil** Part # S225629-V14 **SM**
ED030232	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.072 in (4) 13.5 lb Coil	924510721	**Hobart Fabshield XLR-8 0.072 in, 15 Lb VCI Spool** Part # S225724-083 **SM**
ED030584 †	0.035" E71T-11 Innershield® Mild Steel MIG Welding Wire (1) Spool	0864466	**Hobart Fabshield 21B 0.035 in** no part # **SM**
ED030584 †	Innershield® NR®-211-MP-RSP .035 (0.9) 5 CARTON (1 SPOOL) AWS A5.20: E71T-11 AWS A5.36: E71T11-AZ-CS3	924511649	**Hobart Fabshield 21B 0.035 in** no part # **SM**
ED030637	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.035 in 25 lb Spool	924511180	**Hobart Fabshield 21B 0.035 in, 33 Lb Spool** Part # S222108-029 **SM**
ED030638	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Spool	924510966	**Hobart Fabshield 21B 0.045 in, 33 Lb Spool** Part # S222112-029 **SM**
ED030639	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Spool	924511349	
ED030640	Innershield® NR®-203MP Flux-Cored (FCAW-S) Wire 0.068 in 25 lb Spool	924511633	**Hobart Fabshield XLR-8 (same AWS class; no 0.068 in size)** no part # **NE**
ED030641	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.068 in 25 lb Spool	924511837	**Hobart Fabshield 21B (same AWS class; no 0.068 in size)** no part # **NE**
ED030642	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 0.068 in 25 lb Spool	924511530	
ED030643	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.068 in 25 lb Spool	924511653	**Hobart Fabshield XLR-8 (same AWS class; no 0.068 in size)** no part # **NE**
ED030644	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.072 in 25 lb Spool	924511662	**Hobart Fabshield XLR-8 0.072 in, 20 Lb VCI Spool** Part # S225724-082 **SM**
ED030645	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512040	**Hobart Fabshield 21B 5/64 in, 33 Lb Spool** Part # S222125-029 **SM**
ED030646	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512053	
ED030647	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512676	**Hobart Fabshield XLR-8 5/64 in, 20 Lb VCI Spool** Part # S225725-082 **SM**
ED030649	Innershield® NR®-311 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512605	**Hobart Fabshield 7027 (same AWS class; no 5/64 in size)** no part # **NE**
ED030650	Innershield® NR®-311 Ni Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924510643	
ED030651	5/64 Innershield Ns-3M 25Lb Steel Spool	925688353	**Hobart Fabshield 4 5/64 in, 33 Lb Spool** Part # S224525-029 **SM**
ED030924	Pipeliner® NR®-207+ Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511963	**Hobart Fabshield 71K6 5/64 in, 15 Lb Vacuum Spool** Part # S228625-V83 **SM**
ED030933	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 1/16 in (4) 12.5 lb Spool	924511721	**Hobart Fabshield XLR-8 1/16 in, 12 Lb VCI Spool** Part # S225719-079 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED030934	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Spool	924511938	**Hobart Fabshield XLR-8 1/16 in, 20 Lb VCI Spool** Part # S225719-082 **SM**
ED030949	Innershield® NR®-232 Flux-Cored (FCAW-S) Wire 0.072 in 25 lb Spool	924510915	**Hobart Fabshield XLR-8 0.072 in, 20 Lb VCI Spool** Part # S225724-082 **SM**
ED030971	Innershield® NR®-305 Flux-Cored (FCAW-S) Wire 3/32 in 25 lb Spool	924510745	**Hobart Fabshield XLNT-6 3/32 in, 20 Lb Vacuum Spool** Part # S225629-H82 **SM**
ED031030	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 0.072 in 25 lb Spool	924511089	**Hobart Fabshield XLR-8 0.072 in, 20 Lb VCI Spool** Part # S225724-082 **SM**
ED031210	7/64 Innershield Nr-311 600Lbreel (Black)	925688331	**Hobart Fabshield 7027 (same AWS class; no 7/64 in size)** no part # **NE**
ED031448 †	Innershield® NR®-211-MP-RSP .030 (0.8) 5 CARTON (1 SPOOL) AWS A5.20: E71T-11 AWS A5.36: E71T11-AZ-CS3	0864483	**Hobart Fabshield 21B 0.030 in** no part # **SM**
ED031448 †	Innershield® NR®-211-MP-RSP .030 (0.8) 5 CARTON (1 SPOOL) AWS A5.20: E71T-11 AWS A5.36: E71T11-AZ-CS3	924510707	**Hobart Fabshield 21B 0.030 in** no part # **SM**
ED031576	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Spool	924510948	**Hobart Fabshield XLR-8 1/16 in, 20 Lb VCI Spool** Part # S225719-082 **SM**
ED031968	Pipeliner® NR®-208-XP Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924510706	
ED032530	Innershield® NR®-311 Ni Flux-Cored (FCAW-S) Wire 3/32 in 50 lb Coil	924511754	
ED032890	Pipeliner® NR®-208-P Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511683	
ED033024	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924511630	**Hobart Fabshield XLR-8 5/64 in, 20 Lb VCI Spool** Part # S225725-082 **SM**
ED033039	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924511715	**Hobart Fabshield XLR-8 5/64 in, 20 Lb VCI Spool** Part # S225725-082 **SM**
ED033130 †	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.030 in 10 lb Spool	0816905	**Hobart Fabshield 21B 0.030 in, 10 Lb Spool** Part # S222106-022 **SM**
ED033130 †	Innershield® NR®-211-MP Flux-Cored (FCAW-S) Wire 0.030 in (Priced per LB)	924510674	**Hobart Fabshield 21B 0.030 in, 10 Lb Spool** Part # S222106-022 **SM**
ED033827	Innershield® NR®-440Ni2 Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511223	
ED034185	Innershield® NR®-305 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924511457	**Hobart Fabshield XLNT-6 5/64 in, 20 Lb Vacuum Spool** Part # S225625-H82 **SM**
ED035565	Innershield® Nr®-555 Welding Wire (Priced Per lb)	924511651	
ED035566	Innershield® NR®-555 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512017	
ED035667	Lincoln® Guardian HB Flux-Cored (FCAW-S) Wire 1/16 in 33 lb PLW Spool	924511345	
ED036576	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Spool	924511864	**Hobart Fabshield XLR-8 1/16 in, 20 Lb VCI Spool** Part # S225719-082 **SM**
ED036577	Innershield® NR®-233 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512180	**Hobart Fabshield XLR-8 5/64 in, 20 Lb VCI Spool** Part # S225725-082 **SM**
ED036650	Pipeliner® NR®-208-XP Flux-Cored (FCAW-S) Wire 0.068 in (4) 14 lb Coil	925034250	
ED036677	Innershield® NR®-232-H Flux-Cored (FCAW-S) Wire 0.068 in 25 lb Spool	924510844	**Hobart Fabshield XLR-8 (same AWS class; no 0.068 in size)** no part # **NE**
ED036678	Innershield® NR®-232-H Flux-Cored (FCAW-S) Wire 0.072 in 25 lb Spool	924511236	**Hobart Fabshield XLR-8 0.072 in, 20 Lb VCI Spool** Part # S225724-082 **SM**
ED037028	Innershield® NR®-212 Flux-Cored (FCAW-S) Wire 0.068 in 8 lb Spool	924511672	
EDS01702	Innershield® NR®-152 Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Spool	924511492	**Hobart Fabshield 23 0.045 in, 600 Lb Exacto-Pak** Part # S222312-056 **SM**

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Submerged Arc (253)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	50lb Plastic Bag LINCOLNWELD® 882 Submerged Arc Flux	99868204	
ED010954	Lincolnweld® LAC-B2 Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924511584	
ED010955	Lincolnweld® LAC-B2 Submerged Arc (SAW) Wire 5/32 in 50 lb Coil	924511579	
ED010986	Lincolnweld® LAC-Ni2 Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924511375	
ED010998	Lincolnweld® LA-100 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511724	
ED010999	Lincolnweld® LA-100 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511466	
ED011002	Lincolnweld® LA-100 Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924511840	
ED011051	Lincolnweld® LA-71 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924512621	**Hobart SDX EM14K 1/8 in, 55 Lb Wire Basket** Part # S295743-020 **SM**
ED011052 †	Lincolnweld® LA-71 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512540	**Hobart SDX EM14K 3/32 in, 55 Lb Wire Basket** Part # S295729-020 **SM**
ED011052 †	3/32" Lincolnweld LA-71 AWS A5.17 EM12K Solid Submerged Arc SAW Welding Wire (60 lbs / 27.21 kg Coil)	928263432	**Hobart SDX EM14K 3/32 in, 55 Lb Wire Basket** Part # S295729-020 **SM**
ED011053	Lincolnweld® LA-71 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924512580	**Hobart SDX EM14K 5/32 in, 55 Lb Wire Basket** Part # S295750-020 **SM**
ED011062	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924510815	
ED011064	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924510649	
ED011065	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511046	
ED011066	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924510754	
ED011084	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924510668	
ED011086	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924510732	
ED011098	Lincolnweld® LC-72 Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924511402	
ED011099	Lincolnweld® LC-72 Submerged Arc (SAW) Wire 5/64 in 50 lb Coil	924511077	
ED011322	Lincolnweld® L-50® Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511709	
ED011323	Lincolnweld® L-50® Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924512114	
ED011327	Lincolnweld® L-50® Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924511353	
ED011328	Lincolnweld® L-50® Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511637	
ED011331	Lincolnweld® L-50® Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924512141	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED011332	Lincolnweld® L-50® Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511880	
ED011334	Lincolnweld® L-50® Submerged Arc (SAW) Wire 5/64 in 1000 lb Speed Feed® Drum	924511403	
ED011335	Lincolnweld® L-50® Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924511587	
ED011671	Lincolnweld® L-56® Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511521	
ED011674	Lincolnweld® L-56® Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511148	
ED011678	Lincolnweld® L-56® Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924511605	
ED011742	Lincolnweld® L-60 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511280	
ED011743	Lincolnweld® L-60 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511178	
ED011748	Lincolnweld® L-60 Submerged Arc (SAW) Wire 3/16 in 1000 lb Speed Feed® Drum	924511470	
ED011749	Lincolnweld® L-60 Submerged Arc (SAW) Wire 3/16 in 60 lb Coil	924511872	
ED011751	Lincolnweld® L-60 Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924511791	
ED011752	Lincolnweld® L-60 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511502	
ED011757	Lincolnweld® L-60 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511665	
ED011758	Lincolnweld® L-60 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511904	
ED011761	Lincolnweld® L-60 Submerged Arc (SAW) Wire 5/64 in 1000 lb Speed Feed® Drum	924510717	
ED011762	Lincolnweld® L-60 Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924512491	
ED011803	Discontinued: Lincolnweld® L-61® - 1/16 - 60 LB COIL	925034348	**Hobart SDX S2Si-EM12K (same AWS class; no 1/16 in size)** no part # **NE**
ED011806	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924510883	**Hobart SDX S2Si-EM12K 1/8 in, 1000 Lb Drum** Part # S295143-S71 **SM**
ED011807	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924510968	**Hobart SDX S2Si-EM12K 1/8 in, 55 Lb Wire Basket** Part # S295143-S20 **SM**
ED011811	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/16 in 1000 lb Speed Feed® Drum	924511071	**Hobart SDX S2Si-EM12K (same AWS class; no 3/16 in size)** no part # **NE**
ED011812	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/16 in 60 lb Coil	924511174	**Hobart SDX S2Si-EM12K (same AWS class; no 3/16 in size)** no part # **NE**
ED011814	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924510640	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
ED011815	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511204	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
ED011820	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511348	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED011821	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511433	**Hobart SDX S2Si-EM12K 5/32 in, 55 Lb Wire Basket** Part # S295150-S20 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED011824	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/64 in 1000 lb Speed Feed® Drum	924512497	**Hobart SDX S2Si-EM12K 5/64 in, 1000 Lb Drum** Part # S295125-S71 **SM**
ED011825	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924512225	**Hobart SDX S2Si-EM12K 5/64 in, 55 Lb Wire Basket** Part # S295125-S20 **SM**
ED011826	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/64 in 750 lb Speed Feed® Reel	924512131	**Hobart SDX S2Si-EM12K 5/64 in, 1000 Lb Drum** Part # S295125-S71 **SM**
ED012051	Lincolnweld® L-70 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924512555	
ED012052	Lincolnweld® L-70 Submerged Arc (SAW) Wire 3/16 in 60 lb Coil	924512695	
ED012053	Lincolnweld® L-70 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511773	
ED012054	Lincolnweld® L-70 Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924512202	
ED016248	Lincolnweld® L-S3 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511448	
ED016767	Lincolnweld® L-S3 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511700	
ED019581	Lincolnweld® LAC-B2 Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924511201	
ED019582	Lincolnweld® LAC-B2 Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924512531	
ED019586	Lincolnweld® 780® Submerged Arc (SAW) Flux 50 lb Bag	924512495	
ED019587	Lincolnweld® 781™ Submerged Arc (SAW) Flux 50 lb Bag	924512437	
ED019588	Lincolnweld® 801® Submerged Arc (SAW) Flux 50 lb Paper Bag	924512375	
ED019589 †	Flux 860 50 Pound Bag	920177063	
ED019589 †	Lincolnweld® 860® Submerged Arc (SAW) Flux 50 lb Bag	924512611	
ED021192	Lincolnweld® L-70 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511390	
ED021193	Lincolnweld® L-70 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511398	
ED022412	Lincolnweld® 960® Submerged Arc (SAW) Flux 50 lb Bag	924511617	
ED023163	Lincolnweld® LA-81 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511964	
ED023166	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511190	
ED023167	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511758	
ED023168	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511494	
ED023169	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 3/16 in 60 lb Coil	924511900	
ED023365	Lincolnweld® 802® Submerged Arc (SAW) Flux 450 lb Drum	924510726	
ED023403	Lincolnweld® 801® Submerged Arc (SAW) Flux 550 lb Drum	924510671	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED027224	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511783	
ED027225	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924511551	
ED027859 †	Lincolnweld® 882® Submerged Arc (SAW) Flux 50 lb Bag	924511978	
ED027859 †	50 lb / 22.68 kg Lincolnweld 882 Submerged Arc SAW Welding Flux Bag	928263435	
ED027861 †	Lincolnweld® 980® Submerged Arc (SAW) Flux 50 lb Bag	924512698	
ED027861 †	50 lb / 22.68 kg Lincolnweld 980 Submerged Arc SAW Welding Flux Bag	928263431	
ED027862	Lincolnweld® A-XXX-10™ 50 BAG	924512457	
ED027865	Lincolnweld® H-535™ Submerged Arc (SAW) Flux 50 lb Paper Bag	924510730	
ED027866	Lincolnweld® 880™ Submerged Arc (SAW) Flux 50 lb Bag	924510741	
ED028264	Lincolnweld® L-56® Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924512520	
ED028322	Lincolnweld® 880™ Submerged Arc (SAW) Flux 550 lb Drum	924511893	
ED028538	Lincolnweld® L-S3 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511004	
ED029478	5/64 Lincolnweld L-50 60Lb Coil	925688327	
ED029965	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924511533	
ED030012	Lincolnweld® L-61® Welding Wire (Priced Per lb)	924510916	**Hobart SDX S2Si-EM12K (same AWS class; size not given on the sheet row)** no part # **NE**
ED030412	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 300 lb Speed Feed® Reel	924512331	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED030425	Lincolnweld® L-56® Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924512158	
ED030426	Lincolnweld® L-56® Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924512261	
ED030628	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 300 lb Speed Feed® Drum	924511877	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED030670	3/16 Lincolnweld La-81 1000Lb Drum	925688366	
ED030703	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924510722	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED030756	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924511026	**Hobart SDX S2Si-EM12K 5/64 in, 55 Lb Wire Basket** Part # S295125-S20 **SM**
ED030838	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512522	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
ED030839	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512348	
ED030840	Lincolnweld® 860® Submerged Arc (SAW) Flux 50 lb Bag	924512448	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED030841	Lincolnweld® 960® Submerged Arc (SAW) Flux 50 lb Bag	924510669	
ED031596	Lincolnweld® 888® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924512257	
ED031853	Lincolnweld® 880M® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511482	
ED031854	Lincolnweld® 8500® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511192	
ED031856	Lincolnweld® ST-100 Submerged Arc (SAW) Flux 60 lb Plastic Bag	924511127	
ED031860	Lincolnweld® A-96-S Submerged Arc (SAW) Flux 60 lb Plastic Bag	924511827	
ED031871	Lincolnweld® LA-84 (LNS 164) Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511303	
ED031872	Lincolnweld® LA-84 Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924512189	
ED032007	Lincolnweld® 780® Submerged Arc (SAW) Flux 550 lb Drum	924510861	
ED032097	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924512304	**Hobart SDX S2Si-EM12K 5/32 in, 55 Lb Wire Basket** Part # S295150-S20 **SM**
ED032100	5/64 Lincolnweld L-50 750Lb Reel	925688364	
ED032185	Lincolnweld® LA-93 Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924512467	
ED032764	Lincolnweld® P223® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511656	
ED032765	Lincolnweld® 761® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924510937	
ED032767	Lincolnweld® P223® Submerged Arc (SAW) Flux 2600 lb Bulk Bag	924512673	
ED032768	Lincolnweld® 761®-Pipe Submerged Arc (SAW) Flux 2600 lb Bulk Bag	925034306	
ED032797	Lincolnweld® 761®-Pipe Submerged Arc (SAW) Flux 50 lb Plastic Bag	924510759	
ED032799	Lincolnweld® 760® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924510763	
ED032800	Lincolnweld® 802® Submerged Arc (SAW) Flux 50 lb Paper Bag	924510701	
ED032831	Lincolnweld® 995N® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924510991	
ED032958	Lincolnweld® LAC-690 Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924512269	
ED032959	Lincolnweld® LAC-690 Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511745	
ED032960	Lincolnweld® SPX80® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924512216	
ED032970	Lincolnweld® L-70 Submerged Arc (SAW) Wire 5/32 in 2200 lb Speed Feed® Stem	924512505	
ED032971	Lincolnweld® L-70 Submerged Arc (SAW) Wire 1/8 in 2200 lb Speed Feed® Stem	924511238	
ED032972	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 2200 lb Speed Feed® Stem	924511377	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED032973	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 2200 lb Speed Feed® Stem	924511388	**Hobart SDX S2Si-EM12K 1/8 in, 1000 Lb Drum** Part # S295143-S71 **SM**
ED032990	Lincolnweld® WTX® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511137	
ED032992	Lincolnweld® La-81™ Welding Wire (Priced Per lb)	924512156	
ED032993	Lincolnweld® La-81™ Welding Wire (Priced Per lb)	924512117	
ED032994	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/16 in 2200 lb Speed Feed® Stem	924511321	**Hobart SDX S2Si-EM12K (same AWS class; no 3/16 in size)** no part # **NE**
ED032995	Lincolnweld® La-81™ Welding Wire (Priced Per lb)	924512108	
ED032996	Lincolnweld® L-70 Submerged Arc (SAW) Wire 3/16 in 2200 lb Speed Feed® Stem	924511202	
ED032997	Lincolnweld® L-50® Submerged Arc (SAW) Wire 5/32 in 2200 lb Speed Feed® Stem	924511515	
ED032998	Lincolnweld® L-56® Submerged Arc (SAW) Wire 1/8 in 2200 lb Speed Feed® Stem	924511550	
ED032999	Lincolnweld® L-56® Submerged Arc (SAW) Wire 5/32 in 2200 lb Speed Feed® Stem	924511556	
ED033074	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 250 lb Speed Feed® SlimReel™	924512613	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
ED033075	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 250 lb Speed Feed® SlimReel™	924512553	**Hobart SDX S2Si-EM12K 1/8 in, 1000 Lb Drum** Part # S295143-S71 **SM**
ED033076	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 250 lb Speed Feed® SlimReel™	924510718	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED033123	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 250 lb Speed Feed® SlimReel™	924512604	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED033159	Lincolnweld® P2007™ Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511085	
ED033160	Lincolnweld® P3000™ Welding Wire (Priced Per lb)	924511338	
ED033161	Lincolnweld® P4000™ Welding Wire (Priced Per lb)	924510782	
ED033188	Lincolnweld® 780® Submerged Arc (SAW) Flux 3000 lb Foil Lined Bulk Bag	924512298	
ED033273	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924512119	
ED033278	995N Flux 2600Lb Bulk Bag	925688296	
ED033293	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924512181	
ED033302	Lincolnweld® LAC-690 Submerged Arc (SAW) Wire 5/32 in 50 lb Coil	924512302	
ED033319	Lincolnweld® SPX80® Submerged Arc (SAW) Flux 2600 lb Bulk Bag	924510925	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033323	Lincolnweld® LA-84 (LNS 164) Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511084	
ED033481	Lincolnweld® L-50® Submerged Arc (SAW) Wire 1/8 in 2200 lb Speed Feed® Stem	924512175	
ED033490	Lincolnweld® 888™ 2600 BULK BAG	924512069	
ED033727	Lincolnweld® LA-84 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924512186	
ED033861	3/32 Os Xlh-70 1250 Pallet, 250 Slimreel	925688333	
ED033875	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512399	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
ED033876	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924512209	**Hobart SDX S2Si-EM12K 1/8 in, 55 Lb Wire Basket** Part # S295143-S20 **SM**
ED033877	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924512168	**Hobart SDX S2Si-EM12K 5/32 in, 55 Lb Wire Basket** Part # S295150-S20 **SM**
ED033878	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512325	
ED033879	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924510889	
ED033880	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924510809	
ED034007	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 5/32 in 2200 lb Speed Feed® Stem	925034379	
ED034025	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/16 in 1000 lb Accu-Trak® Drum	925034300	**Hobart SDX S2Si-EM12K (same AWS class; no 1/16 in size)** no part # **NE**
ED034043	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924512430	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
ED034044	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511569	**Hobart SDX S2Si-EM12K 1/8 in, 1000 Lb Drum** Part # S295143-S71 **SM**
ED034045	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511600	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED034046	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	924510792	
ED034048	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511720	
ED034055	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/16 in 60 lb Coil	924511725	**Hobart SDX S2Si-EM12K (same AWS class; no 3/16 in size)** no part # **NE**
ED034171	Lincolnweld® 812-SRC® Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511237	
ED034196	Lincolnweld® LA-75 Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924510875	
ED034211	Lincolnweld® LA-84 (LNS 164) Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924512534	
ED034212	Lincolnweld® LA-84 (LNS 164) Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924512245	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034290	Lincolnweld® P2000™ Submerged Arc (SAW) Flux 50 lb Plastic Bag	924511034	
ED034351	Lincolnweld® LA-84 (LNS 164) Submerged Arc (SAW) Wire 1/8 in (3) 10 lb Tube	924512055	
ED034371	Lincolnweld® 842-H® Submerged Arc (SAW) Flux 50 lb Pail	924511435	
ED034426	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512032	
ED034427	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511589	
ED034904	Lincolnweld® Ak-10™ Welding Wire (Priced Per lb)	924511971	
ED034905	Lincolnweld® AK-10® Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924511856	
ED034906	Lincolnweld® Ak-10™ Welding Wire (Priced Per lb)	924511580	
ED034907	Lincolnweld® AK-10® - 5/32 in (4.0 mm) - 60 lb Coil	924511210	
ED035171	Lincolnweld® 309LMo_MOD Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924511676	
ED035183	Lincolnweld® 320LR Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924511207	
ED035187	Lincolnweld® 385 Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924512619	
ED035189	Lincolnweld® 630 Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Reel	924512617	
ED035361	Lincolnweld® L-S3 (LNS 133U L 0 5/32 (4) 250 SLIMREEL™	924510806	
ED035463	Lincolnweld® WTX®-TR Submerged Arc (SAW) Flux 50 lb Plastic Bag	925034361	
ED035579	Lincolnweld® LA-85 Submerged Arc (SAW) Wire 3/16 in 60 lb Coil	924511815	
ED035892	Lincolnweld® MIL800-H® Submerged Arc (SAW) Flux 50 lb Bag	924510848	
ED035893	Lincolnweld® MIL800-H®PNi Submerged Arc (SAW) Flux 50 lb Bag	924510998	
ED035980	Lincolnweld® Emergence™ 61 0 1/8 (3.2) 1000 SPEED-FEED® DRUM AWS A5.17: EM12K	924512130	**Hobart SDX S2Si-EM12K 1/8 in** no part # **SM**
ED035981	Lincolnweld® Emergence® 61 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511675	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED035982	Lincolnweld® Emergence® 70 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924512234	
ED035983	Lincolnweld® Emergence® 70 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924512192	
ED036223	Lincolnweld® 822 Submerged Arc (SAW) Flux 50 lb Plastic Bag	925034380	
ED036247	Lincolnweld® SPX80® Submerged Arc (SAW) Flux 2600 lb Bulk Bag	925034382	
ED036348	Lincolnweld® Emergence™ LS3 0 1/8 (3.2) 1000 SPEED-FEED® DRUM AWS A5.17: EG	924512097	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036349	Lincolnweld® Emergence™ LS3 0 5/32 (4) 1000 SPEED-FEED® DRUM AWS A5.17: EG	924512384	
ED036373	Lincolnweld® LA-90 0 5/32 (4) 2200 SPEED-FEED® STEM AWS A5.23: EA3K	925034350	
ED036374	Lincolnweld® Emergence® 90 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511152	
ED036375	Lincolnweld® Emergence® 90 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511564	
ED036506	Lincolnweld® Emergence® 81 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511230	
ED036507	Lincolnweld® Emergence™ 81 0 5/32 (4) 1000 SPEED-FEED® DRUM AWS A5.23: EA2TiB	924511052	
ED036785	Lincolnweld® H-560™ Submerged Arc (SAW) Flux 60 lb Paper Bag	924511187	
ED036786	Lincolnweld® LPX80N™ 50 BAG	924511221	
ED036839	Lincolnweld® LPX80N™ 2600 BULK BAG	924511326	
ED036912	761 Flux 550Lb Drum	925688304	
ED037355	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/16 in 60 lb Spool	924512395	**Hobart SDX S2Si-EM12K (same AWS class; no 1/16 in size)** no part # **NE**
ED037587	7/64 WE-1000 50LB Coil	925688221	
ED037588	7/64 We-1000 600Lb Speedfeed Drum	925688350	
ED037860	3/32 Gl-8 600Lb Sf Drum	925688349	
ED037933	3/32 GL-17 600lb SPEEDFEED DRUM	925688368	
ED037934	3/32 GL-LLC-V 600lb SPEEDFEED DRUM	925688351	
ED037953	Lincolnweld® D18 Submerged Arc (SAW) Flux 50 lb Bag	925034292	
ED037954	Lincolnweld® L-54™ Submerged Arc (SAW) Wire 3/32 in 1000 lb Speed Feed® Drum	925034290	
ED037955	Lincolnweld® L-54™ Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	925034294	
ED038064	5/32 Lincolnweld L-61 2200Lb Stem(Buy Am)	925688283	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
ED038167	960 Flux 50Lb Pe Bag	925688297	
ED038175	780 Flux Coarse 550Lb Drum	925688365	
EDS01152	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511406	
EDS01154	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 5/32 in 750 lb Speed Feed® Reel	924511208	
EDS01186	Lincolnweld® LC-72 Submerged Arc (SAW) Wire 3/32 in 300 lb Speed Feed® Reel	924511243	
EDS01187	Lincolnweld® LC-72 Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924512139	
EDS01631	Lincolnweld® L-56® Submerged Arc (SAW) Wire 5/64 in 1000 lb Speed Feed® Reel	924511487	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EDS11001	Lincolnweld® LA-100 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924511336	
EDS11083	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924511294	
EDS11085	Lincolnweld® LA-90 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924512062	
EDS11677	Lincolnweld® L-56® 0 5/32 (4) 60 COIL AWS A5.17: EH11K	924511851	
EDS11741	Lincolnweld® L-60 Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511747	
EDS11760	Lincolnweld® L-60 0 5/64 (2) 600 SPEED-FEED® DRUM AWS A5.17: EL12	924512551	
EDS11805	Lincolnweld® L-61® Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924512535	**Hobart SDX S2Si-EM12K 1/8 in, 1000 Lb Drum** Part # S295143-S71 **SM**
EDS11809	Lincolnweld® L-61® 0 1/8 (3.2) 750 SPEED-FEED® REEL AWS A5.17: EM12K AWS A5.23: EM12K	924510748	**Hobart SDX S2Si-EM12K 1/8 in** no part # **SM**
EDS11813	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924510672	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
EDS11817	Lincolnweld® L-61® Submerged Arc (SAW) Wire 3/32 in 750 lb Speed Feed® Reel	924512568	**Hobart SDX S2Si-EM12K 3/32 in, 55 Lb Wire Basket** Part # S295129-S20 **SM**
EDS11819	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924510760	**Hobart SDX S2Si-EM12K 5/32 in, 1000 Lb Drum** Part # S295150-S71 **SM**
EDS11823	Lincolnweld® L-61® Submerged Arc (SAW) Wire 5/64 in 600 lb Speed Feed® Drum	924511099	**Hobart SDX S2Si-EM12K 5/64 in, 1000 Lb Drum** Part # S295125-S71 **SM**
EDS21194	Lincolnweld® L-70 Submerged Arc (SAW) Wire 3/16 in 1000 lb Speed Feed® Drum	924510662	
EDS26960	Lincolnweld® LA-92 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924510735	
EDS26961	Lincolnweld® LA-92 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924510959	
EDS26962	Lincolnweld® LA-93 Submerged Arc (SAW) Wire 1/8 in 60 lb Coil	924512447	
EDS26963	Lincolnweld® LA-93 Submerged Arc (SAW) Wire 5/32 in 60 lb Coil	924512281	
EDS27184	Lincolnweld® LC-72 Submerged Arc (SAW) Wire 5/64 in 600 lb Speed Feed® Drum	924512561	
EDS27857	Lincolnweld® 865® Submerged Arc (SAW) Flux 50 lb Bag	924512320	
EDS30781	Lincolnweld® LA-71 Submerged Arc (SAW) Wire 1/8 in 1000 lb Speed Feed® Drum	924511510	**Hobart SDX EM14K 1/8 in, 660 Lb Drum** Part # S295743-S66 **SM**
EDS30782	Lincolnweld® LA-71 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511756	**Hobart SDX EM14K 5/32 in, 660 Lb Drum** Part # S295750-S66 **SM**
EDS30783	Lincolnweld® LA-92 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512013	
EDS30784	Lincolnweld® LA-93 Submerged Arc (SAW) Wire 3/32 in 60 lb Coil	924512101	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EDS30786	Lincolnweld® 801® Submerged Arc (SAW) Flux	925034371	
EDS30787	Lincolnweld® 802® Submerged Arc (SAW) Flux 2700 lb (1225 kg) Bulk Bag	925034289	
EDS31060	Lincolnweld® LA-81 Submerged Arc (SAW) Wire 5/32 in 1000 lb Speed Feed® Drum	924511879	
FXLA490SA-25SRB	La490 25 Foil Bag	924511565	
SWP325F	Swp 325 Flux 25Kg (55Lb) Plastic Bag	925688298	
W000402697	Opf500 Dry Bag (Us) 25Kg	925688299	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Stainless & Specialty Alloys (910)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
—	1/8" (10) TECHALLOY® 625 TIG Nickel Alloy (Priced Per LB)	91137769	
CH9B9-25	Chromet® 9-B9 Welding Rod (Priced Per lb)	924511994	
CH9B9-32	Chromet® 9-B9 Welding Rod (Priced Per lb)	924512438	
CH9B9-40	Chromet® 9-B9 Welding Rod (Priced Per lb)	924512140	
CH9B9-50	Chromet® 9-B9 Welding Rod (Priced Per lb)	924512210	
CH9MVN-25	Chromet® 9Mv-N Welding Rod (Priced Per lb)	924511075	
CH9MVN-32	Chromet® 9Mv-N Welding Rod (Priced Per lb)	924511081	
CH9MVN-40	Chromet® 9Mv-N Welding Rod (Priced Per lb)	924511655	
CH9MVN-50	Chromet® 9Mv-N Welding Rod (Priced Per lb)	924510864	
CHROMET1X-25	Chromet® 1X Welding Rod (Priced Per lb)	924511093	
CHROMET1X-32	Chromet® 1X Welding Rod (Priced Per lb)	924511549	
CHROMET1X-40	CHROMET 1X 0 4 (5/32) 37 CARTON (12.3 CAN) AWS A5.5: E8018-B2 H4R BS EN ISO 3580-A: E CrMo1	924511588	**Hobart Hoballoy 8018B2 5/32 in** no part # **SM**
CHROMET1X-50	Chromet® 1X Welding Rod (Priced Per lb)	924511504	
CHROMET2X-25	Chromet® 2X Welding Rod (Priced Per lb)	924511836	
CHROMET2X-32	Chromet® 2X Welding Rod (Priced Per lb)	924511428	
CHROMET2X-40	Chromet® 2X Welding Rod (Priced Per lb)	924511574	
CHROMET2X-50	Chromet® 2X Welding Rod (Priced Per lb)	924511562	
CHROMET5-25	Chromet® 5 Welding Rod (Priced Per lb)	924511114	
CHROMET5-32	Chromet® 5 Welding Rod (Priced Per lb)	924511863	
CHROMET5-40	Chromet® 5 Welding Rod (Priced Per lb)	924511571	
CHROMET5-50	Chromet® 5 Welding Rod (Priced Per lb)	924512095	
CHROMET9-25	Chromet® 9 Welding Rod (Priced Per lb)	924511996	
CHROMET9-32	Chromet® 9 Welding Rod (Priced Per lb)	924511790	
CHROMET9-40	Chromet® 9 Welding Rod (Priced Per lb)	924512503	
CHROMET9-50	Chromet® 9 Welding Rod (Priced Per lb)	924512650	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
CORM1-12N	CORMET 1 1.2X16 S300 ALU PLW (16 kg Spool)	925688235	
CORM2-12N	CORMET 2 1.2x16 S300 ALU PLW (16 kg Spool)	925688236	
E168215-25	E16.8.2-15 Welding Wire (Priced Per lb)	924511199	
E168215-32	E16.8.2-15 Welding Wire (Priced Per lb)	924511120	
E168215-40	E16.8.2-15 Welding Wire (Priced Per lb)	924511097	
ED011160	Lincore® M Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924511344	
ED011162	Lincore® M Flux-Cored (FCAW-S) Wire 7/64 in 600 lb Speed Feed® Drum	924512341	
ED011163	Lincore® M Flux-Cored (FCAW-S) Wire 7/64 in 125 lb Speed Feed® Drum	924512322	
ED011164	Lincore® M Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924512334	
ED011199	Lincore® 30-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924512326	
ED011200	Lincore® 30-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924512409	
ED011237	Lincore® 33 Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924511857	
ED011238	Lincore® 33 Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924511712	
ED011240	Lincore® 33 Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924512259	
ED011274	Lincore® 50 Flux-Cored (FCAW-S) Wire 7/64 in 125 lb Speed Feed® Drum	924512125	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED011275	Lincore® 50 Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924512274	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED011277	Lincore® 55 Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924510942	
ED011278	Lincore® 55 Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924511577	
ED011280	Lincore® 55 Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511620	
ED012385	Innershield® NR®-203 Nickel (1%) Flux-Cored (FCAW-S) Wire 5/64 in (4) 14 lb Coil	924510923	**Hobart Fabshield 71T8 5/64 in, 15 Lb Vacuum Spool** Part # S228525-V83 **SM**
ED012386	Innershield® NR®-203 Nickel (1%) Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924510813	**Hobart Fabshield 71T8 5/64 in, 15 Lb Vacuum Spool** Part # S228525-V83 **SM**
ED015260	Lincore® 420 Metal-Cored Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924512501	
ED015261	Lincore® 420 Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924512599	
ED015262	Lincore® 420 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924512685	
ED015264	Lincore® 420 Metal-Cored Submerged Arc (SAW) Wire	924512657	
ED015265	Lincore® 4130 Metal-Cored Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924511927	
ED015266	Lincore® 4130 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511919	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED015268	Lincore® 420 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924512052	
ED015405	Lincore® 4130 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924512350	
ED015532	Lincore® 4130 Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924510877	
ED015889	Lincore® 30-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924510897	
ED015891	Lincore® 30-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511931	
ED015892	Lincore® 40-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511546	
ED015909	Lincore® 40-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511572	
ED017825	Lincore® 50 Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924510711	**Hardalloy 140** / **Tube-Alloy 240-O** no part # **NE**
ED018551	Lincore® 423L Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511801	
ED018557	Lincore® 423Cr Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511464	
ED018569	Lincore® 20 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511741	
ED018574	Lincore® 96-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924511619	
ED018575	Lincore® 96-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511998	
ED018576	Lincore® 96-S Metal-Cored Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924511915	
ED018578	Lincore® 102W Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511808	
ED018580	Lincore® 102W Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924512068	
ED018581	Lincore® 102W Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511604	
ED018582	Lincore® 102W Metal-Cored Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924512647	
ED018583	Lincore® 410 Metal-Cored Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924510802	
ED018588	Lincore® 410 Metal-Cored Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924512393	
ED018590	Lincore® 410NiMo Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511021	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED018593	Lincore® 410NiMo Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924510918	
ED018594	Lincore® 410NiMo Metal-Cored Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924510910	
ED019293	Blue Max® 308LSi MIG (GMAW) Wire 0.045 in 25 lb Spool	925034333	**Hobart 308L HiSil 0.045 in, 30 Lb Spool** Part # S526812-I26 **SM**
ED019294	Blue Max® 308LSi MIG (GMAW) Wire 1/16 in 25 lb Spool	924511168	**Hobart 308L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED019295	Blue Max® 309LSi MIG (GMAW) Wire 0.035 in 25 lb Spool	925034328	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **SM**
ED019296 †	.045 BLUE MAX® MIG 309LSI 25# Welding Wire (Priced per Lb)	91129892	**Hobart 309L HiSil 0.045 in** no part # **NE**
ED019296 †	Blue Max® Mig 309Lsi Welding Wire (Priced Per lb)	924510798	**Hobart 309L HiSil 0.045 in** no part # **NE**
ED019300	Blue Max® 316LSi MIG (GMAW) Wire 1/16 in 25 lb Spool	924511461	**Hobart 316L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED019880	Lincore® 35-S Metal-Cored Submerged Arc (SAW) Wire	924512554	
ED019881	Lincore® 35-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511949	
ED019883	Lincore® 35-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924511663	
ED019884	Lincore® 35-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924512337	
ED019885	Lincore® 35-S Metal-Cored Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	924512513	
ED019887	Lincore® 60-O Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924512355	
ED019888	Lincore® 60-O Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511623	
ED020788	Lincore® 8620 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511660	
ED020791	Lincore® 8620 Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511912	
ED020829	Lincore® 50 Flux-Cored (FCAW-S) Wire 1/16 in 50 lb Coil	925034318	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED021976	Wearshield® MANGJET® Stick (SMAW) Electrode 5/32x14 in 10 lb Plastic Tube	924511062	**Hardalloy 118 / Tube-Alloy 218-O** no part # **NE**
ED021978	Wearshield® MANGJET® Stick (SMAW) Electrode 3/16x14 in 10 lb Plastic Tube	924511206	**Hardalloy 118 / Tube-Alloy 218-O** no part # **NE**
ED021979	Wearshield® MANGJET® Stick (SMAW) Electrode 1/4x18 in 10 lb Easy Open Can	924510871	**Hardalloy 118 / Tube-Alloy 218-O** no part # **NE**
ED021980	Wearshield® 15CrMn Stick (SMAW) Electrode 1/8x14 in (4) 10 lb Plastic Tube	924512177	
ED021982	Wearshield® 15CrMn Stick (SMAW) Electrode 5/32x14 in (4) 10 lb Plastic Tube	924512300	
ED021984	Wearshield® 15CrMn Stick (SMAW) Electrode 3/16x14 in (4) 10 lb Plastic Tube	924512514	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED021991	Wearshield® BU Stick (SMAW) Electrode 4.0x14 in (4) 10 lb Plastic Tube	924512640	
ED021993	Wearshield® BU Stick (SMAW) Electrode 4.8x14 in (4) 10 lb Plastic Tube	924512587	
ED021996	Wearshield® ABR Stick (SMAW) Electrode 1/8x14 in (4) 10 lb Plastic Tube	924511648	
ED021998	Wearshield® ABR Stick (SMAW) Electrode 5/32x14 in (4) 10 lb Plastic Tube	924512242	
ED022000	Wearshield® ABR	924512586	
ED022003 †	Wearshield® MI Stick (SMAW) Electrode 1/8x14 in (4) 10 lb Plastic Tube	924511965	
ED022005	Wearshield® MI Stick (SMAW) Electrode 5/32x14 in (4) 10 lb Plastic Tube	924512427	
ED022007	Wearshield® MI Stick (SMAW) Electrode 3/16x14 in (4) 10 lb Plastic Tube	924511173	
ED022010	Wearshield® 60 Stick (SMAW) Electrode 1/8x14 in (4) 10 lb Plastic Tube	924510826	
ED022011	Wearshield® 60 Stick (SMAW) Electrode 5/32x14 in (4) 10 lb Plastic Tube	924512111	
ED022012	Wearshield® 60 Stick (SMAW) Electrode 3/16x14 in (4) 10 lb Plastic Tube	924511440	
ED022060	Lincore® 15CrMn Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924511824	
ED022061	Lincore® 15CrMn Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511337	
ED022064	Lincore® BU Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924512080	
ED022065	Lincore® BU Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511394	
ED022068	Lincore® 15CrMn Flux-Cored (FCAW-S) Wire 7/64 in 125 lb Speed Feed® Drum	924512214	
ED023323	Wearshield® ME Stick (SMAW) Electrode 1/8x14 in (4) 10 lb Plastic Tube	924511737	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED023324	Wearshield® ME Stick (SMAW) Electrode 5/32x14 in (4) 10 lb Plastic Tube	924512012	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED023325	Wearshield® ME Stick (SMAW) Electrode 3/16x14 in (4) 10 lb Plastic Tube	924511834	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED023962	Blue Max® 309LSi MIG (GMAW) Wire 0.030 in 25 lb Spool	924510822	**Hobart 309L HiSil (same AWS class; no 0.030 in size)** no part # **NE**
ED023963	Blue Max® 316LSi MIG (GMAW) Wire 0.030 in 25 lb Spool	924510767	**Hobart 316L HiSil (same AWS class; no 0.030 in size)** no part # **NE**
ED024940	Wearshield® 44 Stick (SMAW) Electrode 1/8x14 in (4) 10 lb Plastic Tube	924510784	
ED024941	Wearshield® 44 Stick (SMAW) Electrode 5/32x14 in (4) 10 lb Plastic Tube	924510853	
ED025131	Lincore® 32-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511156	
ED025410	Lincoln® ER308/308L TIG (GTAW) Rod 1/16 in (10) 1 lb Tube	924511454	**Hobart 308/308L TIG 1/16 in, 10 Lb Tube** Part # S512511-I12 **SM**
ED025413	Lincoln® ER308/308L TIG (GTAW) Rod 3/32 in (10) 1 lb Tube	924511183	**Hobart 308/308L TIG 3/32 in, 10 Lb Tube** Part # S512537-I12 **SM**
ED025416	Lincoln® ER308/308L TIG (GTAW) Rod 1/8 in (10) 1 lb Tube	924512400	**Hobart 308/308L TIG 1/8 in, 10 Lb Tube** Part # S512546-I12 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED025419	Lincoln® ER309/309L TIG (GTAW) Rod 1/16 in (10) 1 lb Tube	924512323	**Hobart 309/309L TIG 1/16 in, 10 Lb Tube** Part # S510811-I12 **SM**
ED025422	Lincoln® ER309/309L TIG (GTAW) Rod 3/32 in (10) 1 lb Tube	924512482	**Hobart 309/309L TIG 3/32 in, 10 Lb Tube** Part # S510837-I12 **SM**
ED025425	Lincoln® ER309/309L TIG (GTAW) Rod 1/8 in (10) 1 lb Tube	924512398	**Hobart 309/309L TIG 1/8 in, 10 Lb Tube** Part # S510846-I12 **SM**
ED025428	Lincoln® ER316/316L TIG (GTAW) Rod 1/16 in (10) 1 lb Tube	924512559	**Hobart 316/316L TIG 1/16 in, 10 Lb Tube** Part # S512311-I12 **SM**
ED025431	Lincoln® ER316/316L TIG (GTAW) Rod 3/32 in (10) 1 lb Tube	924512510	**Hobart 316/316L TIG 3/32 in, 10 Lb Tube** Part # S512337-I12 **SM**
ED025434 †	Lincoln® ER316/316L TIG (GTAW) Rod 1/8 in (10) 1 lb Tube	99858504	**Hobart 316/316L TIG 1/8 in, 10 Lb Tube** Part # S512346-I12 **SM**
ED025434 †	Lincoln® ER316/316L TIG (GTAW) Rod 1/8 in (10) 1 lb Tube	924512266	**Hobart 316/316L TIG 1/8 in, 10 Lb Tube** Part # S512346-I12 **SM**
ED025656	Lincore® 32-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 300 lb Speed Feed® Drum	924512490	
ED025907	Lincore® 40-O Flux-Cored (FCAW-S) Wire 5/64 in 50 lb Coil	924512262	**Tube-Alloy 242-O** no part # **NE**
ED026077	Lincore® 65-O Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924511090	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED026082	Lincore® 65-O Flux-Cored (FCAW-S) Wire 1/8 in 500 lb Speed Feed® Drum	924510796	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED026083	Lincore® 65-O Flux-Cored (FCAW-S) Wire 7/64 in 500 lb Accu-Trak® Drum	924511695	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED026085	Lincore® 102HC Metal-Cored Submerged Arc (SAW) Wire	924511771	
ED026086	Lincore® 102HC Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924510909	
ED026087	Lincore® 102HC Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511810	
ED026105	Lincore® FROG MANG® Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512194	**Hardalloy 118 / Tube-Alloy 218-O** no part # **NE**
ED026106	Lincore® FROG MANG® Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Steel Spool	924512057	**Hardalloy 118 / Tube-Alloy 218-O** no part # **NE**
ED028176 †	Lincore® 55-G Flux-Cored (FCAW-G) Wire 0.045 in 25 lb Plastic Spool	922092000	
ED028176 †	Lincore® 55-G Flux-Cored (FCAW-G) Wire 0.045 in 25 lb Plastic Spool	924511242	
ED028177	Lincore® 55-G Flux-Cored (FCAW-G) Wire 1/16 in 25 lb Plastic Spool	924512233	
ED029079	Lincore® BU-G Flux-Cored (FCAW-G) Wire 0.045 in 25 lb Plastic Spool	924510663	
ED029080	Lincore® BU-G Flux-Cored (FCAW-G) Wire 1/16 in 25 lb Plastic Spool	924511030	
ED029161	Lincore® 42-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924510880	
ED029264	Lincore® 42-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 300 lb Speed Feed® Drum	924512290	
ED029768	Blue Max® 308LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511925	**Hobart 308L HiSil 0.035 in, 550 Lb Drum** Part # S526808-550 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED029769	Blue Max® 308LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511645	**Hobart 308L HiSil 0.045 in, 550 Lb Drum** Part # S526812-550 **SM**
ED029770	Blue Max® 309LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924512005	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **SM**
ED029771	Blue Max® 309LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924512255	**Hobart 309L HiSil 0.045 in, 550 Lb Drum** Part # S527512-550 **SM**
ED029772	Blue Max® 316LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511687	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED029773	Blue Max® 316LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511677	**Hobart 316L HiSil 0.045 in, 30 Lb Spool** Part # S527412-I26 **NE**
ED029936	Lincore® 60-G Metal-Cored (GMAW-C) Wire 0.045 in 25 lb Plastic Spool	924511554	
ED031115	Lincore® BU Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924512584	
ED031116	Lincore® 33 Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Steel Spool	924512417	
ED031117	Lincore® 33 Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Steel Spool	924512642	
ED031118	Lincore® 33 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924512468	
ED031119	Lincore® 40-O Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924512087	**Tube-Alloy 242-O** no part # **NE**
ED031120	Lincore® 55 Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Steel Spool	924512286	
ED031121	Lincore® 55 Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Steel Spool	924512359	
ED031122	Lincore® 55 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924512215	
ED031123	Lincore® 50 Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Plastic Spool	924512127	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED031124	Lincore® 50 Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Plastic Spool	924510879	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED031125	Lincore® 50 Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924511043	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED031126	Lincore® 15CrMn Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924511429	
ED031128	Lincore® M Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Steel Spool	924511997	
ED031129	Lincore® M Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Steel Spool	924511690	
ED031130	Lincore® M Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924511534	
ED031131	Lincore® 60-O Flux-Cored (FCAW-S) Wire 0.045 in 25 lb Steel Spool	924512083	
ED031132	Lincore® 60-O Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Spool	924511526	
ED031133	Lincore® 60-O Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Steel Spool	924511902	
ED031134	Lincore® T & D Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Steel Spool	924512250	
ED031303	Blue Max® LNM 4462 1.2 (0.047) 33 SPOOL	924511509	
ED031311	Blue Max® LNT 4462 0 2.4 (3/32)	924510976	
ED031475	Lincore® 55-G Flux-Cored (FCAW-G) Wire 0.045 in 500 lb Accu-Trak® Drum	924511086	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED031861	Lincore® 60-G Metal-Cored (GMAW-C) Wire	925034284	
ED032298 †	Blue Max® 2100 Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	924511267	
ED032298 †	Blue Max® 2100 Stick (SMAW) Electrode 3/32x14 in (3) 10 lb Easy Open Can	925034357	
ED032299 †	Blue Max® 2100 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511563	
ED032299 †	Blue Max® 2100 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	925034301	
ED032661	Lincore® 55-G Flux-Cored (FCAW-G) Wire 1/16 in 500 lb Accu-Trak® Drum	924511845	
ED032834	Blue Max® 308LSi MIG (GMAW) Wire 0.035 in 1000 lb Precise-Trak® Reel	924510954	**Hobart 308L HiSil 0.035 in, 550 Lb Drum** Part # S526808-550 **SM**
ED033079 †	3/32" x 12" E308/308L-16 - 8lb Pack	920284388	
ED033079 †	Excalibur® 308L-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512670	
ED033080 †	Excalibur® 308L-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	91136815	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **SM**
ED033080 †	Excalibur® 308L-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511177	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **SM**
ED033081 †	5/32" (10) E308L-16 Excalibur® Welding Rod	91136814	
ED033081 †	Excalibur® 308L-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924510895	
ED033082	Excalibur® 308L-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924510981	**Hobart 308/308L Sterling AP 3/16 in, 7 Lb Can** Part # S481958-039 **SM**
ED033083	Excalibur® 308/308H-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924510733	**Hobart 308/308L Sterling AP 3/32 in, 5 Lb Can** Part # S481931-036 **NE**
ED033084	Excalibur® 308/308H-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511288	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **NE**
ED033085	Excalibur® 308/308H-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924510881	**Hobart 308/308L Sterling AP 5/32 in, 6 Lb Can** Part # S481951-032 **NE**
ED033086	Excalibur® 308/308H-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512549	**Hobart 308/308L Sterling AP 3/16 in, 7 Lb Can** Part # S481958-039 **NE**
ED033087 †	3/32" (8) E308-15 / E308L-15 Excalibur® Welding Rod	91136808	
ED033087 †	Excalibur® 308/308L-15 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512592	
ED033088 †	1/8" (8) E308-15 / E308L-15 Excalibur® Welding Rod	91136812	
ED033088 †	Excalibur® 308/308L-15 Stick (SMAW) Electrode 1/8x12 in (3) 8 lb Easy Open Can	924512235	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033089 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924240235	**Hobart 308/308L Sterling AP 3/32 in, 5 Lb Can** Part # S481931-036 **NE**
ED033089 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512270	**Hobart 308/308L Sterling AP 3/32 in, 5 Lb Can** Part # S481931-036 **NE**
ED033090 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924240236	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **NE**
ED033090 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512345	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **NE**
ED033091 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924240237	**Hobart 308/308L Sterling AP 5/32 in, 6 Lb Can** Part # S481951-032 **NE**
ED033091 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512581	**Hobart 308/308L Sterling AP 5/32 in, 6 Lb Can** Part # S481951-032 **NE**
ED033092 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924240234	**Hobart 308/308L Sterling AP 3/16 in, 7 Lb Can** Part # S481958-039 **NE**
ED033092 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924510716	**Hobart 308/308L Sterling AP 3/16 in, 7 Lb Can** Part # S481958-039 **NE**
ED033093 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924240238	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **NE**
ED033093 †	Excalibur® 308/308L-17 Stick (SMAW) Electrode 1/8x14 in (6) 1 lb Tube	924511823	**Hobart 308/308L Sterling AP 1/8 in, 6 Lb Can** Part # S481944-032 **NE**
ED033094	Excalibur® 309/309L-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511822	**Hobart 309/309L Sterling AP 1/8 in, 6 Lb Can** Part # S483944-032 **SM**
ED033095	Excalibur® 309/309L-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512421	**Hobart 309/309L Sterling AP 5/32 in, 6 Lb Can** Part # S483951-032 **SM**
ED033096	Excalibur® 309/309L-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512100	**Hobart 309/309L Sterling AP 3/16 in, 7 Lb Can** Part # S483958-039 **SM**
ED033097 †	3/32x12 Excalibur 309/309L-16 Electrode	920325775	**Hobart 309/309L Sterling AP 3/32 in** no part # **SM**
ED033097 †	Excalibur® 309/309L-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512236	**Hobart 309/309L Sterling AP 3/32 in** no part # **SM**
ED033098 †	3/32" (8) E309-15 / E309L-15 Excalibur® Welding Rod	91136809	
ED033098 †	Excalibur® 309/309L-15 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924510836	
ED033099 †	1/8" (8) E309-15 / E309L-15 Excalibur® Welding Rod	91136813	
ED033099 †	Excalibur® 309/309L-15 Stick (SMAW) Electrode 1/8x12 in (3) 8 lb Easy Open Can	924511007	
ED033100	Excalibur® 309/309L-17 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511227	**Hobart 309/309L Sterling AP 3/32 in, 5 Lb Can** Part # S483931-036 **NE**
ED033101	Excalibur® 309/309L-17 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511269	**Hobart 309/309L Sterling AP 1/8 in, 6 Lb Can** Part # S483944-032 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033102	Excalibur® 309/309L-17 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511330	**Hobart 309/309L Sterling AP 5/32 in, 6 Lb Can** Part # S483951-032 **NE**
ED033103	Excalibur® 309/309L-17 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511312	**Hobart 309/309L Sterling AP 3/16 in, 7 Lb Can** Part # S483958-039 **NE**
ED033104 †	3/32" x 12" E316/316L-16 - 8lb Pack	920284387	
ED033104 †	Excalibur® 316/316L-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511157	
ED033105	Excalibur® 316/316L-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512240	**Hobart 316/316L Sterling AP 1/8 in, 6 Lb Can** Part # S482944-032 **SM**
ED033106	Excalibur® 316/316L-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512029	**Hobart 316/316L Sterling AP 5/32 in, 6 Lb Can** Part # S482951-032 **SM**
ED033107	Excalibur® 316/316L-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512124	**Hobart 316/316L Sterling AP 3/16 in, 7 Lb Can** Part # S482958-039 **SM**
ED033108	Excalibur® 316/316L-15 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511616	**Hobart 316/316L Sterling AP 3/32 in, 5 Lb Can** Part # S482931-036 **NE**
ED033109	Excalibur® 316/316L-15 Stick (SMAW) Electrode 1/8x12 in (3) 8 lb Easy Open Can	924511103	**Hobart 316/316L Sterling AP 1/8 in, 6 Lb Can** Part # S482944-032 **NE**
ED033110	Excalibur® 316/316L-17 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511489	**Hobart 316/316L Sterling AP 3/32 in, 5 Lb Can** Part # S482931-036 **NE**
ED033111	Excalibur® 316/316L-17 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511425	**Hobart 316/316L Sterling AP 1/8 in, 6 Lb Can** Part # S482944-032 **NE**
ED033112	Excalibur® 316/316L-17 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511191	**Hobart 316/316L Sterling AP 5/32 in, 6 Lb Can** Part # S482951-032 **NE**
ED033113	Excalibur® 316/316L-17 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511935	**Hobart 316/316L Sterling AP 3/16 in, 7 Lb Can** Part # S482958-039 **NE**
ED033133	Wearshield® FROG MANG® Stick (SMAW) Electrode 1/4x18 in 10 lb Easy Open Can	924510974	
ED033134	Wearshield® FROG MANG® Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512659	
ED033135	Wearshield® FROG MANG® Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924510964	
ED033147	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924510743	
ED033151	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 5/64 in 60 lb Coil	924510682	
ED033716	.035 Blue Max Lnm 4462 33# Ssp Welding Wire (Priced Per lb)	924512135	
ED033848 †	.035" (30) BLUE MAX® ER308/ER308L MIG Welding Wire	99858505	**Hobart 308/308L MIG 0.035 in, 30 Lb Spool** Part # S522508-I26 **SM**
ED033848 †	Blue Max® 308L N MIG (GMAW) Wire 0.035 in 33 lb Spool	924510752	**Hobart 308/308L MIG 0.035 in, 30 Lb Spool** Part # S522508-I26 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED033849	Blue Max® 308L N MIG (GMAW) Wire 0.045 in 33 lb Spool	924510705	**Hobart 308/308L MIG 0.045 in, 30 Lb Spool** Part # S522512-I26 **SM**
ED033850	Blue Max® 309L N MIG (GMAW) Wire 0.035 in 33 lb Spool	924510989	**Hobart 309/309L MIG 0.035 in, 30 Lb Spool** Part # S520808-I26 **SM**
ED033851	Blue Max® 309L N MIG (GMAW) Wire 0.045 in 33 lb Spool	924511106	**Hobart 309/309L MIG 0.045 in, 30 Lb Spool** Part # S520812-I26 **SM**
ED033852 †	.035" (33) BLUE MAX® MIG ER316/ER316L Welding Wire	99858506	**Hobart 316/316L MIG 0.035 in, 30 Lb Spool** Part # S522308-I26 **SM**
ED033852 †	Blue Max® 316L N MIG (GMAW) Wire 0.035 in 33 lb Spool	924511014	**Hobart 316/316L MIG 0.035 in, 30 Lb Spool** Part # S522308-I26 **SM**
ED033853	Blue Max® 316L N MIG (GMAW) Wire 0.045 in 33 lb Spool	924510777	**Hobart 316/316L MIG 0.045 in, 30 Lb Spool** Part # S522312-I26 **SM**
ED033854	Lincoln® ER308/308L N TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511268	**Hobart 308/308L TIG 3/32 in, 10 Lb Tube** Part # S512537-I12 **SM**
ED033855	Lincoln® ER308/308L N TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511322	**Hobart 308/308L TIG 1/8 in, 10 Lb Tube** Part # S512546-I12 **SM**
ED033856	Lincoln® ER309/309L N TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511383	**Hobart 309/309L TIG 3/32 in, 10 Lb Tube** Part # S510837-I12 **SM**
ED033857	Lincoln® ER309/309L N TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512654	**Hobart 309/309L TIG 1/8 in, 10 Lb Tube** Part # S510846-I12 **SM**
ED033943	Excalibur® 309/309L-16 N Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511449	**Hobart 309/309L Sterling AP 3/32 in, 5 Lb Can** Part # S483931-036 **SM**
ED033944	Excalibur® 309/309L-16 N Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511842	**Hobart 309/309L Sterling AP 1/8 in, 6 Lb Can** Part # S483944-032 **SM**
ED033955	Blue Max® LNT 4462 N MIG (GMAW) Wire 0.035 in 33 lb Spool	924510762	
ED033956	Blue Max® LNT 4462 N MIG (GMAW) Wire 0.045 in 33 lb Spool	924510973	
ED033957	Blue Max® LNT 4462 N TIG (GTAW) Cut Lengths 3/32 in (3) 10 lb Tube	924510903	
ED033958	Blue Max® LNT 4462 N TIG (GTAW) Cut Lengths 1/8 in (3) 10 lb Tube	924510950	
ED034141	Blue Max® Orbital 308L N TIG (GTAW) Wire 0.035 in (4) 2 lb Spool	924511946	**Hobart 308/308L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034143	Blue Max® Orbital TIG 308L N .035 (0.9) 10 SPOOL AWS A5.9: ER308 AWS A5.9: ER308L	924511480	**Hobart 308/308L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034145	Blue Max® Orbital 309L N TIG (GTAW) Wire 0.035 in (4) 2 lb Spool	924511825	**Hobart 309/309L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034147	Blue Max® Orbital 309L N TIG (GTAW) Wire 0.035 in 10 lb Spool	924511757	**Hobart 309/309L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034149	Blue Max® Orbital 316L N TIG (GTAW) Wire 0.035 in (4) 2 lb Spool	924511898	**Hobart 316/316L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034151	Blue Max® Orbital TIG 316L N .035 (0.9) 10 SPOOL AWS A5.9: ER316 AWS A5.9: ER316L	924512093	**Hobart 316/316L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034153	Blue Max® Orbital 308L TIG (GTAW) Wire 0.035 in (4) 2 lb PLW Spool	924512007	**Hobart 308/308L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034155	Blue Max® Orbital TIG 308/308L (GTAW) Wire	924510742	**Hobart 308/308L TIG (same AWS class; size not given on the sheet row)** no part # **NE**
ED034157	Blue Max® Orbital 309L TIG (GTAW) Wire 0.035 in (4) 2 lb PLW Spool	924512628	**Hobart 309/309L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034159	Blue Max® Orbital 309L TIG (GTAW) Wire 0.035 in 10 lb Spool	924510808	**Hobart 309/309L TIG (same AWS class; no 0.035 in size)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034161	Blue Max® Orbital 316/316L TIG (GTAW) Wire 0.035 in (4) 2 lb PLW Spool	924511108	**Hobart 316/316L TIG (same AWS class; no 0.035 in size)** no part # **NE**
ED034163	Blue Max® Orbital 316/316L TIG (GTAW) Wire	924510673	**Hobart 316/316L TIG (same AWS class; size not given on the sheet row)** no part # **NE**
ED034257	Lincore® 414N Metal-Cored Submerged Arc (SAW) Wire	925034270	
ED034258	Lincore® 414N Metal-Cored Submerged Arc (SAW) Wire	925034243	
ED034300	Lincoln® ER316/316L N 0 3/32 (2.4) 30 CARTON (10 TUBE)	924512120	**Hobart 316/316L TIG 3/32 in** no part # **SM**
ED034439	Lincoln® ER308/308L TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510814	**Hobart 308/308L TIG 1/16 in, 10 Lb Tube** Part # S512511-I12 **SM**
ED034440	Lincoln® ER308/308L TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511149	**Hobart 308/308L TIG 3/32 in, 10 Lb Tube** Part # S512537-I12 **SM**
ED034441	Lincoln® ER308/308L TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510930	**Hobart 308/308L TIG 1/8 in, 10 Lb Tube** Part # S512546-I12 **SM**
ED034442	Lincoln® ER309/309L TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511102	**Hobart 309/309L TIG 1/16 in, 10 Lb Tube** Part # S510811-I12 **SM**
ED034443	Lincoln® ER309/309L TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510774	**Hobart 309/309L TIG 3/32 in, 10 Lb Tube** Part # S510837-I12 **SM**
ED034444	Lincoln® ER309/309L TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512256	**Hobart 309/309L TIG 1/8 in, 10 Lb Tube** Part # S510846-I12 **SM**
ED034445	Lincoln® ER316/316L TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512276	**Hobart 316/316L TIG 1/16 in, 10 Lb Tube** Part # S512311-I12 **SM**
ED034446	Lincoln® ER316/316L TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512238	**Hobart 316/316L TIG 3/32 in, 10 Lb Tube** Part # S512337-I12 **SM**
ED034447	Lincoln® ER316/316L TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512217	**Hobart 316/316L TIG 1/8 in, 10 Lb Tube** Part # S512346-I12 **SM**
ED034478	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Reel	924511010	
ED034479	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Reel	924511698	
ED034485	Lincore® FROG MANG® Flux-Cored (FCAW-S) Wire 5/64 in (4) 9 lb Plastic Spool	924511001	**Hardalloy 118 / Tube-Alloy 218-O** no part # **NE**
ED034800	Lincore® Super Rail™ Flux-Cored (FCAW-S) Wire 5/64 in (4) 9 lb Plastic Spool	925034355	
ED034801	Lincore® Super Rail™ Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Spool	924512496	
ED034802	Lincore® Ultra K™ Flux-Cored (FCAW-S) Wire 1/8 in 600 lb Speed Feed® Drum	924512635	
ED034909	Blue Max® 308LCF MIG (GMAW) Wire 0.035 in 33 lb Spool	924510858	
ED034910	Blue Max® 308LCF MIG (GMAW) Wire 0.045 in 33 lb Spool	924511895	
ED034911	Lincoln® ER308/308LCF TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511396	**Hobart 308/308L TIG 1/16 in, 10 Lb Tube** Part # S512511-I12 **SM**
ED034912	Lincoln® ER308/308LCF TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511889	**Hobart 308/308L TIG 3/32 in, 10 Lb Tube** Part # S512537-I12 **SM**
ED034913	Lincoln® ER308/308LCF TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511977	**Hobart 308/308L TIG 1/8 in, 10 Lb Tube** Part # S512546-I12 **SM**
ED034914	Lincolnweld® 308/308LCF Submerged Arc (SAW) Wire 5/64 in 55 lb Coil	924511798	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034915	Lincolnweld® 308/308LCF Submerged Arc (SAW) Wire 3/32 in 55 lb Coil	924511506	
ED034916	Lincolnweld® 308/308LCF Submerged Arc (SAW) Wire 1/8 in 55 lb Coil	924511796	
ED034925	Blue Max® 316LCF MIG (GMAW) Wire 0.035 in 33 lb Spool	924511762	
ED034926	Blue Max® 316LCF MIG (GMAW) Wire 0.045 in 33 lb Spool	924510867	
ED034927	Lincoln® ER316/316LCF TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510787	**Hobart 316/316L TIG 1/16 in, 10 Lb Tube** Part # S512311-I12 **SM**
ED034928	Lincoln® ER316/316LCF TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510757	**Hobart 316/316L TIG 3/32 in, 10 Lb Tube** Part # S512337-I12 **SM**
ED034929	Lincoln® ER316/316LCF TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510727	**Hobart 316/316L TIG 1/8 in, 10 Lb Tube** Part # S512346-I12 **SM**
ED034930	Lincolnweld® 316/316LCF Submerged Arc (SAW) Wire 5/64 in 55 lb Coil	924512633	
ED034931	Lincolnweld® 316/316LCF Submerged Arc (SAW) Wire 3/32 in 55 lb Coil	924511313	
ED034932	Lincolnweld® 316/316LCF Submerged Arc (SAW) Wire 1/8 in 55 lb Coil	924511289	
ED034985 †	Excalibur® 2209-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	91137765	
ED034985 †	Excalibur® 2209-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512696	
ED034986 †	Excalibur® 2209-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	91137766	
ED034986 †	Excalibur® 2209-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511438	
ED034987	Excalibur® 2209-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511033	
ED034988	Excalibur® 2209-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512394	
ED034989	Excalibur® 2594-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512260	
ED034990	Excalibur® 2594-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512382	
ED034991	Excalibur® 2594-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512652	
ED034992	Excalibur® 2594-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512660	
ED034993	Excalibur® 310-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512567	**Hobart 310 Sterling AP 3/32 in, 5 Lb Can** Part # S480431-036 **SM**
ED034994	Excalibur® 310-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512043	**Hobart 310 Sterling AP 1/8 in, 6 Lb Can** Part # S480444-032 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED034995	Excalibur® 310-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512126	**Hobart 310 Sterling AP 5/32 in, 6 Lb Can** Part # S480451-032 **SM**
ED034996	Excalibur® 312-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512196	**Hobart 312 Sterling AP 1/8 in, 6 Lb Can** Part # S480644-032 **SM**
ED034997	Excalibur® 312-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512303	**Hobart 312 Sterling AP 5/32 in, 6 Lb Can** Part # S480651-032 **SM**
ED034998	Excalibur® 312-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511258	**Hobart 312 Sterling AP (same AWS class; no 3/16 in size)** no part # **NE**
ED035006	Excalibur® 347-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511374	
ED035007	Excalibur® 347-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511640	
ED035008	Excalibur® 347-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511764	
ED035009	Excalibur® 347-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512207	
ED035019	Excalibur® 630-16 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512092	
ED035020	Excalibur® 630-16 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512033	
ED035021	Excalibur® 630-16 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924510926	
ED035022	Excalibur® 630-16 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512606	
ED035023	Blue Max® 2209 MIG (GMAW) Wire 0.030 in 33 lb Spool	924512488	
ED035025	Blue Max® 2209 MIG (GMAW) Wire 0.035 in 33 lb Spool	924512626	
ED035027	Blue Max® 2209 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511049	
ED035028	Blue Max® 2209 MIG (GMAW) Wire 1/16 in 33 lb Spool	924510922	
ED035029	Blue Max® 2594 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511241	
ED035030	Blue Max® 2594 MIG (GMAW) Wire 0.045 in 33 lb Spool	924510859	
ED035038	Blue Max® 308H MIG (GMAW) Wire 0.030 in 33 lb Spool	924510873	
ED035039	Blue Max® 308H MIG (GMAW) Wire 0.035 in 33 lb Spool	924511193	
ED035040	Blue Max® 308H MIG (GMAW) Wire 0.045 in 33 lb Spool	924511065	
ED035041	Blue Max® 308H MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511024	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035042	Blue Max® 308H MIG (GMAW) Wire 1/16 in 33 lb Spool	924512477	
ED035043	Blue Max® 308L MIG (GMAW) Wire 0.030 in 33 lb Spool	924512204	**Hobart 308/308L MIG (same AWS class; no 0.030 in size)** no part # **NE**
ED035045	Blue Max® 308L MIG (GMAW) Wire 0.035 in 33 lb Spool	924512603	**Hobart 308/308L MIG 0.035 in, 30 Lb Spool** Part # S522508-I26 **SM**
ED035048	Blue Max® 308L MIG (GMAW) Wire 0.035 in 250 lb Accu-Trak® Drum	924512668	**Hobart 308/308L MIG 0.035 in, 30 Lb Spool** Part # S522508-I26 **SM**
ED035049	Blue Max® 308L MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924512332	**Hobart 308/308L MIG 0.035 in, 30 Lb Spool** Part # S522508-I26 **SM**
ED035051	Blue Max® 308L MIG (GMAW) Wire 0.045 in 33 lb Spool	924512305	**Hobart 308/308L MIG 0.045 in, 30 Lb Spool** Part # S522512-I26 **SM**
ED035054	Blue Max® 308L MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924511566	**Hobart 308/308L MIG 0.045 in, 30 Lb Spool** Part # S522512-I26 **SM**
ED035056	Blue Max® 308L MIG (GMAW) Wire 1/16 in 33 lb Spool	924512351	**Hobart 308/308L MIG (same AWS class; no 1/16 in size)** no part # **NE**
ED035060	Blue Max® 308LSi MIG (GMAW) Wire 0.035 in 250 lb Accu-Trak® Drum	924512335	**Hobart 308L HiSil 0.035 in, 550 Lb Drum** Part # S526808-550 **SM**
ED035063	Blue Max® 308LSi MIG (GMAW) Wire 0.045 in 250 lb Accu-Trak® Drum	924512230	**Hobart 308L HiSil 0.045 in, 550 Lb Drum** Part # S526812-550 **SM**
ED035071	Blue Max® 309L MIG (GMAW) Wire 0.035 in 33 lb Spool	924512200	**Hobart 309/309L MIG 0.035 in, 30 Lb Spool** Part # S520808-I26 **SM**
ED035072	Blue Max® 309L MIG (GMAW) Wire 0.045 in 33 lb Spool	924510904	**Hobart 309/309L MIG 0.045 in, 30 Lb Spool** Part # S520812-I26 **SM**
ED035074	Blue Max® 309L MIG (GMAW) Wire 1/16 in 33 lb Spool	924510807	**Hobart 309/309L MIG (same AWS class; no 1/16 in size)** no part # **NE**
ED035080	Blue Max® 309LSi MIG (GMAW) Wire	924511496	**Hobart 309L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED035082	Blue Max® 309LMo_MOD MIG (GMAW) Wire 0.035 in 33 lb Spool	924512016	
ED035083	Blue Max® 309LMo_MOD MIG (GMAW) Wire 0.045 in 33 lb Spool	924510831	
ED035084	Blue Max® 309LMo_MOD MIG (GMAW) Wire 1/16 in 33 lb Spool	924511490	
ED035085	Blue Max® 310 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511807	
ED035086	Blue Max® 310 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512023	
ED035087	Blue Max® 310 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512010	
ED035088	Blue Max® 312 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512037	
ED035089	Blue Max® 312 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511308	
ED035091	Blue Max® 316L MIG (GMAW) Wire 0.030 in 33 lb Spool	924511590	**Hobart 316/316L MIG (same AWS class; no 0.030 in size)** no part # **NE**
ED035092	Blue Max® 316L MIG (GMAW) Wire 0.035 in 33 lb Spool	924511039	**Hobart 316/316L MIG 0.035 in, 30 Lb Spool** Part # S522308-I26 **SM**
ED035097	Blue Max® 316L MIG (GMAW) Wire 0.035 in 250 lb Accu-Trak® Drum	924511875	**Hobart 316/316L MIG 0.035 in, 30 Lb Spool** Part # S522308-I26 **SM**
ED035098	Blue Max® 316L MIG (GMAW) Wire 0.045 in 33 lb Spool	924511420	**Hobart 316/316L MIG 0.045 in, 30 Lb Spool** Part # S522312-I26 **SM**
ED035102	Blue Max® 316L MIG (GMAW) Wire 0.045 in 250 lb Accu-Trak® Drum	924511659	**Hobart 316/316L MIG 0.045 in, 30 Lb Spool** Part # S522312-I26 **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035104	Blue Max® 316L MIG (GMAW) Wire 1/16 in 33 lb Spool	924511607	**Hobart 316/316L MIG (same AWS class; no 1/16 in size)** no part # **NE**
ED035112	Blue Max® 316LSi MIG (GMAW) Wire	924511643	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED035116	Blue Max® 317L MIG (GMAW) Wire 0.035 in 33 lb Spool	924511636	
ED035117	Blue Max® 317L MIG (GMAW) Wire 0.045 in 33 lb Spool	924511639	
ED035119	Blue Max® 317L MIG (GMAW) Wire 1/16 in 33 lb Spool	924511703	
ED035122	Blue Max® 320LR MIG (GMAW) Wire 0.035 in 33 lb Spool	924510863	
ED035123	Blue Max® 320LR MIG (GMAW) Wire 0.045 in 33 lb Spool	924510849	
ED035124	Blue Max® 320LR MIG (GMAW) Wire 1/16 in 33 lb Spool	924510709	
ED035125	Blue Max® 330 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511094	
ED035127	Blue Max® 330 MIG (GMAW) Wire 0.045 in 33 lb Spool	924510833	
ED035128	Blue Max® 347 MIG (GMAW) Wire 0.035 in 33 lb Spool	924510827	
ED035130	Blue Max® 347 MIG (GMAW) Wire 0.045 in 33 lb Spool	924510739	
ED035132	Blue Max® 347 MIG (GMAW) Wire 1/16 in 33 lb Spool	924510924	
ED035133	Blue Max® 347 MIG (GMAW) Wire 1/16 in 500 lb Speed Feed® Reel	924511003	
ED035134	Blue Max® 385 MIG (GMAW) Wire 0.035 in 33 lb Spool	924510969	
ED035135	Blue Max® 385 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511111	
ED035136	Blue Max® 385 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512342	
ED035137	Blue Max® 409Nb MIG (GMAW) Wire 0.035 in 33 lb Spool	924512542	
ED035138	Blue Max® 409Nb MIG (GMAW) Wire 0.045 in 33 lb Spool	924512612	
ED035139	Blue Max® 410 MIG (GMAW) Wire 0.035 in 33 lb Spool	924512431	
ED035140	Blue Max® 410 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512453	
ED035141	Blue Max® 410 MIG (GMAW) Wire 0.045 in 500 lb Speed Feed® Reel	924512329	
ED035142	Blue Max® 410 MIG (GMAW) Wire 0.045 in 1000 lb Speed Feed® Reel	924511611	
ED035143	Blue Max® 410 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511917	
ED035144	Blue Max® 410NiMo MIG (GMAW) Wire 0.035 in 33 lb Spool	924512333	
ED035145	Blue Max® 410NiMo MIG (GMAW) Wire 0.045 in 33 lb Spool	924512471	
ED035146	Blue Max® 420 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512440	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035150	Blue Max® 630 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511266	
ED035151	Blue Max® 630 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511232	
ED035153	Blue Max® 630 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511583	
ED035154	Lincolnweld® 2209 Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924512107	
ED035155	Lincolnweld® 2209 Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924511140	
ED035156	Lincolnweld® 2594 Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924512165	
ED035157	Lincolnweld® 2594 Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924511908	
ED035158	Lincolnweld® 308/308H Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924511743	
ED035159	Lincolnweld® 308/308H Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924512154	
ED035160	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 1/16 in 55 lb Spool	924511813	
ED035161	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Reel	924511392	
ED035162	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924511050	
ED035163	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924511355	
ED035165	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 5/32 in 55 lb Spool	924511705	
ED035168	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924511638	
ED035169	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924511689	
ED035170	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 5/32 in 55 lb Spool	924511386	
ED035172	Lincolnweld® 310 Submerged Arc (SAW) Wire 1/16 in 55 lb Spool	924512072	
ED035173	Lincolnweld® 310 Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924511559	
ED035174	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 5/64 in 55 lb Spool	924510775	
ED035177	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924512509	
ED035178	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924510660	
ED035179	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 5/32 in 55 lb Spool	924511131	
ED035180	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 1/16 in 55 lb Spool	924510753	
ED035181	Lincolnweld® 317/317L Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924512641	
ED035182	Lincolnweld® 317/317L Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924511079	
ED035184	Lincolnweld® 347 Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Reel	924510940	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035185	Lincolnweld® 347 Submerged Arc (SAW) Wire 3/32 in 55 lb Spool	924510819	
ED035186	Lincolnweld® 347 Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924510837	
ED035188	Lincolnweld® 410NiMo Submerged Arc (SAW) Wire 1/8 in 55 lb Spool	924512502	
ED035191	Lincoln® ER2209 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512347	
ED035192	Lincoln® ER2209 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512575	
ED035193	Lincoln® ER2209 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512381	
ED035194	Lincoln® ER2594 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512366	
ED035195	Lincoln® ER2594 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511999	
ED035196	Lincoln® ER2594 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512145	
ED035199	Lincoln® ER308/308H TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512247	**Hobart 308/308L TIG 1/16 in, 10 Lb Tube** Part # S512511-I12 **NE**
ED035200	Lincoln® ER308/308H TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512277	**Hobart 308/308L TIG 3/32 in, 10 Lb Tube** Part # S512537-I12 **NE**
ED035201	Lincoln® ER308/308H TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511871	**Hobart 308/308L TIG 1/8 in, 10 Lb Tube** Part # S512546-I12 **NE**
ED035214	Lincoln® ER310 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510829	
ED035215	Lincoln® ER310 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511453	
ED035216	Lincoln® ER310 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511277	
ED035217	Lincoln® ER312 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510933	
ED035218	Lincoln® ER312 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510920	
ED035219	Lincoln® ER312 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512034	
ED035227	Lincoln® ER317/317L TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511240	
ED035228	Lincoln® ER317/317L TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512116	
ED035229	Lincoln® ER317/317L TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512199	
ED035230	Lincoln® ER317/317L TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924511844	
ED035235	Lincoln® ER347 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511647	
ED035237	Lincoln® ER347 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511921	
ED035239	Lincoln® ER347 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511701	
ED035244	Lincoln® ER410 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511680	
ED035245	Lincoln® ER410 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512645	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035246	Lincoln® ER410 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510776	
ED035247	Lincoln® ER410NiMo TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510738	
ED035248	Lincoln® ER410NiMo TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924510987	
ED035250	Lincoln® ER630 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510692	
ED035252	Lincoln® ER630 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511055	
ED035352	Wearshield® Super Rail Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924510898	
ED035353	Lincore® Super Rail™ Flux-Cored (FCAW-S) Wire 1/16 in (4) 9 lb Plastic Spool	924510960	
ED035354	Lincore® Super Rail™ Flux-Cored (FCAW-S) Wire 1/16 in 25 lb Spool	924510790	
ED035491	Supercore® 317Lp Welding Wire (Priced Per lb)	924510963	
ED035601	Murex® 308LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924512566	**Hobart 308L HiSil 0.035 in, 30 Lb Spool** Part # S526808-I26 **NE**
ED035602	Murex® 308LSi MIG (GMAW) Wire 1/16 in 33 lb Spool	924512446	**Hobart 308L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED035603	Murex® 308LSi MIG (GMAW) Wire 0.045 in 33 lb Spool	924511011	**Hobart 308L HiSil 0.045 in, 30 Lb Spool** Part # S526812-I26 **NE**
ED035604	Murex® 308LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924510654	**Hobart 308L HiSil 0.035 in, 550 Lb Drum** Part # S526808-550 **NE**
ED035605	Murex® 308LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924510970	**Hobart 308L HiSil 0.045 in, 550 Lb Drum** Part # S526812-550 **NE**
ED035606	Murex® 309LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924510978	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **NE**
ED035607	Murex® 309LSi 0 1/16 (1.6) 33 SPOOL	924511029	**Hobart 309L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED035608	Murex® 309LSi MIG (GMAW) Wire 0.045 in 33 lb Spool	924511472	**Hobart 309L HiSil 0.045 in, 30 Lb Spool** Part # S527512-I26 **NE**
ED035609	Murex® 309LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924511012	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **NE**
ED035610	Murex® 309LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924510758	**Hobart 309L HiSil 0.045 in, 550 Lb Drum** Part # S527512-550 **NE**
ED035611	Murex® 316LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924512272	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED035613	Murex® 316LSi MIG (GMAW) Wire 0.045 in 33 lb Spool	924512638	**Hobart 316L HiSil 0.045 in, 30 Lb Spool** Part # S527412-I26 **NE**
ED035614	Murex® 316LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924512397	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED035615	Murex® 316LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924512267	**Hobart 316L HiSil 0.045 in, 30 Lb Spool** Part # S527412-I26 **NE**
ED035628	Lincore® TiCore Flux-Cored (FCAW-S) Wire 5/64 in 25 lb Coil	924512680	
ED035645	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 7/64 in 55 lb Coil	924512425	
ED035646	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 3/32 in 55 lb Coil	924512169	
ED035648	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 1/16 in 33 lb PLW Spool	924512527	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035650	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 0.045 in 33 lb PLW Spool	924512138	
ED035654	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire 7/64 in 55 lb Coil	924512451	
ED035655	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire 3/32 in 55 lb Coil	924511150	
ED035657	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire 1/16 in 33 lb PLW Spool	924511063	
ED035658	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire 0.045 in 33 lb PLW Spool	924510799	
ED035660	Lincoln® SHS® 9192U Flux-Cored (FCAW-S) Wire 7/64 in 55 lb Coil	924511359	
ED035661	Lincoln® SHS® 9192U Flux-Cored (FCAW-S) Wire 3/32 in 55 lb Coil	924511465	
ED035663	Lincoln® SHS® 9192U Flux-Cored (FCAW-S) Wire 0.045 in 33 lb PLW Spool	924511031	
ED035664	Lincoln® SHS® 7570W Wire Arc Spray (THSP-ASP) 1/16 in 25 lb PLW Spool	924511567	
ED035665	Lincoln® SHS® 8000W Wire Arc Spray (THSP-ASP) 1/16 in 25 lb PLW Spool	924512026	
ED035666	Lincoln® SHS® 9172W Wire Arc Spray (THSP-ASP) 1/16 in 25 lb Spool	924512098	
ED035668	1/16 Lincoln Guardian Cf 33 Lb Spool Welding Wire (Priced Per lb)	924511740	
ED035669	Lincoln® SHS® 9700E Stick (SMAW) Electrode 5/32x in 10 lb Carton	924511654	
ED035724	Lincoln® SHS® 9700P Arc (PTAW) Powder	924511299	
ED035725	Lincoln® SHS® 9700P Arc (PTAW) Powder	924510992	
ED035730	Lincoln® SHS® 7574HV Thermal Spray (THSP-HVOF) Powder in 10 lb Bottle	924511380	
ED035731	Lincoln® SHS® 7574HV Thermal Spray (THSP-HVOF) Powder in 25 lb Pail	924512658	
ED035732	Lincoln® SHS® 8000HV Thermal Spray (THSP-HVOF) Powder in 10 lb Bottle	924512649	
ED035733	Lincoln® SHS® 8000HV Thermal Spray (THSP-HVOF) Powder in 25 lb Pail	924512243	
ED035734	Lincoln Shs 9172Hv +15/-53 10# Bottle Protective Coating (Priced Per lb)	924512691	
ED035735	Lincoln® SHS® 9172HV Thermal Spray (THSP-HVOF) Powder in 25 lb Pail	924512316	
ED035749	Lincoln® SHS® 9500U Flux-Cored (FCAW-S) Wire 0.045 in 33 lb Spool	924512472	
ED035857	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire 7/64 in 500 lb Speed Feed® Drum	924512285	
ED035858	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 1/16 in 50 lb PLW Fiber Spool	924512418	
ED035859	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 1/16 in 400 lb Speed Feed® Drum	924512376	
ED035860	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 3/32 in 500 lb Speed Feed® Drum	924511784	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED035924	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire 7/64 in 500 lb Speed Feed® Drum	924511847	
ED035972	Lincoln® SHS® 8000W Wire Arc Spray (THSP-ASP) 1/16 in 400 lb Speed Feed® Drum	924511603	
ED035973	Lincoln® SHS® 9800U Flux-Cored (FCAW-S) Wire	924511116	
ED036012	Lincore® 423N Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924512222	
ED036013	Lincore® 423N Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	925034324	
ED036050	Blue Max® 307_MOD MIG (GMAW) Wire 0.045 in 33 lb Spool	924511225	
ED036060	Lincoln® ER308/308L TIG (GTAW) Rod 5/32 in (3) 10 lb Easy Open Can	924511323	**Hobart 308/308L TIG (same AWS class; no 5/32 in size)** no part # **NE**
ED036061	Lincoln® ER316/316L TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924510952	**Hobart 316/316L TIG (same AWS class; no 5/32 in size)** no part # **NE**
ED036440	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 1/8 in 500 lb Speed Feed® Drum	924511422	
ED036441	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 5/32 in 500 lb Speed Feed® Drum	924511092	
ED036444	Lincore® 55-G Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Plastic Spool	924511777	
ED036446	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Drum	924511387	
ED036448	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Drum	924511598	
ED036449	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 1/8 in 500 lb Speed Feed® Drum	924511770	
ED036450	Lincolnweld® 309/309L Submerged Arc (SAW) Wire 5/32 in 500 lb Speed Feed® Drum	924511984	
ED036452	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Drum	924512030	
ED036453	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 1/8 in 500 lb Speed Feed® Drum	924511909	
ED036454	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 5/32 in 500 lb Speed Feed® Drum	924511768	
ED036455	Lincore® 60-G Metal-Cored (GMAW-C) Wire 0.045 in 10 lb Spool	924512569	
ED036497	Murex® 308LSi MIG (GMAW) Wire 0.030 in 33 lb Spool	924512579	**Hobart 308L HiSil (same AWS class; no 0.030 in size)** no part # **NE**
ED036499	Murex® 316LSi MIG (GMAW) Wire 0.030 in 33 lb Spool	924512677	**Hobart 316L HiSil (same AWS class; no 0.030 in size)** no part # **NE**
ED036500	Lincolnweld® 410NiMo 0 3/32 (2.4) 55 COIL	924511159	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036501	Blue Max® MIG 410NIMO 0 1/16 (1.6) 33 SPOOL	924511058	
ED036540	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 3/32 in 750 lb Speed Feed® Drum	924512538	
ED036545	Lincore® 60-G Metal-Cored (GMAW-C) Wire 1/16 in 25 lb Plastic Spool	925034295	
ED036562	Lincoln® ER308Si/308LSi TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512353	
ED036603	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 3/32 in 750 lb Speed Feed® Drum	924511937	
ED036604	Lincolnweld® 308/308L Submerged Arc (SAW) Wire 1/8 in 750 lb Speed Feed® Drum	924511899	
ED036605	Lincolnweld® 316/316L Submerged Arc (SAW) Wire 1/8 in 750 lb Speed Feed® Drum	924512279	
ED036653	Lincore® 55-G Flux-Cored (FCAW-G) Wire 1/16 in 250 lb Accu-Trak® Drum	924512609	
ED036661	Blue Max® 420 MIG (GMAW) Wire 0.045 in 25 lb Spool	924510720	
ED036760	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924512310	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036761	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924512515	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036762	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511635	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036763	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924512295	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **NE**
ED036764	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.045 in 33 lb Spool	924512413	**Hobart 309L HiSil 0.045 in, 30 Lb Spool** Part # S527512-I26 **NE**
ED036765	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 1/16 in 33 lb Spool	924512183	**Hobart 309L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED036766	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924511727	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036767	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924510884	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036768	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924511066	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036895	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511608	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036896	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511260	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036897	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511901	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036924	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511697	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036925	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511906	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036926	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511708	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036927	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	924511926	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **NE**
ED036928	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924511981	**Hobart 309L HiSil 0.045 in, 550 Lb Drum** Part # S527512-550 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED036929	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 1/16 in 500 lb Accu-Pak® Box	924512003	**Hobart 309L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED036930	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924510642	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036931	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924512545	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036932	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924510810	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036933	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 0.035 in 33 lb Spool	924510665	
ED036934	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 0.045 in 33 lb Spool	924511304	
ED036935	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 1/16 in 33 lb Spool	924510941	
ED036936	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	924510946	
ED036937	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	924511133	
ED036938	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924510731	
ED036939	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	924510953	
ED036940	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 1/16 in 500 lb Accu-Trak® Drum	924512356	
ED036941	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire 1/16 in 500 lb Accu-Pak® Box	924512546	
ED036971	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	925034326	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **NE**
ED036972	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	924512697	**Hobart 309L HiSil 0.045 in, 550 Lb Drum** Part # S527512-550 **NE**
ED036973	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 1/16 in 500 lb Accu-Trak® Drum	924512449	**Hobart 309L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED036974	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924512358	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036975	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924512415	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036976	Lincoln® Red Max® 316Lsi Welding Wire (Priced Per lb)	924512088	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED036986	Murex® 308LSi MIG (GMAW) Wire 0.047 in 33 lb Spool	925034385	**Hobart 308L HiSil 0.045 in, 30 Lb Spool** Part # S526812-I26 **NE**
ED036987	Murex® 308LSi MIG (GMAW) Wire 0.047 in 500 lb Accu-Trak® Drum	925034351	**Hobart 308L HiSil 0.045 in, 550 Lb Drum** Part # S526812-550 **NE**
ED037061	Lincoln® ER308Si/308LSi TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511575	
ED037062	Lincoln® ER308Si/308LSi TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512170	
ED037063	Lincoln® ER308Si/308LSi TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	925034330	
ED037064	Lincoln® ER316Si/316LSi TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512105	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED037065	Lincoln® ER316Si/316LSi TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511894	
ED037066	Lincoln® ER316Si/316LSi TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512251	
ED037067	Lincoln® ER316Si/316LSi TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924511145	
ED037113	Lincoln® ER309Si/309LSi TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	925034304	
ED037114	Lincoln® ER309Si/309LSi TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	925034349	
ED037115	Lincoln® ER309Si/309LSi TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924512059	
ED037118	UltraCore® 308L Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511989	
ED037119	UltraCore® 308L Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924511961	
ED037120	UltraCore® 309L Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924511593	
ED037121	UltraCore® 309L Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924512056	
ED037122	UltraCore® 316L Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512075	
ED037123	UltraCore® 316L Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510657	
ED037125	UltraCore® 308L P Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924512464	**Hobart FabCO 308LT1 0.045 in, 30 Lb Spool** Part # S689112-078 **NE**
ED037126	UltraCore® 308L P Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510677	**Hobart FabCO 308LT1 (same AWS class; no 1/16 in size)** no part # **NE**
ED037127	UltraCore® 309L P Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924510971	**Hobart FabCO 309LT1 0.045 in, 30 Lb Spool** Part # S689212-078 **NE**
ED037128	UltraCore® 309L P Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510927	**Hobart FabCO 309LT1 1/16 in, 30 Lb Spool** Part # S689219-078 **NE**
ED037129	UltraCore® 316L P Flux-Cored (FCAW-G) Wire 0.045 in 33 lb Spool	924510967	**Hobart FabCO 316LT1 0.045 in, 30 Lb Spool** Part # S689312-078 **NE**
ED037130	UltraCore® 316L P Flux-Cored (FCAW-G) Wire 1/16 in 33 lb Spool	924510755	**Hobart FabCO 316LT1 (same AWS class; no 1/16 in size)** no part # **NE**
ED037173	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire	925142867	
ED037174	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire	924510773	
ED037175	Lincoln® Red Max® 307_MOD MIG (GMAW) Wire	924511139	
ED037201	Lincoln® Red Max® 308Lsi Welding Wire (Priced Per lb)	924511411	**Hobart 308L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED037202	.045 Lincoln Red Max 308Lsi 10Ssp Buy Am Welding Wire (Priced Per lb)	924512485	**Hobart 308L HiSil 0.045 in** no part # **NE**
ED037216	UltraCore® 308L Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	925034339	
ED037217	UltraCore® 308L P Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	924512354	**Hobart FabCO 308LT1 0.045 in, 30 Lb Spool** Part # S689112-078 **NE**
ED037218	UltraCore® 309L Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	925034345	
ED037219	UltraCore® 309L P Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	924512525	**Hobart FabCO 309LT1 0.045 in, 30 Lb Spool** Part # S689212-078 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED037220	UltraCore® 316L Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	925034337	
ED037221	UltraCore® 316L P Flux-Cored (FCAW-G) Wire 0.045 in 10 lb Spool	925034237	**Hobart FabCO 316LT1 0.045 in, 30 Lb Spool** Part # S689312-078 **NE**
ED037238	Lincore® 420-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924512423	
ED037239	Lincore® 420-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924512484	
ED037243	Lincore® 70-G Metal-Cored (GMAW-C) Wire 0.045 in 10 lb Spool	924512078	
ED037244	Lincore® 70-G Metal-Cored (GMAW-C) Wire 0.045 in 33 lb Spool	924512343	
ED037245	Lincore® 70-G Metal-Cored (GMAW-C) Wire 1/16 in 10 lb Spool	924512367	
ED037246	Lincore® 70-G Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924512408	
ED037247	Lincore® 70-G Metal-Cored (GMAW-C) Wire 5/64 in 33lb (15kg) Spool	924511060	
ED037248	Lincore® 70-G Metal-Cored (GMAW-C) Wire 7/64 in 55 lb Coil	924510843	
ED037250	Blue Max® 308LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924510852	**Hobart 308L HiSil 0.035 in, 30 Lb Spool** Part # S526808-I26 **SM**
ED037251	Blue Max® 308LSi MIG (GMAW) Wire 0.045 in 33 lb Spool	924511040	**Hobart 308L HiSil 0.045 in, 30 Lb Spool** Part # S526812-I26 **SM**
ED037252	Blue Max® 308LSi MIG (GMAW) Wire 0.030 in 33 lb Spool	924511704	**Hobart 308L HiSil (same AWS class; no 0.030 in size)** no part # **NE**
ED037254	Lincore® 55 Flux-Cored (FCAW-S) Wire 0.045 in 10 lb Spool	924511838	
ED037261	Lincore® 50 Flux-Cored (FCAW-S) Wire 1/16 in 10 lb Plastic Spool	924511928	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED037262	Lincore® 60-O Flux-Cored (FCAW-S) Wire 0.045 in 10 lb Plastic Spool	924511794	
ED037263	Lincore® 60-O Flux-Cored (FCAW-S) Wire 1/16 in 10 lb Plastic Spool	924512241	
ED037270	Lincore® 50 Flux-Cored (FCAW-S) Wire 0.045 in 10 lb Spool	924511951	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED037271	Lincore® 420-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb Coil	924511988	
ED037272	Lincore® 420-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924511729	
ED037273	Lincore® 423Cr-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	925034254	
ED037275	Lincoln® SHS® 9500U Flux-Cored (FCAW-S) Wire 1/16 in 33 lb Spool	924511343	
ED037276	1/16 Lincoln Shs 9700U 33# Spool Plw Welding Wire (Priced Per lb)	924510979	
ED037277	Lincoln® SHS® 9192U Flux-Cored (FCAW-S) Wire 1/16 in 33 lb PLW Spool	924511618	
ED037278	Lincoln® SHS® 9192U Flux-Cored (FCAW-S) Wire 1/16 in 400 lb Speed Feed® Drum	924511310	
ED037279	1/16 Lincoln Guardian Cf 45 Lb Sp Welding Wire (Priced Per lb)	924511272	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED037291	Blue Max® 309LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924510945	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **SM**
ED037292	Blue Max® 309LSi MIG (GMAW) Wire	924510854	**Hobart 309L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED037293	Blue Max® 309LSi MIG (GMAW) Wire	924512588	**Hobart 309L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED037296	Lincore® 57-G Metal-Cored (GMAW-C) Wire 1/16 in 500 lb Accu-Trak® Drum	924511185	
ED037297	Lincore® 57-G Metal-Cored (GMAW-C) Wire 1/16 in 10 lb Spool	924510684	
ED037298	Lincore® 57-G Metal-Cored (GMAW-C) Wire 1/16 in 25 lb Plastic Spool	924510962	
ED037302	Blue Max® 316LSi MIG (GMAW) Wire 0.035 in 33 lb Spool	924510825	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED037303	Blue Max® 316LSi MIG (GMAW) Wire	924511146	**Hobart 316L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED037312	Lincore® 420HC-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 600 lb Speed Feed® Drum	924510771	
ED037313	Lincore® 420HC-S Metal-Cored Submerged Arc (SAW) Wire 1/8 in 50 lb (22.7 kg) Coil	924511172	
ED037314	Lincore® 420HC-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 600 lb Speed Feed® Drum	924510980	
ED037315	Lincore® 420HC-S Metal-Cored Submerged Arc (SAW) Wire 3/32 in 50 lb Coil	924512664	
ED037318	Lincore® BU-G Flux-Cored (FCAW-G) Wire 1/16 in 50 lb Coil	924512226	
ED037341	Lincore® Ultra K™ Flux-Cored Self-Shielded (FCAW-S) Wire	925034342	
ED037347	Lincoln® Red Max® 309LSi MIG (GMAW) Wire 0.035 in 10 lb Spool	924512590	**Hobart 309L HiSil 0.035 in, 30 Lb Spool** Part # S527508-I26 **NE**
ED037348	Lincoln® Red Max® 309LSi MIG (GMAW) Wire	924512610	**Hobart 309L HiSil (same AWS class; size not given on the sheet row)** no part # **NE**
ED037352	.035 Lincoln Red Max 316Lsi 10Sp Buy Am Welding Wire (Priced Per lb)	924512529	**Hobart 316L HiSil 0.035 in** no part # **NE**
ED037353	.045 Lincoln Red Max 316Lsi 10Sp Buy Am Welding Wire (Priced Per lb)	924512084	**Hobart 316L HiSil 0.045 in** no part # **NE**
ED037372	Lincore® 60-G Metal-Cored (GMAW-C) Wire 1/16 in 33 lb Spool	924510887	
ED037373	Lincore® 60-G Metal-Cored (GMAW-C) Wire 1/16 in 10 lb Spool	924511327	
ED037409	Lincore® 55-G Flux-Cored (FCAW-G) Wire 0.052 in 25 lb Steel Spool	924511730	
ED037410	Lincore® 55-G Flux-Cored (FCAW-G) Wire 0.052 in 500 lb Accu-Trak® Drum	924511095	
ED037470	Lincore® M7-G Metal-Cored (GMAW-C) Wire 1/16 in 25 lb plastic spool	924512022	
ED037476	Lincore® M7-G Metal-Cored (GMAW-C) Wire 0.045 in 25 lb plastic spool	925034359	
ED037477	Lincore® M7-G Metal-Cored (GMAW-C) Wire 0.045 in 50 lb Coil	925034258	
ED037492	Lincore® 15CrMn Flux-Cored (FCAW-S) Wire 1/16 in 33 lb Steel Spool	924510656	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED037493	Lincore® 60-O Flux-Cored (FCAW-S) Wire 5/64 in 500 lb Speed Feed® Drum	925034386	
ED037525	Lincore® 55-G Flux-Cored (FCAW-G) Wire 1/16 in 200 lb Accu-Trak® Drum	925034232	
ED037543	Lincore® 423N-G 0 1/16 (1.6) 25 SPOOL	924510961	
ED037544	Lincore® 423N-G 0 1/16 (1.6) 450 DRUM	924510639	
ED037547	Lincoln® AUTO430LNb™ MIG (GMAW) Wire 0.035 in 33 lb Spool	925034358	
ED037548	Lincoln® AUTO430LNb™ MIG (GMAW) Wire 0.035 in 44 lb Spool	925034298	
ED037549	Lincoln® AUTO430LNb™ MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	925034303	
ED037550	Lincoln® AUTO430LNb™ MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	925034282	
ED037560	Lincoln® AUTO430LNb™ MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	925034316	
ED037564	.045 Blue Max Mig 410 750Lb Ap	925688240	
ED037565	Lincore® M7-G Metal-Cored (GMAW-C) Wire 1/16 in 50 lb Coil	924510938	
ED037594	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire 1/16 in 400 lb Speed Feed® Drum	924511128	
ED037595	Lincoln® SHS® 9192U Flux-Cored (FCAW-S) Wire 1/16 in 50 lb PLW Spool	924510678	
ED037597	LINCOLN® Fe Grip 0 1/16 (1.6) 25 SPOOL	924510781	
ED037598	LINCOLN® Fe Grip 0 1/16 (1.6) 400 SPEED-FEED® DRUM	924511059	
ED037616	Lincoln® SHS® 9700U Flux-Cored (FCAW-S) Wire	924511410	
ED037672	Lincore® 65 Plus Flux-Cored (FCAW-S) Wire 7/64 in 600 lb Speed Feed® Drum	924512424	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED037673	Lincore® 65 Plus Flux-Cored (FCAW-S) Wire 7/64 in 50 lb Coil	924512182	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED037674	Lincore® 65 Plus Flux-Cored (FCAW-S) Wire 1/8 in 600 lb Speed Feed® Drum	924512352	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED037675	Lincore® 65 Plus Flux-Cored (FCAW-S) Wire 1/8 in 50 lb Coil	924512390	**Hardalloy 140 / Tube-Alloy 240-O** no part # **NE**
ED037679	Lincore® M7-G Metal-Cored (GMAW-C) Wire	925034252	
ED037695	Lincore® 55 Flux-Cored Self-Shielded (FCAW-S) Wire	925034228	
ED037794	Lincore® 57-G Metal-Cored (GMAW-C) Wire 0.045 in 10 lb Spool	925034278	
ED037795	Lincore® 57-G Metal-Cored (GMAW-C) Wire 0.045 in 25 lb Plastic Spool	925034234	
ED037796	Lincore® 57-G Metal-Cored (GMAW-C) Wire 0.045 in 500 lb Accu-Trak® Drum	925034257	
ED037853	1/8 Duroxite 100 600Lb Sf Drum	925688367	
ED037920	Lincoln® GUARDIAN™ CF Hardbanding Wire	925034327	
ED037921	Lincoln® GUARDIAN™CF Hardbanding Wire	925034389	
ED037983	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.035 in 33 lb PLW Steel Spool	925034325	**Hobart 308L HiSil 0.035 in, 30 Lb Spool** Part # S526808-I26 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
ED037984	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.045 in 33 lb PLW Steel Spool	925034308	**Hobart 308L HiSil 0.045 in, 30 Lb Spool** Part # S526812-I26 **NE**
ED037985	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 1/16 in 33 lb PLW Steel Spool	925034360	**Hobart 308L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED037986	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.035 in 33 lb Steel Spool	925034260	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED037987	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.045 in 33 lb Steel Spool	925034388	**Hobart 316L HiSil 0.045 in, 30 Lb Spool** Part # S527412-I26 **NE**
ED037988	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 1/16 in 33 lb Steel Spool	925034283	**Hobart 316L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED037989	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	925034256	**Hobart 308L HiSil 0.035 in, 550 Lb Drum** Part # S526808-550 **NE**
ED037990	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	925034236	**Hobart 308L HiSil 0.045 in, 550 Lb Drum** Part # S526812-550 **NE**
ED037991	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 1/16 in 500 lb Accu-Trak® Drum	925034377	**Hobart 308L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED037992	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	925034356	**Hobart 308L HiSil 0.035 in, 550 Lb Drum** Part # S526808-550 **NE**
ED037993	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	925034241	**Hobart 308L HiSil 0.045 in, 550 Lb Drum** Part # S526812-550 **NE**
ED037994	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 1/16 in 500 lb Accu-Pak® Box	925034376	**Hobart 308L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED037995	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Pak® Box	925034249	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED037996	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Pak® Box	925034245	**Hobart 316L HiSil 0.045 in, 30 Lb Spool** Part # S527412-I26 **NE**
ED037997	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 1/16 in 500 lb Accu-Pak® Box	925034387	**Hobart 316L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED037998	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.035 in 500 lb Accu-Trak® Drum	925034366	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
ED037999	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.045 in 500 lb Accu-Trak® Drum	925034279	**Hobart 316L HiSil 0.045 in, 30 Lb Spool** Part # S527412-I26 **NE**
ED038000	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 1/16 in 500 lb Accu-Trak® Drum	925034347	**Hobart 316L HiSil (same AWS class; no 1/16 in size)** no part # **NE**
ED038003	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.035 in 10 lb PLW Steel Spool	925034320	**Hobart 308L HiSil 0.035 in, 30 Lb Spool** Part # S526808-I26 **NE**
ED038004	Lincoln® Red Max® 308LSi MIG (GMAW) Wire 0.045 in 10 lb PLW Steel Spool	925034381	**Hobart 308L HiSil 0.045 in, 30 Lb Spool** Part # S526812-I26 **NE**
ED038005	Lincoln® Red Max® 316LSi MIG (GMAW) Wire 0.035 in 10 lb Steel Spool	925034296	**Hobart 316L HiSil 0.035 in, 30 Lb Spool** Part # S527408-I26 **NE**
EDS18570	Lincore® 20 Metal-Cored Submerged Arc (SAW) Wire 5/32 in 600 lb Speed Feed® Drum	925034319	
EL112LFE125634	Tech-rod® 112LFE Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511987	
EL112LFE156634	Tech-rod® 112LFE Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511384	
EL112LFE187634	Tech-rod® 112LFE Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512096	
EL317L16093632	Tech-Rod® 317L 0 3/32 (2.4) 24 CARTON (8 CAN)	924511298	
EL317L16125634	Tech-Rod® 317L 0 1/8 (3.2) 30 CARTON (10 CAN)	924511555	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EL317L16156634	Tech-Rod® 317L 0 5/32 (4) 30 CARTON (10 CAN)	924511956	
EL55093632	Tech-rod® 55 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511421	
EL55125634	Tech-rod® 55 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512144	
EL55156634	Tech-rod® 55 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511287	
EL99093632	Tech-rod® 99 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512155	
EL99125634	Tech-rod® 99 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511597	
EL99156634	Tech-rod® 99 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512151	
EL99161634	Tech-rod® 99 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511316	
EL112093632 †	Tech-rod® 112 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	91137767	
EL112093632 †	Tech-rod® 112 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511503	
EL112125634 †	Tech-rod® 112 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	99861229	
EL112125634 †	Tech-rod® 112 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511483	
EL112156634 †	Tech-rod® 112 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	99861228	
EL112156634 †	Tech-rod® 112 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511339	
EL112187634 †	Tech-rod® 112 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	99861230	
EL112187634 †	Tech-rod® 112 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511508	
EL117093632	Tech-rod® 117 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511809	
EL117125634	Tech-rod® 117 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511941	
EL117156634	Tech-rod® 117 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924510702	
EL117187634	Tech-rod® 117 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924510817	
EL122093632	Tech-rod® 122 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924510847	
EL122125634	Tech-rod® 122 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511164	
EL122156634	Tech-rod® 122 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512669	
EL141093632	Tech-rod® 141 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924510905	
EL141125634	Tech-rod® 141 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511169	
EL141156634	Tech-rod® 141 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511314	
EL141187634	Tech-rod® 141 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511441	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
EL182093632	Tech-rod® 182 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511408	
EL182125634	Tech-rod® 182 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512318	
EL182156634	Tech-rod® 182 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512636	
EL182187634	Tech-rod® 182 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512372	
EL187093632	Tech-rod® 187 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512573	
EL187125634	Tech-rod® 187 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512450	
EL190093632	Tech-rod® 276 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512688	
EL190125634	Tech-rod® 190 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512596	
EL190156634	Tech-rod® 190 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924512223	
EL190187634	Tech-rod® 190 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924512486	
EL276093632	Tech-rod® 276 Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924512002	
EL276125634	Tech-rod® 276 Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924512147	
EL276156634	Tech-rod® 276 Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511124	
EL276187634	Tech-rod® 276 Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511517	
ELWLDA093632	Tech-rod® Weld A Stick (SMAW) Electrode 3/32x12 in (3) 8 lb Easy Open Can	924511484	
ELWLDA125634	Tech-rod® Weld A Stick (SMAW) Electrode 1/8x14 in (3) 10 lb Easy Open Can	924511713	
ELWLDA156634	Tech-rod® Weld A Stick (SMAW) Electrode 5/32x14 in (3) 10 lb Easy Open Can	924511814	
ELWLDA187634	Tech-rod® Weld A Stick (SMAW) Electrode 3/16x14 in (3) 10 lb Easy Open Can	924511723	
M1CRMO-12	1Crmo 1.2 (0.047) 15 Spool /	924511884	
M2CRMO-08	2Crmo Welding Wire (Priced Per lb)	924511670	
M2CRMO-12	2Crmo 1.2 (0.047) 33.1 Spool Er90S-G	924511867	
M9CRMO-12	9CRMOV 1.2 (0.047) 15 SPOOL AWS A5.28M: ER80S-B8 BS EN ISO 21952-A: CrMo9	924510661	
M25354CNB-12	25.35.4CNb 1.2 (0.047) 15 SPOOL /	924512041	
MER90SB3-12	Er90Sb3 1.2 (0.047) 33.1 Spool Aws A5.28: Er90S-B3 En Iso 21952-B: 2C1M	924512530	
MG625HWT035659	.035 Techalloy 625Hwt 33Sp Welding Wire (Priced Per lb)	924512109	
MG625HWT035684	Techalloy® 625HWT .035 (0.9) 250 TECH-PAK DRUM	924511982	
MG625HWT045667	Techalloy® 625HWT .045 (1.1) 33 SPOOL	924511641	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
MG625HWT045684	Techalloy® 625HWT .045 (1.1) 250 TECH-PAK DRUM	924511105	
MG55035667	Techalloy® 55 MIG (GMAW) Wire 0.035 in 33 lb Spool	924512307	
MG55045667	Techalloy® 55 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512552	
MG99035667	Techalloy® 99 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511903	
MG99045667	Techalloy® 99 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511950	
MG99045684	Techalloy® 99 .045 (1.1) 250 TECH-PAK DRUM	924511542	
MG208035667	Techalloy® 208 MIG (GMAW) Wire 0.035 in 33 lb Spool	924510651	
MG208045667	Techalloy® 208 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512692	
MG208062667	Techalloy® 208 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512689	
MG276035667	Techalloy® 276 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511115	
MG276035684	Techalloy® 276 .035 (0.9) 250 TECH-PAK DRUM	924511023	
MG276045667	Techalloy® 276 MIG (GMAW) Wire 0.045 in 33 lb Spool	924510982	
MG276062667	Techalloy® 276 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511416	
MG413035667	Techalloy® 413 MIG (GMAW) Wire 0.035 in 33 lb Spool	924510795	
MG413045667	Techalloy® 413 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512571	
MG413062667	Techalloy® 413 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512152	
MG418035667	Techalloy® 418 MIG (GMAW) Wire 0.035 in 33 lb Spool	924512288	
MG418045667	Techalloy® 418 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512370	
MG418045684	Techalloy® 418 .045 (1.1) 250 ACCU-TRAK® DRUM	924510652	
MG418062667	Techalloy® 418 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512624	
MG606035667	Techalloy® 606 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511736	
MG606045667	Techalloy® 606 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511714	
MG606062667	Techalloy® 606 MIG (GMAW) Wire 1/16 in 33 lb Spool	924512239	
MG617035667	Techalloy® 617 MIG (GMAW) Wire 0.035 in 33 lb Spool	924512361	
MG617045667	Techalloy® 617 MIG (GMAW) Wire	924512327	
MG617062667	Techalloy® 617 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511333	
MG622035667	Techalloy® 622 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511189	
MG622045667	Techalloy® 622 MIG (GMAW) Wire 0.045 in 33 lb Spool	924510789	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
MG622062667	Techalloy® 622 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511184	
MG625035667	Techalloy® 625 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511013	
MG625045667	Techalloy® 625 MIG (GMAW) Wire 0.045 in 33 lb Spool	924512212	
MG625045684	Techalloy® 625 MIG (GMAW) Wire 0.045 in 250 lb Accu-Trak® Drum	924512031	
MG625062667	Techalloy® 625 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511759	
MG625062693	Techalloy® 625 MIG (GMAW) Wire 1/16 in 300 lb Speed Feed® Reel	924511891	
MG686035667	Techalloy® 686 MIG (GMAW) Wire 0.035 in 33 lb Spool	925034302	
MG686045667	Techalloy® 686 MIG (GMAW) Wire 0.045 in 33 lb Spool	925034365	
MG686062667	Techalloy® 686 MIG (GMAW) Wire 1/16 in 33 lb Spool	925034281	
MG718035667	Techalloy® 718 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511000	
MG718045667	Techalloy® 718 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511469	
MG718062667	Techalloy® 718 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511328	
MG825035667	Techalloy® 825 MIG (GMAW) Wire 0.035 in 33 lb Spool	924511913	
MG825045667	Techalloy® 825 MIG (GMAW) Wire 0.045 in 33 lb Spool	924511505	
MG825062667	Techalloy® 825 MIG (GMAW) Wire 1/16 in 33 lb Spool	924511749	
MGX035667	Techalloy® X MIG (GMAW) Wire 0.035 in 33 lb Steel Spool	924510756	
MGX045667	Techalloy® X MIG (GMAW) Wire 0.045 in 33 lb Wire Basket	924512516	
SA9CRMOVN-24	9CRMOV-N 0 2.4 (3/32) 55.1 COIL AWS A5.23: EB91 BS EN ISO 24598-A: S CrMo91	924512364	
SA9CRMOVN-32	9CRMOV-N 0 3.2 (1/8) 55.1 COIL AWS A5.23: EB91 BS EN ISO 24598-A: S CrMo91	924511545	
SA276093726	Techalloy® 276 Submerged Arc (SAW) Wire 3/32 in 55 lb Basket	924510697	
SA276125726	Techalloy® 276 Submerged Arc (SAW) Wire 1/8 in 55 lb Basket	924510919	
SA418093726	Techalloy® 418 Submerged Arc (SAW) Wire 3/32 in 55 lb Coil	924512622	
SA418125726	Techalloy® 418 Submerged Arc (SAW) Wire 1/8 in 55 lb Coil	924510856	
SA606093726	Techalloy® 606 Submerged Arc (SAW) Wire 3/32 in 55 lb Coil	924510934	
SA606125726	Techalloy® 606 Submerged Arc (SAW) Wire 1/8 in 55 lb Coil	924510761	
SA617125726	Techalloy® 617 Submerged Arc (SAW) Wire 1/8 in 55 lb Coil	924510900	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
SA622093726	Techalloy® 622 Submerged Arc (SAW) Wire 3/32 in 55 lb Basket	924510993	
SA625093692	Techalloy® 625 Submerged Arc (SAW) Wire 3/32 in 500 lb Speed Feed® Drum	924511209	
SA625093726	Techalloy® 625 Submerged Arc (SAW) Wire 3/32 in 55 lb Basket	924512258	
SA625125692	Techalloy® 625 Submerged Arc (SAW) Wire 1/8 in 500 lb Speed Feed® Drum	924512402	
SA625125726	Techalloy® 625 Submerged Arc (SAW) Wire 1/8 in 55 lb Basket	924512593	
SA625156692	Techalloy® 625 Submerged Arc (SAW) Wire 5/32 in 500 lb Speed Feed® Drum	924510679	
SA686093726	Techalloy® 686 Submerged Arc (SAW) Wire 3/32 in 55 lb Coil	925034255	
SA686125726	Techalloy® 686 Submerged Arc (SAW) Wire 1/8 in 55 lb Coil	925034266	
SC316LCF-12	Supercore™ 316Lcf 1.2 (0.047) 33.1 Spool Aws A5.22: E316Lt1-1/4 J	924511397	
SC317LP-12	Supercore™ 317Lp 1.2 (0.047) 33.1 Spool Aws A5.22: E317Lt1-1/4	924511382	
SC347-12	Supercore™ 347 1.2 (0.047) 33.1 Spool Aws A5.22: E347T0-1/4	924510882	
SC625P-12	SUPERCORE™ 625P 1.2 (0.047) 33.1 SPOOL AWS A5.34: ENiCrMo3T1-4	924512099	
SC1682P-12	Supercore® 16.8.2P 1.2 (0.047) 33.1 SPOOL	924512308	
SC2205P-12	Supercore™ 2205P 1.2 (0.047) 33.1 Spool Aws A5.22: E2209T1-1/4	924512252	
SC2507P-12	Supercore™ 2507P 1.2 (0.047) 33.1 Spool Aws A5.22M: E2594T1-4	924512227	
SCF91-12	Supercore™ F91 1.2 (0.047) 33.1 Spool Aws A5.29: E91T1-B91 C/M-H4 Aws A5.29M: E621T1-B9	924511679	
SCZ100XP-12	Supercore™ Z100Xp 1.2 (0.047) 33.1 Spool Aws A5.22: E2594T1-4	924512102	
SM1682-25	Supermet™ 16.8.2 Welding Rod (Priced Per lb)	924511485	
SM1682-32	Supermet™ 16.8.2 Welding Rod (Priced Per lb)	924512150	
SM1682-40	Supermet™ 16.8.2 Welding Rod (Priced Per lb)	924512254	
T5CRMO-24	5Crmo 0 2.4 (3/32) 11 Tube Aws A5.28M: Er80S-B6	924512024	
T5CRMO-32	5Crmo 0 3.2 (1/8) 11 Tube Aws A5.28M: Er80S-B6	924511681	
T9CRMOVN-24	9Crmov-N 0 2.4 (3/32) 11 Tube Aws A5.28M: Er90S-B9	924511495	
T9CRMOVN-32	9Crmov-N 0 3.2 (1/8) 11 Tube Aws A5.28M: Er90S-B9	924512064	
T316S92-16	316S92 1.6 (.062) 5 Tube Aws A5.9: Er316L	924510890	**Hobart 316/316L TIG 1/16 in** no part # **SM**
T316S92-24	316S92 0 2.4 (3/32) 5 Tube Aws A5.9: Er316L	924511478	**Hobart 316/316L TIG 3/32 in** no part # **SM**
T316S92-32	316S92 0 3.2 (1/8) 5 Tube Aws A5.9: Er316L	924511742	**Hobart 316/316L TIG 1/8 in** no part # **SM**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
T2133MN-24	21.33.MnNb 0 2.4 (3/32) 2.5 TUBE	924511650	
T2133MN-32	21.33.MnNb 0 3.2 (1/8) 2.5 TUBE	924511270	
TER1682-24	Er16.8.2 0 2.4 (3/32) 5.5 Tube Aws A5.9: Er16-8-2	924511955	
TER1682-32	Er16.8.2 0 3.2 (1/8) 5.5 Tube Aws A5.9: Er16-8-2	924510780	
TG55125638	Techalloy® 55 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510648	
TG99093638	Techalloy® 99 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511452	
TG208062638	Techalloy® 208 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512473	
TG208093638	Techalloy® 208 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511112	
TG208125638	Techalloy® 208 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510985	
TG276062638	Techalloy® 276 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510650	
TG276093638	Techalloy® 276 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511196	
TG276125638	Techalloy® 276 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511262	
TG276156638	Techalloy® 276 TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924511458	
TG413062638	Techalloy® 413 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510737	
TG413093638	Techalloy® 413 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511212	
TG413125638	Techalloy® 413 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512271	
TG418062638	Techalloy® 418 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512646	
TG418093638	Techalloy® 418 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512432	
TG418125638	Techalloy® 418 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510688	
TG606062638	Techalloy® 606 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512541	
TG606078638	Techalloy® 606 Tig Gas Rod (Priced Per lb)	924512585	
TG606093638	Techalloy® 606 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512379	
TG606125638	Techalloy® 606 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512433	
TG606156638	Techalloy® 606 TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924512289	
TG617062638	Techalloy® 617 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511750	
TG617093638	Techalloy® 617 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511532	
TG617125638	Techalloy® 617 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924512153	
TG617156638	Techalloy® 617 TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924512362	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
TG622062638	Techalloy® 622 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512171	
TG622093638	Techalloy® 622 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511391	
TG622125638	Techalloy® 622 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924510911	
TG625062638	Techalloy® 625 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924512000	
TG625093638 †	Techalloy® 625 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	91137768	
TG625093638 †	Techalloy® 625 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511181	
TG625125638	Techalloy® 625 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511045	
TG625156638	Techalloy® 625 TIG (GTAW) Rod 5/32 in (3) 10 lb Tube	924511211	
TG686062638	Techalloy® 686 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	925034373	
TG686093638	Techalloy® 686 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	925034274	
TG686125638	Techalloy® 686 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	925034248	
TG718093638	Techalloy® 718 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924512162	
TG718125638	Techalloy® 718 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511766	
TG825062638	Techalloy® 825 TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924511368	
TG825093638	Techalloy® 825 TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511561	
TG825125638	Techalloy® 825 TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511188	
TGX062638	Techalloy® X TIG (GTAW) Rod 1/16 in (3) 10 lb Tube	924510977	
TGX093638	Techalloy® X TIG (GTAW) Rod 3/32 in (3) 10 lb Tube	924511760	
TGX125638	Techalloy® X TIG (GTAW) Rod 1/8 in (3) 10 lb Tube	924511302	
TH22H-32	Thermet™ 22H Welding Rod (Priced Per lb)	924511892	
TH22H-40	Thermet™ 22H Welding Rod (Priced Per lb)	924511381	
TH800NB-32	Thermet™ 800Nb Welding Rod (Priced Per lb)	924512558	
TH800NB-40	Thermet™ 800Nb Welding Rod (Priced Per lb)	924511171	
TH800NB-50	Thermet™ 800Nb Welding Rod (Priced Per lb)	924512667	
TH2535NB-32	Thermet™ 25.35Nb Welding Rod (Priced Per lb)	924511419	
TH2535NB-40	Thermet™ 25.35Nb Welding Rod (Priced Per lb)	924511947	
TH3545NB-32	Thermet™ 35.45Nb Welding Rod (Priced Per lb)	924511993	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
TH3545NB-40	Thermet™ 35.45Nb Welding Rod (Priced Per lb)	924512595	
THHP40NB-32	Thermet™ Hp40Nb Welding Rod (Priced Per lb)	924512620	
THHP40NB-40	Thermet™ Hp40Nb Welding Rod (Priced Per lb)	924511320	
THHP40NB-50	Thermet™ Hp40Nb Welding Rod (Priced Per lb)	924510949	
THHP50WCO-32	Thermet™ Hp50Wco Welding Rod (Priced Per lb)	924511231	
THHP50WCO-40	Thermet™ Hp50Wco Welding Rod (Priced Per lb)	924511228	
UM308LCF-25	Ultramet™ 308Lcf Welding Rod (Priced Per lb)	924511182	
UM308LCF-32	Ultramet™ 308Lcf Welding Rod (Priced Per lb)	924512406	
UM308LCF-40	Ultramet™ 308Lcf Welding Rod (Priced Per lb)	924512284	
UM316LCF-25	Ultramet 316Lcf 2.5X300 Can Welding Rod (Priced Per lb)	924512564	
UM316LCF-32	Ultramet 316Lcf 3.2X350 Can Welding Rod (Priced Per lb)	924512494	
UM316LCF-40	Ultramet™ 316Lcf Welding Rod (Priced Per lb)	924512598	
UMB316NF-32	Ultramet™ B316Nf 0 3.2 (1/8) 29.8 Carton Aws A5.4: E316L-15	924512557	**Hobart 316/316L Sterling AP 1/8 in** no part # **NE**
UMB316NF-40	Ultramet™ B316Nf 0 4 (5/32) 29.8 Carton Aws A5.4: E316L-15	924510699	**Hobart 316/316L Sterling AP 5/32 in** no part # **NE**
UMB316NF-50	Ultramet™ B™ 316Nf Welding Rod (Priced Per lb)	924512493	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Safety and PPE

Hand, Body and Arm (182)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1668-1	Hose and Hood Set - 16 ft	923589105	
K1668-3	Hose and Hood Set - 16.4 ft (5 m)	923589000	
K2860-1	GEM-PAK HOOD 23IN+DIRECT PULL Assembly	923584838	
K2977-2XL	Full Leather Steel Worker Gloves	0899827	
K2977-L	Full Leather Steel Worker Gloves	0899823	**Miller Metalworker Gloves, L** Part # 251067 **NE**
K2977-M	Full Leather Steel Worker Gloves	0899824	**Miller Metalworker Gloves, M** Part # 251066 **NE**
K2977-S	Full Leather Steel Worker Gloves	0899826	
K2977-XL	Full Leather Steel Worker Gloves	0899825	**Miller Metalworker Gloves, XL** Part # 251068 **NE**
K2979-ALL	Traditional Stick/ MIG Welding Gloves	0899784	**Miller Heavy Duty MIG/Stick Gloves (sizes L, XL, 2XL)** no part # **NE**
K2979-ALL-LHO	Traditional Mig/Stick Left Hand Welding	923589046	
K2980-L	Premium Leather MIG Stick Welding Gloves - Large	0899805	**Miller Heavy Duty MIG/Stick Gloves, L** Part # 263339 **NE**
K2980-M	Premium Leather MIG Stick Welding Gloves - Medium	0899804	
K2980-XL	Premium Leather MIG Stick Welding Gloves - XLarge	0899806	**Miller Heavy Duty MIG/Stick Gloves, XL** Part # 263340 **NE**
K2981-L	Leather TIG Welding Gloves- Large	0899791	**Miller TIG Gloves, L** Part # 263348 **NE**
K2981-M	Leather TIG Welding Gloves - Medium	0899790	**Miller TIG Gloves, M** Part # 263347 **NE**
K2981-XL	Leather TIG Welding Gloves - XL	0899792	**Miller TIG Gloves, XL** Part # 263349 **NE**
K2982-L	Heat Resistant Welding Gloves - Large	0899830	
K2982-XL	Heat Resistant Welding Gloves - XLarge	0899831	
K2983-L	Premium Leather TIG Welding Gloves - Large	0899795	**Miller TIG Gloves, L** Part # 263348 **NE**
K2983-M	Premium Leather TIG Welding Gloves - Medium	0899793	**Miller TIG Gloves, M** Part # 263347 **NE**
K2983-XL	Premium Leather TIG Welding Gloves - XL	0899794	**Miller TIG Gloves, XL** Part # 263349 **NE**
K2985-L	Traditional FR Cloth Welding Jacket - Large	0899832	**Miller Classic Cloth Jacket, L** Part # 244751 **NE**
K2985-M	Traditional FR Cloth Welding Jacket - Medium	0899833	**Miller Classic Cloth Jacket, M** Part # 244750 **NE**
K2985-XL	Traditional FR Cloth Welding Jacket - XL	0899834	**Miller Classic Cloth Jacket, XL** Part # 244752 **NE**
K2985-XXL	Traditional FR Cloth Welding Jacket - 2XL	0899835	**Miller Classic Cloth Jacket, 2XL** Part # 244754 **NE**
K2985-XXXL	Traditional FR Cloth Welding Jacket - 3XL	0899836	**Miller Classic Cloth Jacket, 3XL** Part # 244755 **NE**
K2986-5XL	Shadow Split Leather Sleeved Welding Jacket - 5XL	0899847	
K2986-L	Shadow Split Leather Sleeved Welding Jacket - Large	0899842	**Miller Combo Jacket, L** Part # 231082 **NE**
K2986-M	Shadow Split Leather Sleeved Welding Jacket - Medium	0899843	**Miller Combo Jacket, M** Part # 231081 **NE**
K2986-XL	Shadow Split Leather Sleeved Welding Jacket - XL	0899844	**Miller Combo Jacket, XL** Part # 231083 **NE**
K2986-XXL	Shadow Split Leather Sleeved Welding Jacket - 2XL	0899845	**Miller Combo Jacket, 2XL** Part # 231084 **NE**
K2986-XXXL	Shadow Split Leather Sleeved Welding Jacket - 3XL	0899846	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2987-L	Shadow Grain Leather Sleeved Welding Jacket - Large	0899848	**Miller Combo Jacket, L** Part # 231082 **NE**
K2987-M	Shadow Grain Leather Sleeved Welding Jacket - Medium	0899849	**Miller Combo Jacket, M** Part # 231081 **NE**
K2987-XL	Shadow Grain Leather Sleeved Welding Jacket - XL	0899850	**Miller Combo Jacket, XL** Part # 231083 **NE**
K2987-XXL	Shadow Grain Leather Sleeved Welding Jacket - 2XL	0899851	**Miller Combo Jacket, 2XL** Part # 231084 **NE**
K2987-XXXL	Shadow Grain Leather Sleeved Welding Jacket - 3XL	0899852	
K2989-L	Heavy Duty Leather Welding Jacket - L	0899864	**Miller Split Leather Jacket, L** Part # 273214 **NE**
K2989-M	Heavy Duty Leather Welding Jacket - M	0899865	**Miller Split Leather Jacket, M** Part # 273213 **NE**
K2989-XL	Heavy Duty Leather Welding Jacket - XL	0899866	**Miller Split Leather Jacket, XL** Part # 273215 **NE**
K2989-XXL	Heavy Duty Leather Welding Jacket - 2XL	0899867	**Miller Split Leather Jacket, 2XL** Part # 273216 **NE**
K2989-XXXL	Heavy Duty Leather Welding Jacket - 3XL	923589430	**Miller Split Leather Jacket, 3XL** Part # 273217 **NE**
K2993-ALL	Welding Doo Rag FR	0899902	
K2994-L	Welding Beanie FR - Large	0899901	
K2994-XL	Welding Beanie FR - XLarge	0899900	
K3106-2XL	Traditional Split Leather-Sleeved Welding Jacket - 2XL	0899853	**Miller Combo Jacket, 2XL** Part # 231084 **NE**
K3106-3XL	Traditional Split Leather-Sleeved Welding Jacket - 3XL	0899854	
K3106-L	Traditional Split Leather-Sleeved Welding Jacket - L	0899855	**Miller Combo Jacket, L** Part # 231082 **NE**
K3106-M	Traditional Split Leather-Sleeved Welding Jacket - M	0899856	**Miller Combo Jacket, M** Part # 231081 **NE**
K3106-XL	Traditional Split Leather-Sleeved Welding Jacket - XL	0899857	**Miller Combo Jacket, XL** Part # 231083 **NE**
K3109-2XL	Roll Cage® Welding Rigging Gloves - 2XL	0899810	
K3109-L	Roll Cage® Welding Rigging Gloves - Large	0899807	**Miller Metalworker Gloves, L** Part # 251067 **NE**
K3109-M	Roll Cage® Welding Rigging Gloves - Medium	0899809	**Miller Metalworker Gloves, M** Part # 251066 **NE**
K3109-XL	Roll Cage® Welding Rigging Gloves - XL	0899808	**Miller Metalworker Gloves, XL** Part # 251068 **NE**
K3110-ALL	Split Leather Welding Apron - All	0899869	**Miller Indura® Leather Bib/Apron** Part # 231125 **NE**
K3111-ALL	Split Leather FR Welding Sleeves - All	91168825	**Miller Combo Sleeves, 21 in** Part # 231096 **NE**
K3112-L	FR Welding Lab Coat - Large	923589092	
K3112-M	FR Welding Lab Coat - Medium	923588990	
K3112-XL	FR Welding Lab Coat - XLarge	923588946	
K3113-2XL	Black FR Welding Shirt - 2XLarge	0899870	
K3113-3XL	Black FR Welding Shirt - 3XLarge	0899871	
K3113-L	Black FR Welding Shirt - Large	0899872	
K3113-M	Black FR Welding Shirt - Medium	0899873	
K3113-XL	Black FR Welding Shirt - XLarge	0899874	
K3114-L	Women's Shadow FR Welding Jacket - L	0899858	**Miller Women’s Welding Cloth Jacket, L** Part # 298545 **NE**
K3114-M	Women's Shadow FR Welding Jacket - M	0899859	**Miller Women’s Welding Cloth Jacket, M** Part # 298544 **NE**
K3114-S	Women's Shadow FR Welding Jacket - S	0899860	**Miller Women’s Welding Cloth Jacket, S** Part # 298543 **NE**
K3114-XL	Women's Shadow FR Welding Jacket - XL	0899861	**Miller Women’s Welding Cloth Jacket, XL** Part # 298546 **NE**
K3114-XS	Women's Shadow FR Welding Jacket - XS	0899862	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3203-ALL	All American® Welding Cap	0899899	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K3204-ALL	All American® Welding Doo Rag	0899903	
K3231-M	Women's SteelWorker™ Welding Gloves - Medium	923589084	**Miller Women's MIG Gloves, M** Part # 298677 **NE**
K3231-S	Women's SteelWorker™ Welding Gloves - Small	0899829	**Miller Women's MIG Gloves, S** Part # 298676 **NE**
K3231-XS	Women's SteelWorker™ Welding Gloves - XSmall	0899828	
K3232-M	Women's MIG Stick Welding Gloves - Medium	0899789	**Miller Women's MIG Gloves, M** Part # 298677 **NE**
K3232-S	Women's MIG Stick Welding Gloves - Small	0899788	**Miller Women's MIG Gloves, S** Part # 298676 **NE**
K3317-2XL	Traditional Khaki FR Cloth Welding Jacket - 2XLarge	0899837	**Miller Classic Cloth Jacket, 2XL** Part # 244754 **NE**
K3317-3XL	Traditional Khaki FR Cloth Welding Jacket - 3XLarge	0899838	**Miller Classic Cloth Jacket, 3XL** Part # 244755 **NE**
K3317-L	Traditional Khaki FR Cloth Welding Jacket - Large	0899839	**Miller Classic Cloth Jacket, L** Part # 244751 **NE**
K3317-M	Traditional Khaki FR Cloth Welding Jacket - Medium	0899840	**Miller Classic Cloth Jacket, M** Part # 244750 **NE**
K3317-XL	Traditional Khaki FR Cloth Welding Jacket - XLarge	0899841	**Miller Classic Cloth Jacket, XL** Part # 244752 **NE**
K3382-2XL	Khaki FR Welding Shirt - 2XLarge	0899875	
K3382-L	Khaki FR Welding Shirt - Large	0899876	
K3382-M	Khaki FR Welding Shirt - Medium	0899877	
K3382-XL	Khaki FR Welding Shirt - XLarge	0899878	
K3769-2XL	Traditional Leather Grey Driving Gloves - 2XL	0899814	
K3769-L	Traditional Leather Grey Driving Gloves - L	0899812	**Miller Work Gloves, L (pair)** Part # 266042 **NE**
K3769-M	Traditional Leather Grey Driving Gloves - M	0899811	**Miller Work Gloves, M (pair)** Part # 266041 **NE**
K3769-XL	Traditional Leather Grey Driving Gloves - XL	0899813	**Miller Work Gloves, XL (pair)** Part # 266043 **NE**
K3770-2XL	Welders Leather Drivers Gloves - 2XLarge	0899815	
K3770-L	Welders Leather Drivers Gloves - Large	0899816	**Miller Work Gloves, L (pair)** Part # 266042 **NE**
K3770-M	Welders Leather Drivers Gloves - Medium	0899818	**Miller Work Gloves, M (pair)** Part # 266041 **NE**
K3770-XL	Welders Leather Drivers Gloves - XLarge	0899817	**Miller Work Gloves, XL (pair)** Part # 266043 **NE**
K3771-2XL	Cut Resistant A2 Leather Drivers Gloves - 2XL	0899822	
K3771-L	Cut Resistant A2 Leather Drivers Gloves - Large	0899820	**Miller Work Gloves, L (pair)** Part # 266042 **NE**
K3771-M	Cut Resistant A2 Leather Drivers Gloves - Medium	0899819	**Miller Work Gloves, M (pair)** Part # 266041 **NE**
K3771-XL	Cut Resistant A2 Leather Drivers Gloves - XL	0899821	**Miller Work Gloves, XL (pair)** Part # 266043 **NE**
K3805-2XL	DynaMIG™ - Traditional MIG Welding Gloves - 2XLarge	0899796	**Miller MIG Lined Gloves, 2XL (pair)** Part # 269618 **NE**
K3805-L	DynaMIG™ - Traditional MIG Welding Gloves - Large	0899797	**Miller MIG Lined Gloves, L** Part # 263333 **NE**
K3805-M	DynaMIG™ - Traditional MIG Welding Gloves - Medium	0899798	**Miller MIG Lined Gloves, M** Part # 263332 **NE**
K3805-XL	DynaMIG™ - Traditional MIG Welding Gloves - XLarge	0899799	**Miller MIG Lined Gloves, XL** Part # 263334 **NE**
K3806-2XL	DynaMIG™ HD - Professional MIG Welding Gloves - 2XL	0899800	**Miller Heavy Duty MIG/Stick Gloves, 2XL (pair)** Part # 269615 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3806-L	DynaMIG™ HD - Professional MIG Welding Gloves - L	0899802	**Miller Heavy Duty MIG/Stick Gloves, L** Part # 263339 **NE**
K3806-M	DynaMIG™ HD - Professional MIG Welding Gloves - M	0899801	
K3806-XL	DynaMIG™ HD - Professional MIG Welding Gloves - XL	0899803	**Miller Heavy Duty MIG/Stick Gloves, XL** Part # 263340 **NE**
K3997-1	Hood Cover	925688063	
K4082-L	Heavy Duty Stick/MIG Welding Gloves - Large	0899786	**Miller Heavy Duty MIG/Stick Gloves, L** Part # 263339 **NE**
K4082-L-LHO	Heavy Duty Stick/MIG Welding Gloves - Large - Left Hand Only	923589129	
K4082-M	Heavy Duty Stick/MIG Welding Gloves - Medium	0899785	
K4082-XL	Heavy Duty Stick/MIG Welding Gloves - XLarge	0899787	**Miller Heavy Duty MIG/Stick Gloves, XL** Part # 263340 **NE**
K4082-XL-LHO	Heavy Duty Stick/MIG Welding Gloves - XL - Left Hand Only	923588949	
K4688-2XL	Bright FR Cloth Welding Jacket - Safety Orange - 2XL	0899882	
K4688-3XL	Bright FR Cloth Welding Jacket - Safety Orange - 3XL	0899883	
K4688-L	Bright FR Cloth Welding Jacket - Safety Orange - Large	0899880	
K4688-M	Bright FR Cloth Welding Jacket - Safety Orange - Medium	0899879	
K4688-XL	Bright FR Cloth Welding Jacket - Safety Orange - XL	0899881	
K4689-2XL	Bright FR Cloth Welding Jacket - Safety Lime - 2XL	0899887	
K4689-3XL	Bright FR Cloth Welding Jacket - Safety Lime - 3XL	0899888	
K4689-L	Bright FR Cloth Welding Jacket - Safety Lime - Large	0899885	
K4689-M	Bright FR Cloth Welding Jacket - Safety Lime - Medium	0899884	
K4689-XL	Bright FR Cloth Welding Jacket - Safety Lime - XL	0899886	
K4690-2XL	Bright FR Orange Jacket with Leather Sleeves - 2XL	0899892	
K4690-3XL	Bright FR Orange Jacket with Leather Sleeves - 3XL	0899893	
K4690-L	Bright FR Orange Jacket with Leather Sleeves - Large	0899890	
K4690-M	Bright FR Orange Jacket with Leather Sleeves - Medium	0899889	
K4690-XL	Bright FR Orange Jacket with Leather Sleeves - XL	0899891	
K4692-2XL	High Visibility FR Orange Jacket with Reflective Stripes - 2XLarge	0899897	
K4692-3XL	High Visibility FR Orange Jacket with Reflective Stripes - 3XLarge	0899898	
K4692-L	High Visibility FR Orange Jacket with Reflective Stripes - Large	0899895	
K4692-M	High Visibility FR Orange Jacket with Reflective Stripes - Medium	0899894	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4692-XL	High Visibility FR Orange Jacket with Reflective Stripes - XLarge	0899896	
K4787-L	Premium 7 Series Elkskin Stick/MIG Welding Gloves - L	923589286	**Miller Heavy Duty MIG/Stick Gloves, L** Part # 263339 **NE**
K4787-M	Premium 7 Series Elkskin Stick/MIG Welding Gloves - M	923589098	
K4787-XL	Premium 7 Series Elkskin Stick/MIG Welding Gloves - XL	923588969	**Miller Heavy Duty MIG/Stick Gloves, XL** Part # 263340 **NE**
K4788-L	Premium 8 Series Elkskin Stick/MIG Welding Gloves - Large	923588970	**Miller Heavy Duty MIG/Stick Gloves, L** Part # 263339 **NE**
K4788-M	Premium 8 Series Elkskin Stick/MIG Welding Gloves	923589054	
K4788-XL	Premium 8 Series Elkskin Stick/MIG Welding Gloves	923589245	**Miller Heavy Duty MIG/Stick Gloves, XL** Part # 263340 **NE**
K4818-L	FR Welding Cap - Black & Red - Large	923588928	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4818-XL	FR Welding Cap - Black & Red - XL	923589279	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4819-L	FR Welding Cap - Khaki & Black - Large	923588981	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4819-XL	FR Welding Cap - Khaki & Black - XL	923589058	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4820-L	Welding Cap - Lincoln® Camo - Large	923588979	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4820-XL	Welding Cap - Lincoln® Camo - XL	923588893	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4821-L	Welding Cap - Grey Camo - Large	923588863	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4821-XL	Welding Cap - Grey Camo - XL	923589294	**Miller Welding Cap (fitted sizes 7 in. to 7 3/4 in.)** no part # **NE**
K4822-L	FR Welding Beanie - Khaki & Black - Large	923588999	
K4822-XL	FR Welding Beanie - Khaki & Black - XL	923589230	
K4823-L	FR Welding Beanie - Black & Silver - Large	923589189	
K4823-XL	FR Welding Beanie - Black & Silver - XL	923589153	
K4827-ALL	Traditional Flame Retardant Cotton Welding Sleeves - 21 in.	924684109	**Miller Classic Cloth Sleeves, 18 in** Part # 247148 **NE**
K4828-ALL	Premium Flame Retardant Welding Sleeves w/ Knit Liner - 21"	924684097	**Miller Classic Cloth Sleeves, 18 in** Part # 247148 **NE**
K4931-2XL	XVI Series Industrial FR Welding Jacket - 2XL	925688121	**Miller WeldX™ Jacket, 2XL** Part # 247118 **NE**
K4931-3XL	XVI Series Industrial FR Welding Jacket - 3XL	925688120	**Miller WeldX™ Jacket, 3XL** Part # 247119 **NE**
K4931-4XL	XVI Series Industrial FR Welding Jacket - 4XL	925688119	**Miller WeldX™ Jacket, 4XL** Part # 247120 **NE**
K4931-5XL	XVI Series Industrial FR Welding Jacket - 5XL	925688118	**Miller WeldX™ Jacket, 5XL** Part # 247121 **NE**
K4931-L	XVI Series Industrial FR Welding Jacket - L	925688117	**Miller WeldX™ Jacket, L** Part # 247116 **NE**
K4931-M	XVI Series Industrial FR Welding Jacket - M	925688116	**Miller WeldX™ Jacket, M** Part # 247115 **NE**
K4931-XL	XVI Series Industrial FR Welding Jacket - XL	925688115	**Miller WeldX™ Jacket, XL** Part # 247117 **NE**
K4933-2XL	XVI Series Heavy Duty Split Leather FR Welding Jacket - 2XL	925688114	**Miller Split Leather Jacket, 2XL** Part # 273216 **NE**
K4933-3XL	XVI Series Heavy Duty Split Leather FR Welding Jacket - 3XL	925688113	**Miller Split Leather Jacket, 3XL** Part # 273217 **NE**
K4933-4XL	XVI Series Heavy Duty Split Leather FR Welding Jacket - 4XL	925688112	**Miller Split Leather Jacket, 4XL** Part # 273218 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4933-5XL	XVI Series Heavy Duty Split Leather FR Welding Jacket - 5XL	925688111	**Miller Split Leather Jacket, 5XL** Part # 273219 **NE**
K4933-L	XVI Series Heavy Duty Split Leather FR Welding Jacket - L	925688110	**Miller Split Leather Jacket, L** Part # 273214 **NE**
K4933-M	XVI Series Heavy Duty Split Leather FR Welding Jacket - M	925688109	**Miller Split Leather Jacket, M** Part # 273213 **NE**
K4933-XL	XVI Series Heavy Duty Split Leather FR Welding Jacket - XL	925688128	**Miller Split Leather Jacket, XL** Part # 273215 **NE**
K5131-L	MX Series Premium A4 Cut Resistant MIG Gloves - L	924684111	**Miller Cut-Resistant MIG Gloves, L (pair)** Part # 290414 **NE**
K5131-M	MX Series Premium A4 Cut Resistant MIG Gloves - M	924684105	**Miller Cut-Resistant MIG Gloves, M (pair)** Part # 290413 **NE**
K5131-XL	MX Series Premium A4 Cut Resistant MIG Gloves - XL	924684095	**Miller Cut-Resistant MIG Gloves, XL (pair)** Part # 290415 **NE**
K5132-L	MX Series Premium TIG Welding Gloves - L	924684144	**Miller TIG Gloves, L** Part # 263348 **NE**
K5132-M	MX Series Premium TIG Welding Gloves - M	924684120	**Miller TIG Gloves, M** Part # 263347 **NE**
K5132-XL	MX Series Premium TIG Welding Gloves - XL	924684131	**Miller TIG Gloves, XL** Part # 263349 **NE**
K5253-2XL	Arc Rated FR Welding Sweatshirt - 2XL	924684148	
K5253-L	Arc Rated FR Welding Sweatshirt - L	924684121	
K5253-M	Arc Rated FR Welding Sweatshirt - M	924684115	
K5253-XL	Arc Rated FR Welding Sweatshirt - XL	924684156	
K5267-2XL	2XL Arc Rated FR Welding T-Shirt	925648143	
K5267-3XL	3XL Arc Rated FR Welding T-Shirt	925648144	
K5267-L	Large Arc Rated FR Welding T-Shirt	925648141	
K5267-M	Medium Arc Rated FR Welding T-Shirt	925648140	
K5267-XL	XL Arc Rated FR Welding T-Shirt	925648142	
KP2927-30R-L	Classic® Braided Varnish Jacket 30° Non-Reverse Bend 12 in (305 mm)	923584603	
KP2927-62R	Classic® Braided Varnish Jacket 62° Reverse Bend 6 in (152 mm)	923585078	

Personal Respiratory Protection (64)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3930-1	VIKING™ 3350 PAPR with Standard Battery	0899762	**Miller PAPR II with T94i-R™** Part # 292754 **NE**
K3930-4	VIKING™ 3350 XG PAPR with Standard Battery	923589234	**Miller PAPR II with T94i-R™** Part # 292754 **NE**
K3930-6	VIKING™ 3350 XG PAPR with Extended Battery	923589045	**Miller PAPR II with T94i-R™** Part # 292754 **NE**
K4550-1	VIKING™ 3250D FGS® PAPR with Standard Battery	0899763	**Miller PAPR II with T94i-R™** Part # 292754 **NE**
K4550-3	VIKING™ 3250D FGS® PAPR with Extended Battery	0899764	**Miller PAPR II with T94i-R™** Part # 292754 **NE**
K4550-4	VIKING™ 3250D FGS® Hard Hat PAPR with Standard Battery	924684141	**Miller PAPR II with T94iH-R ™ Hard Hat** Part # 287510 **NE**
K4550-6	VIKING™ 3250D FGS® Hard Hat PAPR with Extended Battery	924684137	**Miller PAPR II with T94iH-R ™ Hard Hat** Part # 287510 **NE**
K4683-L	XLR P100 Half Mask Welding Respirator - Large	925688196	**Miller LPR-100™ Gen. II Half Mask Respirator, M/L** Part # 294962 **NE**
K4683-M	XLR P100 Half Mask Welding Respirator - Medium	925688176	**Miller LPR-100 Gen. II Half Mask Respirator, S/M (294961) or M/L (294962)** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4683-S	XLR P100 Half Mask Welding Respirator - Small	925688195	**Miller LPR-100™ Gen. II Half Mask Respirator, S/M** Part # 294961 **NE**
K4886-1	Papr Clear Shield W/ Standard Battery	923589251	**Miller PAPR II with Face Shield** Part # 288356 **NE**
K4886-3	Papr Clear Shield W/ Extended Battery	923589043	**Miller PAPR II with Face Shield** Part # 288356 **NE**
K5323-1	OMNIShield® XC PAPR with Belt Mount - K5323-1	925688194	**Miller PAPR II with Face Shield** Part # 288356 **NE**
K5323-2	OMNIShield® XC PAPR with Back Pack Mount	925688193	**Miller PAPR II with Face Shield** Part # 288356 **NE**
K5324-1	OMNIShield® XCF PAPR with Belt Mount	925688192	**Miller PAPR II with Face Shield** Part # 288356 **NE**
K5324-2	OMNIShield® XCF PAPR with Back Pack Mount	925688191	**Miller PAPR II with Face Shield** Part # 288356 **NE**
KP3383-1	Multi-Operator PAPR Battery Charger	924684130	**Miller PAPR Battery Charger** Part # 282077 **NE**
KP3424-2 †	VIKING™ PAPR - High Efficiency Particulate Filter - 2/pack	0899767	
KP3424-2 †	VIKING™ PAPR - High Efficiency Particulate Filter - 2/pack	924679238	
KP3424-6 †	VIKING™ PAPR - High Efficiency Particulate Filter - 6/pack	0899768	
KP3424-6 †	VIKING™ PAPR - High Efficiency Particulate Filter - 6/pack	924679214	
KP3932-1	PAPR - Battery Charger - 115V	0899773	**Miller PAPR Battery Charger** Part # 282077 **NE**
KP3935-1 †	PAPR VIKING™ Pre-filter (6/pack)	0899769	**Miller Prefilter for PAPR HEPA Filter** Part # 235674 **NE**
KP3935-1 †	PAPR VIKING™ Pre-filter (6/pack)	924679218	**Miller Prefilter for PAPR HEPA Filter** Part # 235674 **NE**
KP3936-1	PAPR - Spark Screen	0899770	
KP3937-1	VIKING™ PAPR - Lithium Ion Battery - Standard Capacity	0899771	**Miller PAPR Replacement Battery** Part # 282076 **NE**
KP3938-1	VIKING™ PAPR - Extended Battery	0899772	**Miller PAPR Replacement Battery** Part # 282076 **NE**
KP3939-1	VIKING™ PAPR Belt Extension (extends belt to 60 in.)	0899783	**Miller PAPR Belt Extension** Part # 244151 **NE**
KP3940-1	3350 PAPR - Headcovering (w/Hook & Loop attachment)	0899778	
KP3942-1	3350 PAPR - Headgear (including plenum and sweatband)	0899780	
KP3943-1	3350 PAPR - Sweatband 2/pack	923586063	
KP3944-1	VIKING™ PAPR - Air Purifying Blower Assembly	0899777	
KP4471-1	FGS® PAPR - Pivot Headgear	0899781	
KP4472-1	FGS® PAPR - Replacement Helmet Shell	0899782	
KP4473-1	FGS® PAPR - Headcovering (w/Hook & Loop attachment)	0899779	
KP4474-1	FGS® PAPR - Welding Helmet Assembly	0899765	
KP4636-1	OMNIShield® PAPR Headgear Back Pad	925688122	
KP4638-1	Papr Viking 3350 Helmet Asbly	923588959	
KP4639-1	PAPR - Front Sweatband	923585537	
KP4640-1	Papr Viking 3350 Back Pad	923585467	
KP4684-2	XLR P100 Replacement Filters (2-pack)	925688254	**Miller LPR-100™ Gen II P100 Filters (pair)** Part # 294963 **NE**
KP4704-1	Papr Viking 3350 Helmet Shell	923585909	
KP4887-1	Papr Clear Shield Hood	923584916	
KP4888-1	Papr Hose Asbly	923585040	
KP4889-1	Papr Belt Asbly	923585369	
KP4890-1	Papr Headgear Sweatband	923586076	
KP4891-1	Papr Blower Covers	923584820	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4892-1	Papr Hose Cover	923586018	
KP4977-1	PAPR FGS® Hard Hat Replacement	924684157	
KP4978-1	Papr Fgs Hard Hat Headcovering	924684151	
KP4979-1	PAPR FGS® Hard Hat Helmet Shell Replacement	924684112	
KP5121-1	VIKING™ PAPR 3350 Helmet Assembly (Includes Headgear and Headcovering)	0899766	
KP5121-2	VIKING PAPR 3350 Helmet Assembly	925688175	
KP5122-1	PAPR - Hose Assembly with Cover	0899776	**Miller T94i™ Breathing Tube Assembly** Part # 261704 **NE**
KP5123-1	PAPR - Adjustable Leather Belt Assembly	0899775	**Miller PAPR Leather Belt** Part # 264582 **NE**
KP5124-1	PAPR - Shoulder Strap Assembly	0899774	**Miller PAPR II Blower Shoulder Straps** Part # 287177 **NE**
KP5309-1	Papr Blower Backpack	924684098	
KP5310-1	Short Hose Asbly	924684104	
KP5311-1	Short Hose Cover	924684096	
KP5327-1	OMNIShield® XC PAPR Face Shield Headpiece	925688189	
KP5328-1	OMNIShield® XCF PAPR Flip-Up Headpiece	925688188	
KP5329-1	OMNIShield® PAPR - Headcovering	925688187	
KP5330-1	OMNIShield® PAPR Overhead Covering	925688186	
KP5354-1	OMNIShield® PAPR Chin Guard	925688157	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Weld Fume Control (217)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
AD1258-1	HEPA Kit for Prism® Compact 10 HP Indoor Units	925688253	
AD1326-17	Prism® Central System 5 HP (2750 CFM) 4 Vertical Filter Fume Extraction Unit	925688280	
AD1326-19	Prism® Central System 10 HP (4000 CFM) 4 Vertical Filter Fume Extraction Unit	925688281	
AD2455-1	Prism® Compact (5 HP 2400 CFM) 4 Vertical Filter Fume Extraction Unit Inlet Up	925688263	
AD2455-2	Prism® Compact (10 HP 4000 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet Up	925688262	
AD2455-3	Prism® Compact (5 HP 2400 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet Up with thermal Protection	925688261	
AD2455-4	Prism® Compact (10 HP 4000 CFM) 4 Vertical Filter Fume Extraction Unit Inlet Up with Thermal Protection	925688260	
AD2455-5	Prism® Compact (5 HP 2400 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet down	925688243	
AD2455-6	Prism® Compact (10 HP 4000 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet Down	925688244	
AD2455-7	Prism® Compact (5 HP 2400 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet down and Thermal Protection	925688245	
AD2455-8	Prism® Compact (10 HP 4000 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet Down and Thermal Protection	925688246	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
AD2455-9	Prism® Compact Outdoor (5 HP 2400 CFM) 4 Vertical Filter Fume Extraction Unit w/ Inlet Up	925688247	
AD2458-1	Prism® Exhaust Hood 6.5 x 7.5 ft	925688219	
AD2458-2	Prism® Exhaust Hood 6.5 x 6.5 ft	925688206	
AD2458-3	Prism® Exhaust Hood 6.5 x 11 ft	925688207	
AD2458-4	Prism® Exhaust Hood 6.5 x 12 ft	925688208	
AD2458-5	Prism® Exhaust Hood 6.5 x 13 ft	925688209	
AD2458-6	Prism® Exhaust Hood 6.5 x 15.5 ft	925688210	
AD2458-7	Prism® Exhaust Hood 6.5 x 16.5 ft	925688211	
AD2458-8	Prism® Exhaust Hood 6.5 x 17.5 ft	925688212	
AD2458-9	Prism® Exhaust Hood 6.5 x 18.5 ft	925688213	
AD2458-10	Prism® Exhaust Hood 6.5 x 20 ft	925688218	
AD2458-11	Prism® Exhaust Hood 7.5 x 7.5 ft	925688217	
AD2458-12	Prism® Exhaust Hood 7.5 x 11 ft	925688200	
AD2458-13	Prism® Exhaust Hood 7.5 x 12 ft	925688201	
AD2458-14	Prism® Exhaust Hood 7.5 x 13 ft	925688202	
AD2458-15	Prism® Exhaust Hood 7.5 x 15.5 ft	925688203	
AD2458-16	Prism® Exhaust Hood 7.5 x 16.5 ft	925688204	
AD2458-17	Prism® Exhaust Hood 7.5 x 18.5 ft	925688205	
AD2496-1	Prism® Suspend 4000 Hanging 480 Volt	925688241	
AD2496-2	Prism® Suspend 4000 Hanging 230 Volt	925688272	
AD2496-3	Prism® Suspend 4000 Wall Mount 460 Volt	925688242	
AD2496-4	Prism® Suspend 4000 Wall Mount 230 Volt	925688264	
K206	Fume Extraction Gun - 350A FCAW-SS Welding Gun 15 ft 062-3/32 62 deg	923586160	
K652-1	X-Tractor®1 Fume Gun 120/1/50/60 - 15A Input Current	923589167	**Miller FILTAIR® 130 Portable Fume Extractor** Part # 300595 **NE**
K652-2	X-Tractor® 1 Fume Gun 230/1/50/60 - 9A Input Current	923589348	**Miller FILTAIR® 130 Portable Fume Extractor** Part # 300595 **NE**
K1494-2 †	Starter Overload Switch For 115V	921184013	
K1494-2 †	Starter Overload Switch for 115V Prism® 2400 1 HP Fan	923586318	
K1494-3	Starter Overload Switch for 230V Prism® 2400 1 HP Fan	923584970	
K1494-10	Starter Overload Switch for 230V Prism® 4200 2 HP Fan	923585016	
K1653-4	Prism® Mobile w/ MERV 14 Filter Welding Fume Extractor Base Unit	923589305	**Miller FILTAIR® MWX-D, Without Arm** Part # 300502 **NE**
K1653-5	Prism® Mobile with MERV 16 Filter Welding Fume Extractor Base Unit	923589214	**Miller FILTAIR® MWX-D, Without Arm** Part # 300502 **NE**
K1654-4	Prism® Wall Mount w/MERV 14 Filter Single Arm Base Unit	923589152	**Miller FILTAIR® SWX-D** Part # 300599 **NE**
K1654-5	Prism® Wall Mount w/ MERV 14 Dual Arm Welding Fume Extractor Base Unit	923588900	**Miller FILTAIR® SWX-D** Part # 300599 **NE**
K1654-6	Prism® Wall Mount w/MERV 16 Filter Single Arm Welding Extractor Base Unit	923588911	**Miller FILTAIR® SWX-D** Part # 300599 **NE**
K1655-8	Prism® Wall Mount Flexible 10 ft. Fume Extraction Arm	923589389	
K1655-9	Prism® Wall Mount Flexible 13 ft. Fume Extraction Arm	923589171	
K1655-10	Prism® Wall Mount Telescopic 5'. Fume Extraction Arm	923589221	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1655-12	Prism Wall Mount Flexible 7'. Fume Extraction Arm	923589402	
K1655-13	Prism® Wall Mount Flexible 13'. Low-Ceiling Fume Extraction Arm	923589322	
K1655-14	Prism® Wall Mount Telescopic 5-8 ft. Counter-Weight Fume Arm	923589341	
K1655-15	Prism® Wall Mount Telescopic 4-6 ft. Counter-Weight Fume Arm	925688271	
K1656-4	Prism® 4200 2HP Fan (230V)	923589128	
K1656-9	Prism® 2400 1HP Fan (120V)	923589096	
K1657-1	Prism® Wall Mounting Bracket for 10 and 13 FT 2400 1 HP Fan	923589162	
K1657-2	Prism® 2400 1 HP Fan Wall Mounting Bracket for Flexible 7 FT Telescopic 5 Ft Flexible 13 FT low Ceiling Arms	923589176	
K1657-5	Connector 8 in (203 mm) Duct to Extraction Arm	923588908	
K1666-3	Prism Direct Exhaust Fan (115V)	923588978	
K1669-4	Arc Sensor/Lamp Kit for 115V Prism® 2400 1 HP Fan	923588977	
K1669-10	Arc Sensor/Lamp Kit for 230V Prism® 4200 2 HP Fan	923589003	
K1669-13	Arc Sensor / Lamp Kit Mobiflex® 3.1 Arm	923589390	
K1669-14	Arc Sensor / Lamp Kit Mobiflex® 4.1 Arm	923588963	
K1671-1	Extension Crane 7 ft Bracket	923589325	
K1671-2	Extension Crane Bracket 14 ft	923589001	
K1741-3	Prism® Mobile with Mechanized Cleaning MERV 14 Filter Base Unit	923589299	**Miller FILTAIR® MWX-S, Without Arm** Part # 300531 **NE**
K1741-4	Prism® Mobile with Mechanized Cleaning MERV 16 Filter Base Unit	923589185	**Miller FILTAIR® MWX-S, Without Arm** Part # 300531 **NE**
K1750-1	230V Conversion Kit for Arc Sensor/Lamp Kit and Prism® 2400 1 HP Fan	923586047	
K2389-8	Extraction Hose with Adapters 1-3/4 in. (45mm) Diameter x 16 ft. (5m) Length	923585447	
K2389-9 †	Extraction Hose with Adapters 1-3/4 in. (45mm) Diameter x 8 ft. (2.5m) Length	2331322	
K2389-9 †	Extraction Hose with Adapters 1-3/4 in. (45mm) Diameter x 8 ft. (2.5m) Length	923584636	
K2497-13	Prism® 2400 1 HP Fan (230V)	923585221	
K2497-14	Prism® Mobile with Mechanized Cleaning MERV 14 Base Unit (Not Available in US)	923585292	**Miller FILTAIR® MWX-S, Without Arm** Part # 300531 **NE**
K2497-18	X-Tractor Mini 230V 50Hz	923585112	**Miller FILTAIR® 130 Portable Fume Extractor** Part # 300595 **NE**
K2633-5	Prism® Mobile 10 Ft. Fume Extraction Arm	923585802	
K2633-6	Prism® Mobile 10 Ft. fume extraction Arm with Arc Sensor/Lamp Kit	923584840	
K2633-7	Prism® Mobile 13 ft. Fume Extraction Arm	923585975	
K2633-8	Prism® Mobile 13 ft. Fume Extraction Arm with Arc Sensor/Lamp Kit	923584909	
K2649-1	Magnum® PRO 350 Fume Welding Gun	923585869	
K2650-1	Magnum® PRO 550 Fume Welding Gun	923588876	
K2751-9	Prism DownDraft® Direct Table	923589028	
K2751-10	Prism DownDraft® Table 208-230/460/3/60	923588971	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K2751-11	Prism DownDraft® Table with Mechanized Cleaning 208-230/460/3/60	923586215	
K2751-13	PRISM DOWN DRAFT 380V/3PH/50Hz	923589296	
K2751-16	Prism DownDraft® Table with Mechanized Cleaning 575/3/60	923586054	
K2752-1	HEPA Filter Kit	923584997	
K2752-10	Central System Connection Kit for DownFlex®100-NF	923585438	
K2752-11	Dust Container for DownFlex®100-NF	923586299	
K3681-1	Prism® Wall Mount with Mechanized Cleaning w/MERV 16 Filter Single Arm Base Unit	923589019	**Miller FILTAIR® SWX-S** Part # 300600 **NE**
K3681-2	Prism® Wall Mount with Mechanized Cleaning w/MERV 16 Filter Dual Arm Base Unit	923588948	**Miller FILTAIR® SWX-S** Part # 300600 **NE**
K3965-1	X-Tractor® 2 Fume Gun Weld Fume Extractor 230/3/60	923589365	**Miller FILTAIR® 215 High-Vacuum** Part # 301674 **NE**
K3965-2	X-Tractor® 2 Fume Gun Weld Fume Extractor 460/3/60	923589252	**Miller FILTAIR® 215 High-Vacuum** Part # 301674 **NE**
K3966-1	X-Tractor® 4 Fume Gun 230/3/60	923589075	
K3966-2	X-Tractor® 4 Fume Gun 460/3/60	923589333	
K3967-1	X-Tractor® 6 Fume Gun 230/3/60	923589246	
K3967-2	X-Tractor® 6 Fume Gun 460/3/60	923589201	
K3968-1	Connection Kit X-Tractor® 3A	923585302	
K3969-1	Connection Kit X-Tractor® 5A / 8A	923584875	
K3972-3	X-Tractor® Mini (120/1/60)	923589376	**Miller FILTAIR® 130 Portable Fume Extractor** Part # 300595 **NE**
K3972-5	X-Tractor® Mini with EN-20 Nozzle 120/1/60	923589382	**Miller FILTAIR® 130 Portable Fume Extractor** Part # 300595 **NE**
K4111-8	Extraction Hose 1 in. (25mm) Diameter (ID) x 8 ft. (2.5m) Length	923585225	
K4111-25	Extraction Hose 1 in. (25mm) Diameter (ID) x 25 ft. (7.6m) Length	923585988	
K4113-8	Extraction Hose 1-3/4 in. (45mm) Diameter (ID) x 8 ft. (2.5m) Length	923585423	
K4113-25	Extraction Hose 1-3/4 in. (45mm) Diameter (ID) x 25 ft. (7.6m) Length	923585629	
K4114-8	Extraction Hose 3 in. (76mm) Diameter (ID) x 8 ft. (2.5m) Length	923584456	
K4114-25	Extraction Hose 3 in. (76mm) Diameter (ID) x 25 ft. (7.6m) Length	923585986	
K4259-2	Prism® Mobile with 10 ft. Arm MERV 14 Filter One-Pak®	923584955	**Miller FILTAIR® MWX-D, 10 ft. Arm** Part # 951508 **NE**
K4259-3	Prism® Mobile w 10 ft Arm MERV 14 Filter and Arc Sensor/Lamp Kit One-Pak® Pkg.	923585000	**Miller FILTAIR® MWX-D, 10 ft. Arm** Part # 951508 **NE**
K4259-4	Prism® Mobile with 13 ft. Arm MERV 14 Filter One-Pak®	923585103	**Miller FILTAIR® MWX-D, 12 ft. Arm** Part # 951509 **NE**
K4259-5	Prism® Mobile with 13 ft. Arm MERV 14 Filter and Arc Sensor/Lamp Kit One-Pak® Pkg.	923584800	**Miller FILTAIR® MWX-D, 12 ft. Arm** Part # 951509 **NE**
K4259-6	Prism® Mobile with 10 ft. Arm MERV 16 Filter One-Pak®	923586172	**Miller FILTAIR® MWX-D, 10 ft. Arm** Part # 951508 **NE**
K4259-7	Prism® Mobile with 10 ft. Arm MERV 16 Filter Arc Sensor Lamp Kit One-Pak®	923585890	**Miller FILTAIR® MWX-D, 10 ft. Arm** Part # 951508 **NE**
K4259-8	Prism® Mobile with 13 ft. Arm MERV 16 Filter One-Pak® Pkg.	923585362	**Miller FILTAIR® MWX-D, 12 ft. Arm** Part # 951509 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4259-9	Prism® Mobile with 13 ft. Arm and MERV 16 Filter Arc Sensor/Lamp Kit One-Pak® Pkg.	923585468	**Miller FILTAIR® MWX-D, 12 ft. Arm** Part # 951509 **NE**
K4260-3	Prism Direct Exhaust Fan One-Pak® 115/1/60	923589358	
K4260-4	X-Tractor® 1GC and SHM-300 Nozzle 120/1/50/60 One-Pak®	923589375	**Miller FILTAIR® 130 Portable Fume Extractor** Part # 300595 **NE**
K4261-2	Prism® Wall Mount One Pak® MERV 14 Single Flexible 10 ft. Arm Starter/ Overload	923585404	**Miller FILTAIR® SWX-D Single-Arm Package, 10 ft. Standard Arm** Part # 951514 **NE**
K4261-3	Prism® Wall Mount One Pak® MERV 14 Single Flexible 13 ft. Arm Starter/ Overload	923585030	**Miller FILTAIR® SWX-D Single-Arm Package, 12 ft. Standard Arm** Part # 951515 **NE**
K4261-4	PRISM® WALL MOUNT SINGLE ARM TELESCOPIC 5'. FUME EXTRACTION ARM ONE-PAK PKG.	923584912	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-5	Prism® Wall Mount One Pak® Single Telescopic 5-8 ft. Arm Starter/Overload	923585154	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-6	Prism® Wall Mount One Pak® MERV 14 Single Flexible 10 ft. Arm Arc Sensor	923586242	**Miller FILTAIR® SWX-D Single-Arm Package, 10 ft. Standard Arm** Part # 951514 **NE**
K4261-7	PRISM® WALL MOUNT DUAL ARM W/ FLEXIBLE 10'. FUME EXTRACTION ARM & ARC SENSOR/LAMP Assembly ONE-PAK	923586066	**Miller FILTAIR® SWX-D Single-Arm Package, 10 ft. Standard Arm** Part # 951514 **NE**
K4261-8	Prism® Wall Mount One Pak® MERV 14 Dual Flexible 10 ft. Arms Starter/ Overload	923585348	**Miller FILTAIR® SWX-D Single-Arm Package, 10 ft. Standard Arm** Part # 951514 **NE**
K4261-9	Prism® Wall Mount One Pak® MERV 14 Dual Flexible 13 ft. Arms Starter/ Overload	923585891	**Miller FILTAIR® SWX-D Single-Arm Package, 12 ft. Standard Arm** Part # 951515 **NE**
K4261-10	PRISM® WALL MOUNT DUAL ARM TELESCOPIC 5'. FUME EXTRACTION ARM ONE-PAK PKG	923586055	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-11	Prism® Wall Mount One Pak® MERV 14 Dual Telescopic 5-8 ft. Arms Starter/ Overload	923586128	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-12	Prism® Wall Mount One Pak® MERV 14 Dual Flexible 10 ft. Arms Arc Sensor	923584407	**Miller FILTAIR® SWX-D Single-Arm Package, 10 ft. Standard Arm** Part # 951514 **NE**
K4261-13	PRISM® WALL MOUNT DUAL ARM W/ TELESCOPIC 5'. FUME EXTRACTION ARM & ARC SENSOR/LAMP Assembly ONE-PAK	923584858	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-14	Prism® Wall Mount One Pak® MERV 14, Single Flexible 13 ft. Arm, Arc Sensor	925688273	**Miller FILTAIR® SWX-D Single-Arm Package, 12 ft. Standard Arm** Part # 951515 **NE**
K4261-15	Prism® Wall Mount One Pak® MERV 14, Single Telescopic 4-6 ft. Arm, Starter/Overload	925688282	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-17	Prism® Wall Mount One Pak® MERV 14, Single Telescopic 5-8 ft. Arm, Arc Sensor	925688274	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-18	Prism® Wall Mount One Pak® MERV 14 Dual Flexible 13 ft. Arms, Arc Sensor	925688275	**Miller FILTAIR® SWX-D Single-Arm Package, 12 ft. Standard Arm** Part # 951515 **NE**
K4261-19	Prism® Wall Mount One Pak® MERV 14, Dual Telescopic 4-6 ft. Arms, Starter/ Overload	925688276	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-20	Prism® Wall Mount One Pak® MERV 14, Dual Telescopic 4-6 ft. Arms, Arc Sensor	925688277	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4261-21	Prism® Wall Mount One Pak® MERV 14, Dual Telescopic 5-8 ft. Arms, Arc Sensor	925688278	**Miller FILTAIR® SWX-D Single Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951619 **NE**
K4384-1	Prism® Mobile with Mechanized Cleaning 10 ft MERV 14 One-Pak	923585615	**Miller FILTAIR® MWX-S, 10 ft. Arm** Part # 951511 **NE**
K4384-2	Prism® Mobile with Mechanized Cleaning 10 ft MERV 14 Arc Sensor/Lamp Kit One-Pak	923585513	**Miller FILTAIR® MWX-S, 10 ft. Arm** Part # 951511 **NE**
K4384-3	Prism® Mobile with Mechanized Cleaning 13 ft MERV 14 One-Pak	923585309	**Miller FILTAIR® MWX-S, 12 ft. Arm** Part # 951512 **NE**
K4384-4	Prism® Mobile with Mechanized Cleaning 13 ft MERV 14 Arc Sensor/Lamp Kit One-Pak	923585626	**Miller FILTAIR® MWX-S, 12 ft. Arm** Part # 951512 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4384-5	Prism® Mobile with Mechanized Cleaning 10 ft MERV 16 One-Pak	923585065	**Miller FILTAIR® MWX-S, 10 ft. Arm** Part # 951511 **NE**
K4384-6	Prism® Mobile with Mechanized Cleaning 10 ft MERV 16 Arc Sensor/Lamp Kit One-Pak	923585161	**Miller FILTAIR® MWX-S, 10 ft. Arm** Part # 951511 **NE**
K4384-7	Prism® Mobile with Mechanized Cleaning 13 ft MERV 16 One-Pak	923585010	**Miller FILTAIR® MWX-S, 12 ft. Arm** Part # 951512 **NE**
K4384-8	Prism® Mobile with Mechanized Cleaning 13 ft MERV 16 Arc Sensor/Lamp Kit One-Pak	923585863	**Miller FILTAIR® MWX-S, 12 ft. Arm** Part # 951512 **NE**
K4464-2	Magnum® PRO LFG 350 Fume Gun	925033423	
K4468-1	Prism® Wall Mount Mechanized Cleaning One Pak® Single 10 ft. Arm Starter	923585751	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-2	Prism® Wall Mount Mechanized Cleaning One Pak® Single 10 ft. Arm 7 ft. Ext Starter	923586111	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-3	Prism® Wall Mount Mechanized Cleaning One Pak® Single 10 ft. Arm 14 ft. Ext Starter	923585831	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-4	Prism® Wall Mount Mechanized Cleaning One Pak® Dual 10 ft. Arm 7 ft. Ext Starter	923585121	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-5	Prism® Wall Mount Mechanized Cleaning One Pak® Single 10 ft. Arm Arc Sensor	923584853	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-6	Prism® Wall Mount Mechanized Cleaning One Pak® Single 10 ft. Arm 7 ft. Ext Arc Sensor	923585946	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-7	Prism® Wall Mount Mechanized Cleaning One Pak® Dual 10 ft. Arm Arc Sensor	923586346	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K4468-8	Prism® Wall Mount Mechanized Cleaning One Pak® Single 13 ft. Arm Starter	923586166	**Miller FILTAIR® SWX-S Single-Arm Package, 12 ft. Arm** Part # 951518 **NE**
K4468-9	Prism® Wall Mount Mechanized Cleaning One Pak® Single 13 ft. Arm 7 ft. Ext Starter	923586243	**Miller FILTAIR® SWX-S Single-Arm Package, 12 ft. Arm** Part # 951518 **NE**
K4468-10	Prism® Wall Mount Mechanized Cleaning One Pak® Single 13 ft. Arm 14 ft. Ext Starter	923585718	**Miller FILTAIR® SWX-S Single-Arm Package, 12 ft. Arm** Part # 951518 **NE**
K4468-11	Prism® Wall Mount Mechanized Cleaning One Pak® Dual 13 ft. Arm Starter	923586277	**Miller FILTAIR® SWX-S Single-Arm Package, 12 ft. Arm** Part # 951518 **NE**
K4468-12	Prism® Wall Mount Mechanized Cleaning One Pak® Dual 13 ft. Arm 14 ft. Ext Starter	923584717	**Miller FILTAIR® SWX-S Single-Arm Package, 12 ft. Arm** Part # 951518 **NE**
K4468-13	Prism® Wall Mount Mechanized Cleaning One Pak® Single Telescopic 5-8 ft. Arm Starter	923585804	**Miller FILTAIR® SWX-S Single-Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951620 **NE**
K4468-14	Prism® Wall Mount Mechanized Cleaning One Pak® Dual Telescopic 5-8 ft. Arm Starter	923585149	**Miller FILTAIR® SWX-S Single-Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951620 **NE**
K4468-15	Prism® Wall Mount Mechanized Cleaning One Pak® Single Telescopic 5-8 ft. Arm Arc Sensor	923585821	**Miller FILTAIR® SWX-S Single-Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951620 **NE**
K4468-16	Prism® Wall Mount Mechanized Cleaning One Pak® Dual Telescopic 5-8 ft. Arm Arc Sensor	923585644	**Miller FILTAIR® SWX-S Single-Arm Package, 3-4.5 ft. Telescoping Arm** Part # 951620 **NE**
K4468-17	Prism® Wall Mount Mechanized Cleaning One Pak®, Dual 10 ft. Arm, Starter	925688279	**Miller FILTAIR® SWX-S Single-Arm Package, 10 ft. Standard Arm** Part # 951517 **NE**
K5140-1	Prism® Circulator, 480V Input with Nano Filter	925688265	**Miller FILTAIR® Purifier, 460 V** Part # 301746 **NE**
K5140-2	Prism® Circulator, 230V Input with Nano Filter	925688266	**Miller FILTAIR® Purifier, 230 V** Part # 301745 **NE**
K5140-3	Prism® Circulator, 480V Input with PTFE Filter	925688267	**Miller FILTAIR® Purifier, 460 V** Part # 301746 **NE**
K5140-4	Prism® Circulator, 230V Input with PTFE Filter	925688268	**Miller FILTAIR® Purifier, 230 V** Part # 301745 **NE**
K5140-5	Prism® Circulator, 575V with Nano Filter	925688269	**Miller FILTAIR® Purifier, 575V** Part # 301769 **NE**
K5140-6	Prism® Circulator, 575V with PTFE Filter	925688270	**Miller FILTAIR® Purifier, 575V** Part # 301769 **NE**
K5563-1	Single Weld Booth Fume Extraction One-Pak® - 5x5 ft.	925688214	
K5563-2	Dual Weld Booth Fume Extraction One-Pak® - 5x5 ft.	925688215	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5563-3	Single Weld Booth Fume Extraction One-Pak® - 6x6 ft.	925688216	
K5563-4	Dual Weld Booth Fume Extraction One-Pak® - 6x6 ft.	925688229	
KP1673-1 †	Filter Merv 14 Mobiflex 200-M & Statiflex 200-M	921184014	
KP1673-1 †	Filter MERV 14 Prism® Mobile & Wall Mount	923584873	
KP1673-2	Statiflex 400 Filter MERV 14	923584295	
KP1673-5	Pre-Filter Prism® Mobile & Prism® Wall Mount	923585596	
KP1673-6	Prism® Pre-Filter	923585144	
KP1673-9	Filter MERV 16 (HE) Nano Prism® Mobile & Wall Mount	923585853	
KP1673-10	Statiflex 400 Filter MERV 16 Nano	923585774	
KP1852-1	Filter Activated Carbon Prism® Mobile & Prism® Wall Mount	923584896	
KP1961-1B1	Liner Dust Drawer X-Tractor 2G	923586051	
KP2048-1	Filter Magnum X-Tractor	923585263	
KP2061-1	Filter X-Tractor® 4 Fume Gun	923585422	
KP2068-1B1	Bag Dust X-Tractor 3G & 4G	923586329	
KP2069-1	Filter X-Tractor® 1 Fume Gun & 2 Fume Gun	923585826	
KP2113-1	Filter Mobile X-Arm Fume Extractor	923585612	
KP2389-1	Filter Activated Carbon X-Tractor®Mini	923585444	
KP2390-1 †	Filter LongLife-H X-Tractor®Mini	2325133	
KP2390-1 †	Filter LongLife-H X-Tractor®Mini	923585733	
KP2390-3 †	Pre-Filter X-Tractor®Mini	2331323	
KP2390-3 †	Pre-Filter X-Tractor®Mini	923585940	
KP2390-4 †	Filter HEPA X-Tractor®Mini	2352981	
KP2390-4 †	Filter HEPA X-Tractor®Mini	923586112	
KP2390-5	Filter One-Pak® X-Tractor®Mini®	923586359	
KP2738-1	Magnum Pro Fume Gun Tube	923585457	
KP2739-1	Magnum Pro Fume Tube	923586313	
KP2752-12	Spark Arrestor (Set of 2) DownFlex® 100-NF 200-M & 400-MS/A	923584859	
KP2752-14	Filter HEPA DownFlex® 200-M & 400-MS/A	923586124	
KP2752-16	Filter (Set of 2) MERV 16 Nano Prism® Down Draft Prism® Wall Mount with Mechanized Cleaning	923586338	
KP2871-1	Magnum® PRO Fume Extractor Nozzle - GMAW	923585237	
KP2872-1	Magnum® PRO Fume Extractor Nozzle - FCAW	923584958	
KP3367-1	Filter (Set of 2) MERV 14 Statiflex® 6000-MS & Circulator	923585279	
KP3368-1	Filter (Set of 2) MERV 16 (HE) Statiflex® 6000-MS & Circulator	923585487	
KP3370-1	Filter MERV 11 Statiflex® Filter Bank	923585912	
KP3370-2	Filter MERV 16 (HE) Nano Statiflex® Filter Bank	923585793	
KP3370-3	Filter MERV 16 (HE) PTFE Statiflex® Filter Bank	923585346	
KP3551-1	Discharge Filter DownFlex® 200-M & 400-MS/A	923584425	
KP3984-1	Filter X-Tractor® 6 Fume Gun	923585943	
KP4052-1	Pre-Spark Arrestor (Set of 2) DownFlex® 200-M & 400-MS/A	923585663	
KP4200-1	Filter X-Tractor® Fu-Type Models	923585926	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4519-1	Filter MERV 11 Prism® Central System (Black Strap)	923585140	
KP4519-2	Filter MERV 16 Nano Prism® Central System (White Strap)	923584412	
KP4519-3	Filter MERV 16 PTFE Prism® Central System (Red Strap)	923586088	
KP4680-1	Pre-Filter Prism Compact	923585165	
L17587-1	Prism® Central System 8 Vertical Filter (2 wide, 20/30HP) Fume Extraction Unit	925688248	
L17587-2	Prism® Central System 8 Vertical Filter (2 deep, 20/30HP) Fume Extraction Unit	925688250	
L17587-3	Prism® Central System 12 Vertical Filter (3 unit wide,) Remote Fan, Fume Extraction Unit	925688251	
L17587-4	Prism® Central System 4 Vertical Filter (10 or 15 HP 6600 CFM) Top Mount Fan Fume Extraction Unit	925688252	
L17587-10	Prism® Central System12 (30 HP) 3 Wide with Top Mount Fan	925688249	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Head, Face and Eye (233)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
1060010	Harris Plain Glass Welding Lens - 2 in. x 4-1/4 in.	928962841	
K2965-1	Lincoln Starlite Safety Glasses	0899918	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K2966-1	Finish Line Clear Safety Glasses	0899919	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K2967-1	Lincoln Starlite Ir 5 Safety Glasses	0899920	**Miller Slag™ Shade #5 Safety Glasses, Black Frame** Part # 272205 **NE**
K2968-1	Lincoln Cover2 Safety Glasses	0899921	
K2969-1	Lincoln® Starlite® Outdoor Welding Safety Glasses	0899922	**Miller Slag™ Safety Glasses, Black Frame, I/O** Part # 272202 **NE**
K2970-1	Finish Line Translucent Safety Glasses	0899923	
K2971-1	I-Beam Black Safety Glasses	0899924	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K2972-1	I-Beam Red Safety Glasses	0899925	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K3023-3	3.5 / 9-13 Shade 4.50" W x 3.90" L Black Nylon Auto-Darkening Welding Helmet	0899703	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K3023-4	VIKING™ 1840 Series Black Welding Helmet	924684154	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K3028-4	VIKING™ 2450 Black Welding Helmet	0899695	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3028-5	VIKING™ 2450 ADV Series Black Helmet	924684132	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3029-4	Viking Heavy Metal 2450 Series Adf Helme	0899701	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3029-5	VIKING™ 2450 ADV Series Heavy Metal® Helmet	924684123	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3034-4	VIKING™ 3350 Black Welding Helmet	0899678	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3034-5	VIKING™ 3350 ADV Black Helmet	925303051	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3035-4	VIKING™ 2450 Street Rod® Welding Helmet	0899700	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3035-5	VIKING™ 2450 ADV Series Street Rod® Helmet	924684145	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3039-4	VIKING™ 3350 Terracuda® Welding Helmet	0899693	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3099-4	Viking Graveyard Shift 2450 Series Adf H	0899698	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3099-5	VIKING™ 2450 ADV Series Graveyard Shift® Helmet	924684140	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3100-4	VIKING™ 3350 Motorhead® Welding Helmet	0899680	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3101-4	VIKING™ 3350 Mojo® Welding Helmet	0899681	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3104-1	Traditional Safety Glasses	0899930	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K3117-100	Bifocal Safety Glasses - 1.0 Diopter	0899926	
K3117-150	Bifocal Safety Glasses - 1.5 Diopter	0899927	
K3117-200	Bifocal Safety Glasses - 2.0 Diopter	0899928	
K3117-250	Bifocal Safety Glasses - 2.5 Diopter	0899929	
K3118-1	Cutting & Grinding Goggles - Wide - Shade 5	0899933	
K3118-2	Cutting & Grinding Goggles - Narrow - Shade 3	0899934	
K3119-1	Lincoln® Padded Welding Safety Glasses	923589037	**Miller Slag™ Safety Glasses, Black Frame, Clear** Part # 272201 **NE**
K3120-1	Welding Face Shield	923589132	
K3173-3	3.5 / 9-13 Shade 4.50" W x 3.90" L Blue / Red / White Plastic Auto-Darkening Welding Helmet	0899705	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K3173-4	VIKING™ 1840 Series All-American Welding Helmet	924684138	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K3174-4	VIKING™ 2450 ALL AMERICAN® WELDING HELMET	923589124	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3174-5	VIKING™ 2450 ADV Series All American® Helmet	924684127	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3175-4	VIKING™ 3350 All American® Welding Helmet	0899697	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3230-3	VIKING™ 2450D Black Digital Series Welding Helmet	0899702	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K3248-4	VIKING™ 3350 Twisted Metal® Welding Helmet	0899692	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3250-M	Women's Starlite Clear Safety Glasses	0899931	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K3250-S	Women's Starlite Clear Safety Glasses	0899932	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K3255-4	VIKING™ 3350 Polar Arc™ Welding Helmet	0899688	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3282-2	9-13 Shade 2" W x 4" L Black Nylon Auto-Darkening Welding Helmet	0899706	**Miller Classic, Black** Part # 287803 **NE**
K3282-3	VIKING™ 1740 Matte Black Welding Helmet	923588997	**Miller Classic, Black** Part # 287803 **NE**
K3371-1	VIKING™ Industrial Passive™ Black Welding Helmet	91170802	**Miller MP-10™, Black** Part # 238497 **NE**
K3372-4	3.5 / 5-13 Shade 4.50" W x 5.25" L Multi-Colored Nylon Auto-Darkening Welding Helmet	0899690	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3428-4	VIKING™ 3350 Steampunk™ Welding Helmet	0899683	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3428-5	VIKING™ 3350 ADV Steampunk Helmet	925389725	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3495-2	3.5 / 5-13 Shade 2" W x 4" L Black / Red / White Nylon Auto-Darkening Welding Helmet	0899708	**Miller Classic, Black** Part # 287803 **NE**
K3495-3	VIKING™ 1740 ReCode™ Welding Helmet	923589204	**Miller Classic, Black** Part # 287803 **NE**
K3540-3	VIKING™ 3250D FGS™ Welding Helmet	0899677	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3616-4	VIKING™ 3350 Born To Weld™ Welding Helmet	0899687	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3683-4	VIKING™ 3350 Daredevil™ Welding Helmet	0899685	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3683-5	Viking Daredevil 3350Adv Helmet	925389724	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K3750-1	OMNIShield™ Clear Face Shield - Standard	0899904	**Miller Face Shield, Clear** Part # 288269 **NE**
K3751-1	OMNIShield™ Clear Face Shield - Antifog	0899905	**Miller Face Shield, Clear Anti-Fog** Part # 288274 **NE**
K3752-1	OMNIShield™ Clear Face Shield - Dual Coating	0899906	**Miller Face Shield, Clear Anti-Fog** Part # 288274 **NE**
K3753-1	OMNIShield® Face Shield - Shade 3 (IR/UV)	0899907	**Miller Face Shield, Shade 3** Part # 288270 **NE**
K3754-1	OMNIShield™ Face Shield - Shade 5 (IR/UV)	0899908	**Miller Face Shield, Shade 5** Part # 288273 **NE**
K4034-4	VIKING™ 3350 Code Red® Welding Helmet	0899684	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4034-5	Viking Code Red 3350Adv Helmet	925389726	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4158-4	VIKING™ 3350 Zombie™ Welding Helmet	0899689	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4175-3	3.5 / 9-13 Shade 4.50" W x 3.90" L Black / Gray / Green Nylon Auto-Darkening Welding Helmet	0899704	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K4175-4	VIKING™ 1840 Series Aztec Welding Helmet	924684114	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K4181-4	VIKING™ 3350 Foose Imposter™ Welding Helmet	0899686	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4375-2	3.5 / 9-13 Shade 3.54" W x 4.33" L Black / Orange / Yellow Nylon Auto-Darkening Welding Helmet	0899707	**Miller Classic, Black** Part # 287803 **NE**
K4375-3	VIKING™ 1740 Ignition™ Welding Helmet	923589032	**Miller Classic, Black** Part # 287803 **NE**
K4411-4	3.5 / 5-13 Shade 4.50" W x 5.25" L Camouflage Nylon Auto-Darkening Welding Helmet	0899696	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4411-5	VIKING™ 2450 ADV Series White Tail Camo® Helmet	924684133	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K4412-4	VIKING™ 3350 White Tail Camo™ Welding Helmet	0899691	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4437-4	3.5 / 5-13 Shade 4.50" W x 5.25" L Red / White Nylon Auto-Darkening Welding Helmet	0899699	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4440-4	VIKING™ 3350 Hot Rodders™ Welding Helmet	0899679	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4440-5	Viking Hot Rodders 3350Adv Helmet	925389728	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4643-1	ArcSpecs™ Auto-Darkening Welding Goggles	0899709	
K4671-4	VIKING™ 3350 Medieval® Welding Helmet	0899694	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K4673-1	Axilite Safety Glasses	923589165	**Miller Classic Safety Glasses, Clear** Part # 272187 **NE**
K4674-1	Axilite™ Safety Glasses - Amber Anti-Scratch Lens	923589309	
K4675-1	Axilite™ Safety Glasses - Light Blue Anti-Scratch Lens	923589118	
K4676-1	Axilux™ USA Camo Safety Glasses - Clear Anti-Fog/Scratch Lens	923589212	**Miller Slag™ Safety Glasses, Black Frame, Clear** Part # 272201 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4677-1	Axilux™ Traditional Camo Safety Glasses - Bronze Anti-Fog/Scratch Lens	923589122	
K4707-1	Lincoln® 360 Foam Padded Safety Glasses - Clear Anti-Fog/Scratch Lens	923589386	**Miller Slag™ Safety Glasses, Black Frame, Clear** Part # 272201 **NE**
K4708-1	Lincoln® Shade 5 IR Compact - Cutting and Grinding Goggles	925688183	
K4824-ALL	FR Welding Bandana Khaki w/ Black Headband	923589077	
K4825-ALL	Welding Bandana - Lincoln® Camo w/ Black Headband	923589419	**Miller Welding Bandana, Black** Part # 250904 **NE**
K4969-1	OMNIShield™ Flip-Up Shaded Lens - Shade 5 UV/IR - K4969-1	924684147	
K5133-4	VIKING ™ 3350 Foose Monarch™ Welding Helmet	924684135	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K5134-4	VIKING™ 3350 Creative Spark™ Welding Helmet	924684107	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K5241-3	VIKING™ 1740 Mossy Oak Country DNA™ Welding Helmet	924684153	**Miller Classic, Black** Part # 287803 **NE**
K5243-5	VIKING™ 2450 ADV Series Intergalactic™ Helmet	924524507	**Miller Digital Elite™, Black (QR), ClearLight™ 4x** Part # 296765 **NE**
K5423-5	VIKING™ 3350 ADV Mossy Oak® Country DNA® Welding Helmet	925303052	**Miller Digital Infinity™, Black, ClearLight™ 4x** Part # 296786 **NE**
K5432-4	VIKING™ 1840 Series Tempered Welding Helmet	924684108	**Miller Digital Performance™, Black, ClearLight™ 4x** Part # 296757 **NE**
K5562-3	VIKING™ 1740 Game On Welding Helmet	925278012	**Miller Classic, Black** Part # 287803 **NE**
KP1981-2	Passive Lens 2 x 4.25 in. - Super Visibility - Shade 9 (1pc)	925688181	
KP1981-3	Passive Lens 2 x 4.25 - Super Visibility - Shade 10 (1pc)	925688180	
KP1981-4	Obs-Filter Plate Super Visibility Lb11	925688182	
KP1981-5	Passive Lens 2 x 4.25 - Super Visibility - Shade 12 (1pc)	925688179	
KP1981-6	Passive Lens 2 x 4.25 - Super Visibility - Shade 14 (1pc)	925688178	
KP2081-5B1	Deluxe Sweat Band	925688190	
KP2851-1	VIKING™ 700G/750S Series Headgear with Sweatband	923585602	
KP2853-3 †	VIKING™1840 Series ADF Cartridge Kit	0899750	
KP2853-3 †	VIKING™1840 Series ADF Cartridge Kit	924679237	
KP2853-4	1840 Series Adf 7-13 Shade Cartridge	924684118	
KP2854-1	VIKING® 1840 Series Sweatband Replacement Kit	920082426	
KP2897-1	VIKING™ 700G/750S/1840 Inside Cover Lens (5/pack)	91131687	
KP2898-1	VIKING™ 2450/3350 Outside Cover Lens	923351452	
KP2913-1	VIKING™ 700G Series Outside Cover Lens Pack	923586251	
KP2930-1	VIKING™ 2450/3350 Super Soft Knit Cotton Sweatband (2/pack)	0899737	
KP2931-1 †	3.88" x 2.62" x .04" Viking™ 2450 Series Inside Clear Cover Lens 5Ct	91203931	
KP2931-1 †	VIKING™ 2450 Series Inside Clear Cover Lens (5/pack)	920082427	
KP2932-3	VIKING™2450 Series ADF Cartridge Kit	923586295	
KP2932-4 †	VIKING™ 2450 Series - ADF Cartridge Kit (-4 ONLY)	0899748	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP2932-4 †	VIKING™ 2450 Series - ADF Cartridge Kit (-4 ONLY)	924679245	
KP2932-5	VIKING2450 ADV Series ADF 5-13 Shade Cartridge (1pc)	925688153	
KP3043-1	VIKING™ 1740/1840 Series Outside Clear Cover Lens (5/pack)	920177062	
KP3045-3	VIKING™3350 Series ADF Cartridge Kit	923584911	
KP3045-4 †	LCD Helmet Cartridge 4Ct	0899747	
KP3045-4 †	VIKING™ 3350 Series - ADF Cartridge Kit (-4 ONLY)	924245396	
KP3045-4 †	VIKING™ 3350 Series - ADF Cartridge Kit (-4 ONLY)	924679236	
KP3045-5	VIKING 3350 ADV Series ADF Cartridge Kit	925688129	
KP3046-100	Magnifying Cheater Lenses - 1.00 MAG	0899739	**Miller 1.00 Magnifying Lens** Part # 212236 **NE**
KP3046-125	Magnifying Cheater Lenses - 1.25 MAG	0899740	**Miller 1.25 Magnifying Lens** Part # 212237 **NE**
KP3046-150	Magnifying Cheater Lenses - 1.50 MAG	0899741	**Miller 1.50 Magnifying Lens** Part # 212238 **NE**
KP3046-175	Magnifying Cheater Lenses - 1.75 MAG	0899742	**Miller 1.75 Magnifying Lens** Part # 212239 **NE**
KP3046-200	Magnifying Cheater Lenses - 2.00 MAG	0899743	**Miller 2.00 Magnifying Lens** Part # 212240 **NE**
KP3046-225	Magnifying Cheater Lenses - 2.25 MAG	0899744	**Miller 2.25 Magnifying Lens** Part # 212241 **NE**
KP3046-250	Magnifying Cheater Lenses - 2.50 MAG	0899745	**Miller 2.50 Magnifying Lens** Part # 212242 **NE**
KP3047-1	VIKING™ 1840/2450/3350 Halo Style Hard Hat Adapter	0899733	
KP3243-3	Viking 2450D Adf Replacement Kit	923585535	
KP3283-1	VIKING™ 1740 Inside Clear Cover Lens Kit	0899724	
KP3284-2 †	VIKING™ 1740 ADF Cartridge Replacement Kit	0899751	
KP3284-2 †	VIKING™ 1740 ADF Cartridge Replacement Kit	924679232	
KP3284-3	VIKING™ 1740 Series - ADF Cartridge Assembly (-3)	923589064	
KP3486-1	VIKING™ 1740/1840/2450/3350 - Slotted Hard Hat Adapter	0899734	
KP3700-1 †	Outside Cover lens (158.2 x 100 x 1.2 mm)	0899727	
KP3700-1 †	Fgs 3250D - Outside Cover Lens	921173721	
KP3700-1 †	Outside Cover lens (158.2 x 100 x 1.2 mm)	924679240	
KP3701-1 †	3"L X 4-1/4"W Polycarbonate Inner Cover Lens 2Ct	0899728	
KP3701-1 †	Fgs 3250D - Inside Cover Lens	921173722	
KP3701-1 †	Inside Cover Lens (108.3 x 78.3 x 1 mm)	924679228	
KP3702-1	Grind Shield Clear lens (221.4 x 133.4 x 1.2 mm)	0899729	
KP3703-3	ADF cartridge	0899752	
KP3704-1	Replacement Shell (including Side Window installed)	925688123	
KP3705-1	FGS® 3250D - Side Lens Cover	0899753	
KP3706-1	Headgear assembly (including sweatband)	0899754	
KP3707-1	FGS® 3250D - Slotted Hard Hat Adapter	0899735	
KP3708-1	FGS® 3250D - Halo Style Hard Hat Adapter	0899736	
KP3709-1	FGS® 3250D - Head cover	925688185	
KP3729-1	Split Leather Helmet Bib with Press Fit Seal	0899755	
KP3730-1	Grain Leather Helmet Bib w/ Press Fit Seal	0899756	
KP3755-1	Replacement OMNIShield™ Clear Lens - Uncoated	0899909	**Miller Face Shield Replacement Lens, Clear** Part # 288275 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP3756-1	Replacement OMNIShield™ Clear Lens Anti-Fog Coated	0899910	**Miller Face Shield Replacement Lens, Clear and Anti-Fog** Part # 288278 **NE**
KP3757-1	Replacement OMNIShield™ Clear Lens Dual Coating	0899911	**Miller Face Shield Replacement Lens, Clear and Anti-Fog** Part # 288278 **NE**
KP3758-1	Replacement OMNIShield™ Lens - Shade 3 IR	0899912	**Miller Face Shield Replacement Lens, Shade 3** Part # 288276 **NE**
KP3759-1	Replacement OMNIShield™ Lens - Shade 5 IR	0899913	**Miller Face Shield Replacement Lens, Shade 5** Part # 288277 **NE**
KP3760-1	OMNIShield™ Headpiece	0899914	
KP3761-1	OMNIShield™ Slotted Hard Hat Adapter	0899915	
KP3762-1	OMNIShield™ Halo Hard Hat Adapter	0899916	
KP3764-1	OMNIShield™ Sweatband (pack of 2)	0899917	
KP3775-1	2x4 C-series Auto Darkening Welding Lens Variable Shade 8-13	921931069	
KP3777-1	VIKING™ 2x4C® Series Auto Darkening Lens Fixed Shade 9	0899758	**Miller ClearLight™ Auto-Darkening Fixed Shade #9 Lens** Part # 287828 **NE**
KP3778-1	VIKING™ 2x4C® Series Auto Darkening Lens Fixed Shade 10	0899759	**Miller ClearLight™ Auto-Darkening Fixed Shade #10 Lens** Part # 287830 **NE**
KP3779-1	VIKING™ 2x4C® Series Auto Darkening Lens Fixed Shade 11	0899760	**Miller ClearLight™ Auto-Darkening Fixed Shade #11 Lens** Part # 287833 **NE**
KP3908-1	Headgear Viking Single Pivoy kit	920177064	
KP4003-1	4 x 5 Passive Filter Plate - Shade 11	923585835	
KP4004-1	Retaining Frame for ADF Cartridge	923586352	
KP4100-1	VIKING™ Ratchet Style Headgear with Sweatband	0899732	
KP4140-1	Replacement Screen Shield	925033457	
KP4395-1	Replacement Lens 7 inch	925033558	
KP4470-1	VIKING™ X6 Headgear® Kit	0899730	
KP4474-3	VIKING™ FGS® Hard Hat Helmet Assembly	924684152	
KP4491-1	VIKING™ CR2450 Lithium Battery	0899746	
KP4492-1 †	Viking Cr1025 Replacement Batteries	0899761	
KP4492-1 †	Viking Cr1025 Replacement Batteries	924679253	
KP4541-1 †	Soft Cotton Back Pad for X6 Headgear®	0899738	
KP4541-1 †	Soft Cotton Back Pad for X6 Headgear®	924679249	
KP4560-1	VIKING™ 2450/3350 4th Generation - Gloss Black Helmet Shell	923585506	
KP4561-1	VIKING™ 2450/3350 4th Generation - Matte Black Helmet Shell	923586065	
KP4561-2	VIKING 3350 ADV Black Replacement Welding Helmet Shell	925688125	
KP4562-1	VIKING™ 2450/3350 - Grind Button Replacement	0899749	
KP4563-1	VIKING™ 3350/2450 Street Rod® Replacement Shell	923586005	
KP4564-1	Graveyard Shift 3350/2450 Replacement Sh	923586268	
KP4565-1	VIKING™ 3350/2450 All American® Replacement Shell	923585758	
KP4566-1	VIKING™ 3350/2450 White Tail Camo™ Replacement Shell	923585763	
KP4569-1	Motorhead 3350/2450 Replacement Shell	923585915	
KP4570-1	Mojo 3350/2450 Replacement Shell	923585260	
KP4571-1	VIKING™ 3350/2450 Twisted Metal® Replacement Shell	923586077	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP4572-1	Polar Arc 3350/2450 Replacement Shell	923586340	
KP4574-1	Steam Punk 3350/2450 Replacement Shell	923585971	
KP4574-2	3350/2450 5Th Gen Steampunk Repl Shell	925389727	
KP4575-1	VIKING™ 3350/2450 Born to Weld Replacement Shell	923585864	
KP4576-1	VIKING™ 3350/2450 Daredevil™ Replacement Shell	923586058	
KP4576-2	3350/2450 5Th Gen Daredevil Repl Shell	925389723	
KP4577-1	VIKING™ 3350/2450 Code Red® Replacement Shell	923585392	
KP4577-2	3350/2450 5Th Gen Code Red Repl Shell	925389719	
KP4578-1	Zombie 3350/2450 Replacement Shell	923585511	
KP4579-1	Foose Impostor 3350/2450 Replacement Sh	923585408	
KP4580-1	Hot Rodders 3350/2450 Replacement Shell	923585415	
KP4580-2	3350/2450 5Th Gen Hot Rodders Repl Shell	925389718	
KP4581-1	Heavy Metal 3350/2450 Replacement Shell	923585085	
KP4627-1 †	VIKING™ 1740/1840 - Bulk Outside Cover Lenses - Box of 50	0899725	
KP4627-1 †	VIKING™ 1740/1840 - Bulk Outside Cover Lenses - Box of 50	924679250	
KP4628-1 †	VIKING™ 2450/3350 - Bulk Outside Cover Lenses (50/box)	0899726	
KP4628-1 †	VIKING™ 2450/3350 - Bulk Outside Cover Lenses (50/box)	924679241	
KP4637-1	OMNIShield Chin Guard	925688015	
KP4644-1	Arcspecs Face Guard	0899715	
KP4645-1	ArcSpecs™ Headcovering	0899713	
KP4646-1	Arcspecs Headband	0899714	
KP4647-1 †	ArcSpecs™ LED Light Kit	0899710	
KP4647-1 †	ArcSpecs™ LED Light Kit	924679216	
KP4648-1	ArcSpecs™ Inside Cover Lens (5/Pack)	0899711	
KP4649-1	ArcSpecs™ Outside Cover Lens (5/Pack)	0899712	
KP4652-1	Arcspecs Goggle Frame	0899716	
KP4672-1	Medieval 3350/2450 Replacement Shell	923586258	
KP4705-1	Arcspecs Led Light Cover Lens	0899717	
KP4789-1	FR Cotton Helmet Extended Headcover with Press Fit Seal	923585048	
KP4802-2	1840 Matte Black Replacement Shell	924684146	
KP4803-1	VIKING™ 1740 - Black Replacement Welding Helmet Shell	923584374	
KP4804-1	VIKING™ Sweatbands for Ratchet Headgear Kit	923585978	
KP4875-1	Soft Cotton Back Pad for Ratchet Headgear Assembly	923586214	
KP4922-1	Hard Hat Sweatband	925688184	
KP4974-1	OMNIShield Shade 5 Flip-Up Lens Replacement	925688156	
KP4975-1	OMNIShield Shade 8 Flip-Up Lens Replacement	925688155	
KP4976-1	OMNISheild Headpiece for Flip-Up Lenses	925688173	
KP5244-1	VIKING 3350 ADV Inside Cover Lens - 5/Pack	925688127	
KP5247-2	Intergalactic 3350/2450 5Th Gen Rpl Sh	924524508	
KP5268-1	2x4C® Series Premium Glass Passive Welding Lens - Shade 9 (1pc)	925688177	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
KP5268-2	2x4C® Series Premium Glass Passive Welding Lens - Shade 10 (1pc)	925688154	
KP5268-3	2x4C® Series Premium Glass Passive Welding Lens - Shade 11 (1pc)	925688174	
KP5391-1	Passive Lens Clear Cover - 2 x 4.25 - 5/Pack	925688126	**Miller Inside Lens Cover, 2 x 4-1/4 in.** Part # 770237 **NE**
KP5424-2	VIKING 3350ADV Mossy Oak® Country DNA® Replacement Welding Helmet Shell	925688124	
LINKP3702-1	Clear Anti Fog Grind Shield	921173723	
RF501690-1	95.9 mm x 47.2 mm x 1.0 mm Inside Cover Lens	928263425	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Safety Gear Bags (69)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3071-1	CanVAS™ Accessory Bag	925303054	
K3096-1	Lincoln® Industrial Duffle Bag	0899938	**Miller Jobsite Tool Bag** Part # 228028 **NE**
K3238-L †	Women's Welding Gear Ready-Pak® - Large	0899968	
K3238-L †	Women's Welding Gear Ready-Pak® - Large	924679252	
K3238-M †	Women's Welding Gear Ready-Pak® - Medium	0899967	
K3238-M †	Women's Welding Gear Ready-Pak® - Medium	924679208	
K3238-S †	Women's Welding Gear Ready-Pak® - Small	0899966	
K3238-S †	Women's Welding Gear Ready-Pak® - Small	924679239	
K3238-XL †	Women's Welding Gear Ready-Pak® - XLarge	0899969	
K3238-XL †	Women's Welding Gear Ready-Pak® - XLarge	924679243	
K3238-XS †	Women's Welding Gear Ready-Pak® - XSmall	0899965	
K3238-XS †	Women's Welding Gear Ready-Pak® - XSmall	924679215	
K3588-1	Ballistic Nylon Storage Cover	925303050	
K3699-2XL †	Industrial Welding Gear Ready-Paks® - 2XL	0899958	
K3699-2XL †	Industrial Welding Gear Ready-Paks® - 2XL	924679248	
K3699-3XL †	Industrial Welding Gear Ready-Paks® - 3XLarge	0899959	
K3699-3XL †	Industrial Welding Gear Ready-Paks® - 3XLarge	924679246	
K3699-L †	Industrial Welding Gear Ready-Paks® - L	0899956	
K3699-L †	Industrial Welding Gear Ready-Paks® - L	924679222	
K3699-M †	Industrial Welding Gear Ready-Paks® - M	0899955	
K3699-M †	Industrial Welding Gear Ready-Paks® - M	924679223	
K3699-XL †	Industrial Welding Gear Ready-Paks® - XL	0899957	
K3699-XL †	Industrial Welding Gear Ready-Paks® - XL	924679229	
K3715-2XL †	Premium Welding Gear Ready-Pak® - 2XL	0899963	
K3715-2XL †	Premium Welding Gear Ready-Pak® - 2XL	924679231	
K3715-3XL †	Premium Welding Gear Ready-Pak® - 3XL	0899964	
K3715-3XL †	Premium Welding Gear Ready-Pak® - 3XL	924679251	
K3715-L †	Premium Welding Gear Ready-Pak® - L	0899961	
K3715-L †	Premium Welding Gear Ready-Pak® - L	924679233	
K3715-M †	Premium Welding Gear Ready-Pak® - M	0899960	
K3715-M †	Premium Welding Gear Ready-Pak® - M	924679209	
K3715-XL †	Premium Welding Gear Ready-Pak® - XL	0899962	
K3715-XL †	Premium Welding Gear Ready-Pak® - XL	924679221	
K3740-1	Welders All-In-One Backpack	0899939	**Miller Welding Backpack** Part # 299081 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4416-2XL †	Standard Welding Gear Ready-Pak® - 2XL	0899943	
K4416-2XL †	Standard Welding Gear Ready-Pak® - 2XL	924679226	
K4416-3XL †	Standard Welding Gear Ready-Pak® - 3XL	0899944	
K4416-3XL †	Standard Welding Gear Ready-Pak® - 3XL	924679224	
K4416-L †	Standard Welding Gear Ready-Pak® - L	0899941	
K4416-L †	Standard Welding Gear Ready-Pak® - L	924679234	
K4416-M †	Standard Welding Gear Ready-Pak® - M	0899940	
K4416-M †	Standard Welding Gear Ready-Pak® - M	924679220	
K4416-XL †	Standard Welding Gear Ready-Pak® - XL	0899942	
K4416-XL †	Standard Welding Gear Ready-Pak® - XL	924679230	
K4590-2XL †	Introductory Education Welding Gear Ready-Pak® - 2XL	0899948	**Miller Student Safety Pack, 2XL** Part # 295386 **NE**
K4590-2XL †	Introductory Education Welding Gear Ready-Pak® - 2XL	924679227	**Miller Student Safety Pack, 2XL** Part # 295386 **NE**
K4590-3XL †	Introductory Education Welding Gear Ready-Pak® - 3XL	0899949	
K4590-3XL †	Introductory Education Welding Gear Ready-Pak® - 3XL	924679235	
K4590-L †	Introductory Education Welding Gear Ready-Pak® - L	0899946	**Miller Student Safety Pack, L** Part # 291662 **NE**
K4590-L †	Introductory Education Welding Gear Ready-Pak® - L	924679210	**Miller Student Safety Pack, L** Part # 291662 **NE**
K4590-M †	Introductory Education Welding Gear Ready-Pak® - M	0899945	**Miller Student Safety Pack, M** Part # 291661 **NE**
K4590-M †	Introductory Education Welding Gear Ready-Pak® - M	924679217	**Miller Student Safety Pack, M** Part # 291661 **NE**
K4590-XL †	Introductory Education Welding Gear Ready-Pak® - XL	0899947	**Miller Student Safety Pack, XL** Part # 291663 **NE**
K4590-XL †	Introductory Education Welding Gear Ready-Pak® - XL	924679225	**Miller Student Safety Pack, XL** Part # 291663 **NE**
K4595-2XL †	Intermediate Education Welding Gear Ready-Pak® - 2XL	0899953	**Miller Student Safety Pack, 2XL** Part # 295386 **NE**
K4595-2XL †	Intermediate Education Welding Gear Ready-Pak® - 2XL	924679219	**Miller Student Safety Pack, 2XL** Part # 295386 **NE**
K4595-3XL †	Intermediate Education Welding Gear Ready-Pak® - 3XL	0899954	
K4595-3XL †	Intermediate Education Welding Gear Ready-Pak® - 3XL	924679213	
K4595-L †	Intermediate Education Welding Gear Ready-Pak® - L	0899951	**Miller Student Safety Pack, L** Part # 291662 **NE**
K4595-L †	Intermediate Education Welding Gear Ready-Pak® - L	924679211	**Miller Student Safety Pack, L** Part # 291662 **NE**
K4595-M †	Intermediate Education Welding Gear Ready-Pak® - L	0899950	**Miller Student Safety Pack, M** Part # 291661 **NE**
K4595-M †	Intermediate Education Welding Gear Ready-Pak® - L	924679212	**Miller Student Safety Pack, M** Part # 291661 **NE**
K4595-XL †	Intermediate Education Welding Gear Ready-Pak® - XL	0899952	**Miller Student Safety Pack, XL** Part # 291663 **NE**
K4595-XL †	Intermediate Education Welding Gear Ready-Pak® - XL	924679207	**Miller Student Safety Pack, XL** Part # 291663 **NE**
K4774-1	Compact Industrial Tool Bag	924684113	**Miller Jobsite Tool Bag** Part # 228028 **NE**
K4799-1	Welder's 2-in-1 Large Dufflepack	924684142	**Miller Welding Backpack** Part # 299081 **NE**
K5273-1	Mossy Oak Country DNA™ Welders All-In-One Backpack	924684134	**Miller Welding Backpack** Part # 299081 **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5292-1	Ballistic Nylon Storage Cover	925688088	
L15788-6	Lockable Storage Cabinet	925688322	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Weld Booths (22)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K3252-1	Welding Curtain - 6 ft x 6 ft - 550&deg C Rated	0899935	
K3253-1	Fiberglass / Kevlar® Thread 6 ft L x 6 ft W 38 oz 1022°F Welding Blanket	0899936	
K3254-1	Fiberglass / Kevlar® Thread 6 ft L x 6 ft W 67 oz 2012°F Welding Blanket	0899937	
K4654-1-8	Expandable Welding Screen/Curtain Frame - 6 x 6 ft/6 x 8 ft	924684139	
K4656-G	Flame Retardant Vinyl Welding Screen/Curtain - 6 x 6 ft. - Dark Green	924684100	
K4656-R	Flame Retardant Vinyl Welding Screen/Curtain - 6 x 6 ft. - Red	924684101	
K4658-G	Flame Retardant Vinyl Welding Screen/Curtain - 6 x 8 ft - Dark Green	924684117	
K4658-R	Flame Retardant Vinyl Welding Screen/Curtain - 6 x 8 ft. - Red	924684110	
K5249-1	Welding Booth Curtain Kit, 50 W X 66 H in	925688255	**Miller Weld Booth Hardware Kit** Part # 295581 **NE**
K5249-2	Welding Booth Curtain Kit, 62 W X 66 H in	925688256	**Miller Weld Booth Hardware Kit** Part # 295581 **NE**
K5249-3	Welding Booth Curtain Kit, 74 W X 66 H in	925688257	**Miller Weld Booth Hardware Kit** Part # 295581 **NE**
K5249-4	Welding Booth Curtain Kit, 86 W X 66 H in	925688258	**Miller Weld Booth Hardware Kit** Part # 295581 **NE**
K5249-5	Welding Booth Curtain Kit, 98 W X 66 H in	925688259	**Miller Weld Booth Hardware Kit** Part # 295581 **NE**
K5319-1	Weld Booth Assist	925688324	
K5543-1	Single 5x5 ft. Standalone Weld Booth	925688317	**Miller Weld Booth, 5 ft. Panel** Part # 295126 **NE**
K5543-2	Dual 5x5 ft. Standalone Weld Booth	925688318	**Miller Weld Booth, 5 ft. Panel** Part # 295126 **NE**
K5543-3	Single 6x6 ft. Standalone Weld Booth	925688319	**Miller Weld Booth, 6 ft. Panel** Part # 296015 **NE**
K5543-4	Dual 6x6 ft. Standalone Weld Booth	925688320	**Miller Weld Booth, 6 ft. Panel** Part # 296015 **NE**
KP4862-1	Welding Curtain Frame Caster Wheel	924684126	
KP4863-1	Welding Screen/Curtain Frame Connector - 2 Way	924684122	
KP4864-1	Welding Screen/Curtain Frame Connector - 3 Way	924684103	
KP4865-1	Welding Screen/Curtain Frame Connector - 4 Way	924684116	

Cables, Clamps & Accessories

Cables, Clamps & Holders (78)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K113-2	600A 3/32 Sub Arc Gun & Cable-15Ft	923585082	
K447	Gun and Cable Adapter Kit	923586206	
K466-2	Connector Kit - Tweco® No. 2 No. 3 No. 4	0857252	**Miller Universal Connector Kit - Tweco-style** Part # 301611 **NE**
K613-2	Magnum® 550 Connector Kit - Tweco® Adapted	923585803	
K852-25	Twist Mate™ Plug - For #6 - #4 Cable	923585034	
K852-50	Twist Mate™ Plug - For #2 - #1 Cable	923585888	
K852-70	Twist Mate™ Plug - For 1/0-2/0 (50-70mm2) Cable	920300038	
K852-95	Cable Plug 400A Male 2/0-3/0	920300041	
K909-6	T300 Electrode Holder (For DC Welder Only)	0899992	
K909-7	EH-305HD Electrode Holder - 300A 60% Duty Cycle	923585398	
K909-8	EH-405HD Electrode Holder - 400A 60% Duty Cycle	923585692	
K910-1	GC-300 Work Clamp - 300A 60% Duty Cycle	0899990	
K910-2	GC-500 Work Clamp - 500A 60% Duty Cycle	0899991	
K918-1	Zippered Cable Cover - 10 ft (3.0 m)	922503696	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
K918-2 †	(CC-25) 25' Zippered Cable Cover	0817283	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
K918-2 †	Zippered Cable Cover - 22 ft (6.7 m)	922503698	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
K918-4	Premium Zippered Cable Cover - 22 ft (6.7 m)	922503695	
K1690-1	GFCI Receptacle Kit	923585882	
K1758-10	Control / Weld Cable - 10 ft (3 m)	923585340	
K1758-25	Control / Weld Cable - 25 ft (7.6 m)	923585907	
K1759-70	Twist Mate™ Receptacle - For 1/0-2/0 (50-70 mm2) Cable	923585461	
K1759-95	Twist Mate™ Receptacle - For 2/0-3/0 (70-95 mm2) Cable	923584860	
K1796-100	Cable Asble 100 Ft	923585674	
K1803-1	Weld Cable Package - Work Lead 2/0 - Twist Mate™ & GC500 - 15 ft / Power Lead 2/0 - TM & Lug - 10 ft (3 m)	923585956	
K1803-2	Weld Cable Package - Work & Power Lead 2/0 - Tweco® Male & GC500 / Tweco® Male & Lug - 10 ft (3 m)	923584876	
K1803-3	Weld Cable Package - Work Lead - TM & GC500 Ground Clamp (2/0 350A 60%) - 15 ft (4.6 m)	923584833	
K1840-10	Weld Power Cable - TM to Lug (1/0 350A 60%) - 10 ft (3 m)	923585744	
K1841-25	Weld Power Cable - TM to TM (1/0 350A 60%) - 25 ft (7.6 m)	923585060	
K1841-50	Weld Power Cable - Twist Mate™ to Twist Mate™ (2/0 350A 60%) - 50 ft (15.2 m)	923585914	
K1842-10	Weld Power Cable - Lug to Lug (3/0 600A 60%) - 10 ft (3 m)	923586009	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K1842-35	Weld Power Cable - Lug to Lug (3/0 600A 60%) - 35 ft (10.6 m)	923584949	
K1842-60	Weld Power Cable - Lug to Lug (3/0 600A 60%) - 60 ft (18.3 m)	922693280	
K1842-110	Weld Power Cable - Lug to Lug (4/0 600A 60%) - 110 ft (33.5 m)	923586053	
K2149-1	Work Lead - Lug & GC500 Ground Clamp (4/0 600A 60%) - 15 ft (15.3 m)	923586074	
K2150-1	Work Lead - Lug & GC500 Ground Clamp (2/0 350A 60%) - 15 ft (15.3 m)	923585895	
K2163-35	Weld Power Cable Lug to Lug (4/0) - 35 ft (10.6 m) - (2 cables/package)	923585518	
K2163-60	Weld Power Cable - Lug to Lug (4/0) - 60 ft (18.3 m) - (2 cables/package)	923585918	
K2176-1	Twist Mate™ to Lug Adapter	923586097	
K2374-1	Stick Electrode Holder Cable (w/Twist-Mate)	923585100	
K2483-2	Weld Cable - Tweco® Male & Open End (2/0 350A 60%) - 10 ft (3 m)	923586082	
K2483-3	Weld Cable - Tweco® Male & Open End (3/0 600A 60%)- 10 ft (3 m)	923585775	
K2484-2	Weld Cable - Tweco® Male & 0.53 Lug (2/0 350A 60%) - 50 ft (15.3 m)	923585243	
K2484-3	Weld Cable - Tweco® Male & 0.53 Lug (3/0 600A 60%) - 50 ft (15.3 m)	923585884	
K2485-2	Weld Cable - Tweco® Male & Female (2/0 350A 60%) - 50 ft (15.3 m)	923586019	**Miller 2/0 Weld Cable Extension 50 ft.** Part # 195456 **NE**
K2485-3	Weld Cable - Tweco® Male & Female (3/0 600A 60%) - 50 ft (15.3 m)	923586337	
K2593-100	Coaxial Weld Power Cable (#1 Lug to Lug) - 100 ft (30.5 m)	923585439	
K3157-1	LINCOLN ELECTRIC COMPANY 2 Pole 3 Wire 15 A 120 V Black Plastic Duplex Receptacle	925033650	
K3416-70	Tweco® Style Plug (male 1/0 Thru 2/0)	923585156	
K3416-90	Tweco® Style Plug (male 3/0 Thru 4/0)	923585643	
K3417-70	Tweco® Style Receptacle (female 1/0 Thru 2/0)	923585773	
K3417-90	Tweco® Style Receptacle (female 3/0 Thru 4/0)	923584960	
K4198-1	Twist Mate™ to Lug Adapter	925033541	
K4893-2-25	Flexible Cable Work Lead - 2 AWG with 300A Electrode Holder & Lug - 25 FT	925688307	
K5150-1	T-Series 200 Amp Brass Ground/Work Clamp	924684099	
K5151-1	T Series 300 Amp Brass Ground Clamp	924684106	
K5153-1	Heavy Duty 600 Amp C-Clamp Ground/Work Clamp	924684102	
K5154-1	Industrial 200 Amp Electrode Holder	924684158	
K5155-1	Industrial 250 Amp Electrode Holder	924684124	
K5156-1	Industrial 300 Amp Electrode Holder	924684150	
K5157-1	Industrial 350 Amp Electrode Holder	924684136	
K5161-2-15	Electrode Holder and Lead LB2, Tweco Plug to EH200, 15ft	925688305	**Miller Weld Cable w/ Electrode Holder, Tweco Adapters, 10 ft.** Part # 195457 **NE**
K5434-2/0-25	Flexible Cable Work Lead - 2/0 with Ground Clamp & Lug - 25 FT	925688287	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K5434-2/0-50	Flexible Cable Work Lead - 2/0 with Ground Clamp & Lug - 50 FT	925688288	
K5435-2/0-25	Flexible Cable Work Lead - 2/0 with Tweco® Male & Ground Clamp - 25 FT	925688289	
K5435-2/0-50	Flexible Cable Work Lead - 2/0 with Tweco® Male & Ground Clamp - 50 FT	925688290	
K5436-2-12-1/2	Flexible Cable Work Lead - 2 AWG with 200A Electrode Holder & Lug - 12.5 FT	925688294	**Miller No. 2 Stick Weld Leads Cable Set, 15 ft** Part # 195196 **NE**
K5438-2-12-1/2	Flexible Cable Work Lead - 2 AWG with 200A Electrode Holder & Twist Mate - 12.5 FT	925688286	**Miller No. 2 Stick Weld Leads Cable Set, 15 ft** Part # 195196 **NE**
K5454-50	50-Ft Extension Cable	925033546	
K5475-2-500	Flexible Welding Cable Reel - 2 AWG 500 FT	925688292	
K5475-2/0-500	Flexible Welding Cable Reel - 2/0 500 FT	925688291	
K5482-1	Ground Clamp 12.5 ft (3.8 m) Twist Mate™ (Dinse 10-25)	925538198	**Miller Ground Cable with Work Clamp, 10 ft** Part # 195458 **NE**
K5612-1	200A Industrial Electrode Holder 12.5 ft (3.8 m) Twist Mate™ (Dinse 10-25)	925538170	
KP2736-1	Cable Cover	923585047	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
KP3378-15	Cable Cover 15 ft	923586307	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
KP3378-25	Cable Cover 25 ft	923585670	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
KP3378-35	Cable Cover 35Ft	923585057	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
KP3378-50	Cable Cover 50Ft	923585066	**Miller Gun Cable Cover, 30 ft.** Part # 118678 **NE**
WT53774	600A #3/0 Welding Ground Clamp	928263434	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.

Shop Tools & Accessories (81)

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
598-T23GHCFGD01LH	27" One Section Reach In Refrigerator With 1 Left Hinge Glass Door 115V	925646504	
5964	120424TR M8 Metal inserts 10 Ct	924304144	
14953	M13 F40M Metal inserts 10 Ct	924304159	
15007	M14 F40M Metal inserts 10 Ct	924304155	
021228-8606-0002	20mm D x 67mm L 4140 Heat Treated Steel Pin	930753756	
40072	Clamping screw C04510 10 Ct	924304148	
40421	Clamping screw C04011 10 Ct	924304138	
84919	M08 F40M Metal inserts 10 Ct	924304128	
102455-3943-0008	29.95mm D x 1184.1mm L 4140 Heat Treated Steel Pin	930753757	
2409608	Clamping screw C05013 10 Ct	924304160	
2623239	M13 F40M Metal inserts 10 Ct	924304158	
2641551	Metal inserts MP3000 10 Ct	924304135	
2730819	MF2 DNMG Metal inserts 10 Ct	924304149	
2807364	Metal inserts SCGX09 10 Ct	924304139	
2960391	TP2501 Metal inserts 10 Ct	924304153	
2960431	M3 TP2501 Metal inserts 10 Ct	924304143	
3272714	M08 MP2501 Metal insert 10 Ct	924304111	
3272831	M12 MP1501 Metal inserts 10 Ct	924304124	
3272981	M20 MP2501 Metal insert 10 Ct	924304157	
3280742	Metal inserts M6 MP1501 10 Ct	924304119	

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
74004991	T60M C120 Metal inserts 2 Ct	924304134	
74037215	T25M Metal inserts 10 Ct	924304122	
74068058	Metal inserts M10 F40M 10 Ct	924304162	
74068060	F40M Metal inserts 10 Ct	924304125	
K586-1	Deluxe Adjustable Gas Regulator & Hose Kit	91208716	
K2909-1	12 PIN to 6 PIN ADAPTER	923589253	
K2939-1	HydroGuard® Portable Electrode Oven 115 V	923588919	
K2939-2	HydroGuard® Portable Electrode Oven 230 V	0899994	
K3165-3	Vrtex® Mobile Smaw Kit	923585499	
K3179-1	3 x 7 Row Stainless Steel Wire Brush	0899982	
K3180-1	2 x 9 Row Stainless Steel Wire Brush	0899983	
K3181-1	3 x 19 Row Stainless Steel Wire Brush	0899984	
K3182-1	3 x 7 Row Brass Wire Brush	0899985	
K3183-1	2 x 9 Row Brass Wire Brush	0899986	
K3184-1	3 x 19 Row Carbon Steel Wire Brush	0899987	
K3185-1	4 x 16 Row Carbon Steel Wire Brush	0899988	
K3189-1	Welding Wire Brush Three Pack	0899989	
K3268-1	Vrtex® Arm Rest	923585647	
K3309-1	Multi Angle Magnetic Fixture	925688233	
K3310-1	Pivot Angle Magnetic Fixture	925688306	
K3311-1	Manual Hand Lifter	925688313	
K3318-1	Mini Multi Angle Magnetic Fixture	925688315	
K3720-1	Weld Fillet Gauge - Stainless Steel - 7 Piece Set	924679247	
K3721-1	Industrial C-Clamp	0899975	
K3725-1	Industrial Soap Stone Holder	0899973	
K4014-1	Radius® Welding Pliers	0899971	
K4021-1	Chipping Hammer & Wire Brush Combo	0899981	
K4022-1	Radius® Chipping Hammer	0899980	
K4057-1	VRTEX® Project Based Lesson 1 - Student Workbook	923585138	
K4057-2	VRTEX® Project Based Lesson 1 - Instructor Guide	923585251	
K4058-1	VRTEX® Project Based Lesson 2 - Student Workbook	923585842	
K4127-1	RP6 Weldable Rust Preventative Fluid - 55 Gallon Drum	925688300	
K4127-2	RP6 Weldable Rust Preventative Fluid - 5 Gallon Pail	925688301	
K4214-1	Valve Fitting Tool	925033507	
K4396-1	Tool Holder	925033571	
K4485-1	Vrtex 360 Oxyfuel Upgrade Kit	923586333	
K4485-2	Vrtex Transport Oxyfuel Upgrade Kit	923585963	
K4601-1	VRTEX® 360® Single User Virtual Reality Welding Training Simulator on Pallet	923585411	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4601-3	VRTEX® 360® Single User Virtual Reality Welding Training Simulator in Crate	923585472	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**

Lincoln Part #	Description	Fastenal SKU	Miller-family equivalent
K4602-1	VRTEX® 360+ Dual User Virtual Reality Welding Training Simulator on Pallet	923584992	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4602-3	VRTEX® 360+ Dual User Virtual Reality Welding Training Simulator in Crate	923585271	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4603-1	VRTEX® Transport™ Virtual Reality Welding Training Simulator on Pallet	923584930	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4603-3	VRTEX® Transport™ Virtual Reality Welding Training Simulator in Crate	923584982	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4633-1	VRTEX® Transport™ Plus Dual User Virtual Reality Welding Training Simulator on Pallet	923585361	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4633-3	VRTEX® Transport™ Plus Dual Virtual Reality Welding Training Simulator in Crate	923584918	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4914-1	Vrtex 360 Compact	925352932	**Miller AugmentedArc augmented-reality welding trainer** no part # **NE**
K4915-1	Vrtex® 360 Compact 360 Travel Case Set	925352930	
K4916-1	Vrtex® 360 Compact 360 Stand Kit	925352931	
K4917-1	Vrtex® Tabletop Armrest	925352933	
K5182-1	HydroGuard® Portable 50lb. Rod Oven	925303047	
K5248-1	32 in. Welding Table with Adjustable Post	925688172	**Miller ArcStation™ 30FX Welding Table** Part # 300837 **NE**
K5248-2	47 in. Welding Table with Adjustable Post, ADA Compliant	925688171	
K5248-3	42 in. Welding Table with Adjustable Post	925688170	
K5248-7	58 in. Welding Table with Adjustable Post	925688169	**Miller ArcStation™ 60SX Welding Table - Fully Loaded** Part # 951793 **NE**
K5467-1	Heavy Duty, Adjustable Height Stool	925688321	
KP3726-1 †	Soapstone Flat Soapstones (6 Pack)	0899978	
KP3726-1 †	Soapstone Flat Soapstones (6 Pack)	924679244	
KP5656-1	Adjustable Shoulder Strap	925538171	
L15788-101	Floor Stand with Adjustable Platform	925688323	
L15788-174	Standard Weld Table	925688107	
L15788-175	Pipe Weld Table	925688108	

† Same part number is listed under more than one Fastenal SKU (different pack size or stocking item). Check the Fastenal page.